

Forbidden Lines in ns^2np^k Ground Configurations and $nsnp$ Excited Configurations of Beryllium through Molybdenum Atoms and Ions

Victor Kaufman and Jack Sugar

National Bureau of Standards, Gaithersburg, MD 20899

Observed and predicted wavelengths of magnetic dipole lines arising within ground configurations of the type ns^2np^k ($n=2$ and 3 , $k=1$ to 5) are compiled. For $n=2$ the compilation includes the elements B through Kr, and for $k=5$ it extends to Mo. For $n=3$ Al through Mo are included. In addition the $2s2p$ excited configuration of the Be I isoelectronic sequence for Be through Kr and $3s3p$ of the Mg sequence for Mg through Mo are included. For each line we give a calculated value for the transition probability obtained mainly from the Dirac-Fock method or from the use of scaled radial integrals. The calculated wavelengths are obtained from known energy levels or from levels derived from scaled radial integrals. A small group of electric quadrupole lines seen in astronomical sources are included. The list contains 1660 predicted wavelengths in the range 100 Å to 25.9 mm and 406 observed wavelengths in the range 325 Å to 609 μm.

Key words: astronomy; magnetic-dipole lines; spectra; tokamak; transition probabilities; wavelengths.

Contents

1. Introduction	322	7. Neon: wavelengths and transition probabilities	332
2. Predicted Wavelengths	322	8. Sodium: wavelengths and transition probabilities	333
3. Observed Wavelengths	323	9. Magnesium: wavelengths and transition probabilities	334
4. Predicted Transition Probabilities	323	10. Aluminum: wavelengths and transition probabilities	335
5. Data Table Information	324	11. Silicon: wavelengths and transition probabilities	336
6. References to Text	324	12. Phosphorus: wavelengths and transition probabilities	337
7. References for Energy Levels of Be through Ni	324	13. Sulfur: wavelengths and transition probabilities	339
8. References for Observed Wavelengths	326	14. Chlorine: wavelengths and transition probabilities	341
		15. Argon: wavelengths and transition probabilities	343
		16. Potassium: wavelengths and transition probabilities	345
		17. Calcium: wavelengths and transition probabilities	347
		18. Scandium: wavelengths and transition probabilities	349
		19. Titanium: wavelengths and transition probabilities	351
		20. Vanadium: wavelengths and transition probabilities	353
		21. Chromium: wavelengths and transition probabilities	355

List of Tables

1. Beryllium: wavelengths and transition probabilities	328
2. Boron: wavelengths and transition probabilities	328
3. Carbon: wavelengths and transition probabilities	328
4. Nitrogen: wavelengths and transition probabilities	329
5. Oxygen: wavelengths and transition probabilities	330
6. Fluorine: wavelengths and transition probabilities	331

©1986 by the U. S. Secretary of Commerce on behalf of the United States. This copyright is assigned to the American Institute of Physics and the American Chemical Society.
Reprints available from ACS; see Reprint List at back of issue.

22. Manganese: wavelengths and transition probabilities	357	32. Bromine: wavelengths and transition probabilities	377
23. Iron: wavelengths and transition probabilities	359	33. Krypton: wavelengths and transition probabilities	379
24. Cobalt: wavelengths and transition probabilities	361	34. Rubidium: wavelengths and transition probabilities	381
25. Nickel: wavelengths and transition probabilities	363	35. Strontium: wavelengths and transition probabilities	382
26. Copper: wavelengths and transition probabilities	365	36. Yttrium: wavelengths and transition probabilities	383
27. Zinc: wavelengths and transition probabilities	367	37. Zirconium: wavelengths and transition probabilities	384
28. Gallium: wavelengths and transition probabilities	369	38. Niobium: wavelengths and transition probabilities	385
29. Germanium: wavelengths and transition probabilities	371	39. Molybdenum: wavelengths and transition probabilities	386
30. Arsenic: wavelengths and transition probabilities	373	40. Wavelengths and transition probabilities ordered by wavelength	387
31. Selenium: wavelengths and transition probabilities	375		

1. Introduction

Forbidden lines have long been used in the analysis of astrophysical plasmas (solar, stellar, nebular, etc.). In the infrared they are among the strongest stellar lines, and many of those of the light atoms have been measured. Spectra of the solar corona and solar flares are rich in magnetic dipole lines (M1) in the visible and ultraviolet for the elements nitrogen through nickel. In recent years these lines have achieved new importance for diagnostics of low-density, magnetically-confined, high-temperature laboratory plasmas generated in tokamaks. This research has extended the range of elements of interest to heavier atoms that may be injected into the plasma to measure ion temperatures in the range of 0.5 to 20 keV by Doppler broadening and to observe plasma dynamics such as plasma rotation and transport of impurities.

On the basis of recent advances in the determination of energy level structures of highly ionized atoms of the iron period, one may predict the wavelengths of M1 lines with high accuracy for this range of elements. From a study of the behavior of the radial energy integrals fitted to these levels, and from numerous M1 lines identified for ions of copper to molybdenum, it became possible to extend the predictions to ions through molybdenum. We have compiled the observed and predicted wavelengths of magnetic dipole lines arising within ground configurations of the type ns^2np^k ($n=2$ and 3 , $k=1$ to 5). For $n=2$, we include the elements B through Kr, and for $k=5$ the tables extend to Mo. For $n=3$, Al through Mo are included. In addition, the $2s2p$ excited configuration of the Be I isoelectronic sequence for Be through Kr and $3s3p$ of the Mg I sequence for Mg through Mo are included.

It will probably be difficult to observe the $nsnp$ ($^3P_{0,1,2}-^1P_1$) transitions in the Be I and Mg I sequences

because the very large electric-dipole transition probability of the $ns^2\ ^1S_0-nsnp\ ^1P_1$ resonant transition will tend to rapidly deplete the $nsnp\ ^1P_1$ level. Similarly, but to a lesser extent, the $^3P_0-^3P_1$ transition can be expected to be weak because of the $ns^2\ ^1S_0-nsnp\ ^3P_1$ transition. However, we have included these magnetic-dipole transitions for the sake of completeness.

All measured lines that we consider correctly identified are included. Some are only tentatively classified by the authors, but appear to be reasonable on the basis of predictions along isoelectronic sequences. Some are omitted because they are far from satisfying this criterion.

We have also included a selected group of electric quadrupole lines (E2) that are frequently observed in ns^2np^2 and ns^2np^4 configurations; these are the $^1D_2-^1S_0$ transitions.

Calculations of line strengths and transition probabilities have been made for all of these lines by both relativistic and non-relativistic methods. We have given preference to the relativistic results. Calculations by both methods for the $n=3$ shell differ on the average by only 5% (see Sec. 6, Ref. 1).

2. Predicted Wavelengths

For Be through Ni, predicted values for the wavelengths of the M1 and E2 lines were obtained from the known energy levels by the Ritz principal of deriving wavelengths from energy differences. Their uncertainties are derived from the reported level uncertainties. The source of data for each of these atoms and ions is given in Sec. 7 below.

From Cu through Mo predictions of wavelengths of M1 lines within the $3s^23p^k$ configurations by Sugar and Kaufman¹ are quoted. These are preferred to *ab initio* calculations because they are semi-empirically derived

by fitting radial energy integrals to the known levels beginning with potassium, and have been found to give more accurate wavelength predictions. The uncertainty estimates are derived as prescribed in that paper. Contributions to the uncertainty by each integral in the calculation was estimated, and the combined effect was given as a monotonically increasing function of atomic number. These estimates appear to be high by a factor of two, as indicated by many subsequently identified lines.

We predicted the lines of the $3s3p$ configurations for inclusion here. The radial integrals $G^1(sp)$ and ζ_p were fit to known levels from potassium to molybdenum. These parameters were then interpolated for ions for which the levels are not known, and predictions were made by diagonalizing the energy matrices. Measured emission lines of copper in this sequence from Sugar and Kaufman² were combined with the M1 transition $3s3p^3P_2-^3P_1$ from Denne *et al.*³ to establish the levels of this ion. Denne *et al.* measured this same transition for Ge, Se, Zr, and Mo. The intersystem lines $3s^2^1S_0-3s3p^3P_1$ were observed by Finkenthal *et al.*⁴ for Ge, Se, Zr, and Mo. Values for the $3s^2^1S_0-3s3p^1P_1$ lines were provided by Fawcett and Hayes⁵ for Zn to Se and from Reader⁶ for Sr to Mo.

Edlén has made a comparison of the known levels of the $n=2$ shell (Li to F sequences) with the relativistic Dirac-Fock *ab initio* calculations available in the literature, and has derived analytical expressions for the differences. By this means he has predicted level values through Kr. We used his results to obtain predicted wavelengths from Cu to Kr for the beryllium-to-oxygen isoelectronic sequences⁷⁻¹⁰ and from Cu to Mo for the fluorine isoelectronic sequence.⁷

We include a total of 1660 predicted wavelengths.

3. Observed Wavelengths

With a few exceptions the M1 and E2 lines of carbon through argon have been observed only from astronomical sources, including gaseous nebulae, stars, and the solar corona. These sources have also provided considerable iron-period data. The most common laboratory source generating copious forbidden lines is the tokamak, which contains a magnetically-confined, high-temperature plasma with an ion density similar to that of the solar corona. By injecting any impurity element, magnetic dipole lines of that element may be seen in stages of ionization determined by the plasma temperature. All of the scandium and titanium data, most of the chromium and nickel data, and all from copper to molybdenum are from tokamak observations.

We have included a small group of E2 lines comprising the $^1D_2-^1S_0$ transition of the ns^2np^2 and ns^2np^4 configurations ($n=2, 3$) because of their prominence in nebular sources.

The sources of observed data that we have credited are not necessarily the original discoverers of the lines, but are those providing the best measurements. In some cases,

such as for spectra of the solar corona, the authors have given the line identifications for wavelengths observed by others. References for the observed wavelengths are given in Sec. 8, each preceded by a symbol that is used to identify them in the tables. We include 406 observed wavelengths.

4. Predicted Transition Probabilities

In most cases multiconfiguration Dirac-Fock calculations of line strengths are available. These calculations do not generally converge for neutral and singly ionized atoms, but non-relativistic calculations have been made in every such case. Line strengths for the magnetic-dipole lines of Be I, B I, B II, C I, C II, N I, N II, O I, O II and F II were taken from Wiese *et al.*¹¹ Those for Si I and P I were taken from Wiese *et al.*¹² Line strengths for the magnetic-dipole lines of the isoelectronic sequences of B I, C I, N I and F I were taken, except as noted above, from Cheng *et al.*¹³ Those for the Al I, Si I, and P I sequences were taken, except as noted above, from Huang.¹⁴⁻¹⁶ Those for the Cl I sequence, with a few exceptions, are from Huang *et al.*¹⁷ For Cl-like Ga, Ge, As, Y and Zr the line strengths were interpolated from values of neighboring ions. The relativistic calculations are not available for the Be, Mg, and S isoelectronic sequences. The transition probabilities for all magnetic-dipole lines of the Be-like, Mg-like, and S-like ions were calculated in the manner described in Sugar and Kaufman.¹ These are non-relativistic calculations in intermediate coupling. They agree within a few percent with relativistic calculations in the $n=3$ sequences for which both are available.

Line strengths for the electric-quadrupole lines of $2s^22p^k(^1D_2-^1S_0)$ [$k=2$] of C I and N II and [$k=4$] of O I and F II are from Wiese *et al.*¹¹ Those for the remainder of the carbon sequence, O III through Ni XXIII, and for the remainder of the oxygen sequence, Ne III through Ni XXI, are from Cheng *et al.*¹³ The transition probabilities for these lines in the sulfur sequence, $3s^23p^4$, for S I through Ni XIII, are from Mendoza and Zeppen.¹⁸ Those from Cu XIV through Mo XXVII are from Biemont and Hansen.¹⁹ The one for Si I, $3s^23p^2$, is from Mendoza and Zeppen.²⁰ For the remainder of this sequence, P II through Mo XXIX, we used the line strengths given by Huang.¹⁵

Relations between transition probabilities $A(s^{-1})$ and line strengths S are given explicitly as

$$A = \frac{2.697 \times 10^{13}}{\lambda^3 g} S(M1),$$

$$A = \frac{1.680 \times 10^{18}}{\lambda^5 g} S(E2),$$

where λ is the transition wavelength in Å and g is the $2J+1$ degeneracy of the upper level. $S(M1)$ in Bohr magneton units (μ_B) and $S(E2)$ in atomic units (ea_0^2) are the magnetic-dipole and electric-quadrupole line strengths, respectively.

The magnetic-dipole transition rate in almost all cases is a few orders of magnitude greater than the electric-quadrupole transition rate. We have added the E2 rate to the M1 rate in those cases for which the former is greater than 1 % of the latter. This is true only for some of the N I ($2p^3$) and P I ($3p^3$) sequence transitions. An asterisk following the transition rate in the tables shows where this occurs.

5. Data Table Information

The tables contain the predicted and observed wavelengths and predicted transition probabilities for magnetic-dipole transitions within ns^2np^k ($k=1-5$) and $nsnp$ configurations; $n=2$ for beryllium through sodium, $n=2, 3$ for magnesium through krypton, and $n=3$ for rubidium through molybdenum. The F-sequence is given through molybdenum. The electric quadrupole transition $^1D_2-^1S_0$ for $k=2, 4$ is included because it is frequently observed. The data are presented in two formats. In Tables 1-39 the lines are segregated according to element and within each element are listed in order of increasing wavelength. In Table 40 all lines are merged and sorted by wavelength. The columns from left to right in order of appearance contain the following information:

Column No.	Description
1	Wavelengths (observed and predicted) in Å below 20 000 Å, in micrometers (μm) between 2 and 1000 μm , and in millimeters (mm) between 1 and 26 mm. Wavelengths given without units are in Å. Wavelengths in vacuum are given below 2000 Å, in air between 2000 Å and 5 μm , and in vacuum above 5 μm . Each wavelength is followed by its uncertainty in parentheses. Tentative identifications are preceded by "T".
2	Transition probabilities (A) are written as a factor times 10 to a power. The power of ten follows the decimal factor. For example, $2.20+4$ means 2.20×10^4 . An asterisk following the transition probability indicates that the E2 rate for the transition is greater than 1 % of the M1 rate and has been added to that value.
3	Spectrum.
4	Electronic configuration.
5	Line classification. Lower level is given first.

Column No.	Description
6	Ionization energy in thousands of electron volts (keV). ²¹⁻²³
7	References for observed wavelengths. Definitions of symbols are given in Sec. 8, "References for Observed Wavelengths."

6. References to Text

- ¹J. Sugar and V. Kaufman, *J. Opt. Soc. Am. B* **1**, 218 (1984).
- ²J. Sugar and V. Kaufman, *J. Opt. Soc. Am. B* **3**, (submitted) (1986).
- ³B. Denne, E. Hinnov, S. Suckewer, and S. Cohen, *Phys. Rev. A* **28**, 206 (1983).
- ⁴M. Finkenthal, E. Hinnov, S. Cohen, and S. Suckewer, *Phys. Lett. A* **91**, 284 (1982).
- ⁵B. C. Fawcett, and R. W. Hayes, *J. Opt. Soc. Am.* **65**, 623 (1975).
- ⁶J. Reader, *J. Opt. Soc. Am.* **73**, 796 (1983).
- ⁷B. Edlén, *Phys. Scr.* **28**, 51 (1983).
- ⁸B. Edlén, *Phys. Scr.* **28**, 483 (1983).
- ⁹B. Edlén, *Phys. Scr.* **30**, 135 (1984).
- ¹⁰B. Edlén, *Phys. Scr.* **31**, 345 (1985).
- ¹¹W. L. Wiese, M. W. Smith and B. M. Glennon, *Natl. Stand. Ref. Data Ser., Natl. Bur. Stand. (U.S.) 4, Atomic Transition Probabilities, Vol. I, Hydrogen through Neon* (1966).
- ¹²W. L. Wiese, M. W. Smith, and B. M. Miles, *Natl. Stand. Ref. Data Ser., Natl. Bur. Stand. (U.S.) 22, Atomic Transition Probabilities, Vol. II, Sodium through Calcium* (1969).
- ¹³K. T. Cheng, Y. -K. Kim, and J. P. Desclaux, *At. Data Nucl. Data Tables* **24**, 111 (1979).
- ¹⁴K. -N. Huang, private communication (1985).
- ¹⁵K. -N. Huang, *At. Data Nucl. Data Tables* **32**, 503 (1985).
- ¹⁶K. -N. Huang, *At. Data Nucl. Data Tables* **30**, 313 (1984).
- ¹⁷K. -N. Huang, Y. -K. Kim, K. T. Cheng, and J. P. Desclaux, *At. Data Nucl. Data Tables* **28**, 355 (1983).
- ¹⁸C. Mendoza and C. J. Zeippen, *Mon. Not. R. Astron. Soc.* **202**, 981 (1983).
- ¹⁹E. Biemont and J. E. Hansen, *Phys. Scr.* (1986), submitted for publication.
- ²⁰C. Mendoza and C. J. Zeippen, *Mon. Not. R. Astron. Soc.* **199**, 1025 (1982).
- ²¹C. E. Moore, *Natl. Stand. Ref. Data Ser., Natl. Bur. Stand. (U.S.) 34*, for Be through Ar (1970).
- ²²J. Sugar and C. Corliss, *J. Phys. Chem. Ref. Data* **14**, Suppl. 2, for K through Ni (1985).
- ²³T. A. Carlson, C. W. Nestor, N. Wasserman and J. D. McDowell, *At. Data* **2**, 63, for Cu through Mo (1970).

7. References for Energy Levels of Be through Ni

- Be I
Johansson, L. (1962), *Ark. Fys.* **23**, 119.
- B I
Edlén, B., Olme, A., Herzberg, G., and Johns, J. W. C. (1970), *J. Opt. Soc. Am.* **60**, 889.
- B II
Olme, A. (1970), *Phys. Scr.* **1**, 256.
- C I
Johansson, L. (1966), *Ark. Fys.* **31**, 201; Kaufman, V., and Ward, J. F. (1966), *J. Opt. Soc. Am.* **56**, 1591.

- C II
Cooksy, A. L., Blake, G. A., and Saykally, R. J. (1985), *Astrophys. J.* (submitted).
- C III
Bockasten, K. (1955), *Ark. Fys.* **9**, 457.
- N I
Eriksson, K. B. S. (1966), *Ark. Fys.* **33**, 357.
- N II
Eriksson, K. B. S. (1983), *Phys. Scr.* **28**, 593; Bowen, I. S. (1955), *Astrophys. J.* **121**, 306; Cooksy, A. L., and Saykally, R. J. (1985), *Astrophys. J.* (submitted).
- N III
Eriksson, K. B. S. (1958), *Ark. Fys.* **13**, 303.
- N IV
Hallin, R. (1966), *Ark. Fys.* **32**, 201.
- O I
Eriksson, K. B. S. (1965), *Ark. Fys.* **30**, 199.
- O II
De Roberts, M. M., Osterbrock, D. E., and McKee, C. F. (1985), *Astrophys. J.* **293**, 459.
- O III
Petterson, S. -G. (1982), *Phys. Scr.* **26**, 296.
- O IV
Bromander, J. (1969), *Ark. Fys.* **40**, 257.
- O V
Moore, C. E. (1980), *Natl. Stand. Ref. Data Ser., Natl. Bur. Stand. (U.S.)* **3**, Sec. 9.
- F I
Stanton, A. C., and Kolb, C. E. (1980), *J. Chem. Phys.* **72**, 6637.
- F II
Palenius, H. P. (1968), *Ark. Fys.* **39**, 15.
- F III
Palenius, H. P. (1970), *Phys. Scr.* **1**, 113.
- F IV
Palenius, H. P. (1971), *Research Rep., Phys. Dept., Univ. Lund*, 20 pp.
- F V
Palenius, H. P. (1971), *Research Rep., Phys. Dept., Univ. Lund*, 20 pp.
- F VI
Palenius, H. P. (1971), *Research Rep., Phys. Dept., Univ. Lund*, 20 pp.; Moore, C. E. (1949), *Atomic Energy Levels*, *Natl. Bur. Stand. (U.S.) Circ.* **467**, Vol. I, 71.
- Ne II
Yamada, C., Kanamori, H., and Hirota, E. (1985), *J. Chem. Phys.* **83**, 552.
- Ne III
Persson, W. (1971), *Phys. Scr.* **3**, 133; Bowen, I. S. (1955), *Astrophys. J.* **121**, 306; Bowen, I. S. (1960), *Astrophys. J.* **132**, 1.
- Ne IV
Lindeberg, S. (1972), *Uppsala Univ., Inst. Phys., Report UUIP-759*, 18 pp.
- Ne V
Lindeberg, S. (1972), *Uppsala Univ., Inst. Phys., Report UUIP-759*, 18 pp.; Forrest, W. J., McCarthy, J. F., and Houck, J. R. (1980), *Astrophys. J.* **240**, L37.
- Ne VI
Lindeberg, S. (1972), *Uppsala Univ., Inst. Phys., Report UUIP-759*, 18 pp.
- Ne VII
Lindeberg, S. (1972), *Uppsala Univ., Inst. Phys., Report UUIP-759*, 18 pp.
- Na III through Na VIII
Martin, W. C., and Zalubas, R. (1981), *J. Phys. Chem. Ref. Data* **10**, 153.
- Mg I, and Mg IV through Mg IX
Martin, W. C., and Zalubas, R. (1980), *J. Phys. Chem. Ref. Data* **9**, 1.
- Al I, II and Al V through Al X
Martin, W. C., and Zalubas, R. (1979), *J. Phys. Chem. Ref. Data* **8**, 817.
- Si I, II, III and Si VI through Si XI
Martin, W. C., and Zalubas, R. (1983), *J. Phys. Chem. Ref. Data* **12**, 323.
- P I through P IV and P VII through P XII
Martin, W. C., Zalubas, R., and Musgrove, A. (1985), *J. Phys. Chem. Ref. Data* **14**, 751.
- S I
Kaufman, V. (1982), *Phys. Scr.* **26**, 439.
- S II
Energy levels derived from: Bowen, I. S. (1955), *Astrophys. J.* **121**, 306; Trauger, J. T., Munch, G., and Roesler, F. L. (1980), *Astrophys. J.* **236**, 1035.
- S III
Energy levels derived from: Bowen, I. S. (1955), *Astrophys. J.* **121**, 306; Bowen, I. S. (1960), *Astrophys. J.* **132**, 1; Baluteau, J. -P., Bussolletti, E., Anderegg, M., Moorwood, A. F. M., and Coron, N. (1976), *Astrophys. J.* **210**, L45; Herter, T., Briotta, D. A., Gull, G. E., Shure, M. A., and Houck, J. R. (1982), *Astrophys. J.* **259**, L109.
- S IV
Smitt, R., Svensson, L. A., and Outred, M. (1976), *Phys. Scr.* **13**, 293.
- S V
Joelsson, I., Zetterberg, P. O., and Magnusson, C. E. (1981), *Phys. Scr.* **23**, 1087.
- S VIII
Edlén, B. (1969), *Sol. Phys.* **9**, 439.
- S IX
Feldman, U., and Doschek, G. A. (1977), *J. Opt. Soc. Am.* **67**, 726; Edlén, B. (1983), *Phys. Scr.* **28**, 51.
- S X
Sandlin, G. D., Brueckner, G. E., and Tousey, R. (1977), *Astrophys. J.* **214**, 898; Feldman, U., and Doschek, G. A. (1977), *J. Opt. Soc. Am.* **67**, 726; Edlén, B. (1984), *Phys. Scr.* **30**, 135.
- S XI
Feldman, U., and Doschek, G. A. (1977), *J. Opt. Soc. Am.* **67**, 726; Edlén, B. (1985), *Phys. Scr.* (submitted).
- S XII
Jefferies, J. T. (1969), *Mem. Soc. R. Sci. Liege* **17**, 213.
- Cl I
Dagenais, M., Johns, J. W. C., and McKellar, A. R. W. (1976), *Can. J. Phys.* **54**, 1438.
- Cl II
Radziemski, L. J., Jr., and Kaufman, V. (1974), *J. Opt. Soc. Am.* **64**, 366.
- Cl III
Kaufman, V. (1985), unpublished data; Bowen, I. S. (1955), *Astrophys. J.* **121**, 306; Bowen, I. S. (1960), *Astrophys. J.* **132**, 1.
- Cl IV
Kaufman, V. (1985), unpublished data; Bowen, I. S. (1955), *Astrophys. J.* **121**, 306.
- Cl V
Bowen, I. S. (1934), *Phys. Rev.* **45**, 401.
- Cl VI
Moore, C. E. (1949), *Natl. Bur. Stand. (U.S.) Circ.* **467**, Vol. I, 204. The triplet levels have been adjusted.

- CI IX Kaufman, V., Sugar, J., and Cooper, D. (1982), *Phys. Scr.* **25**, 623.
- CI X Kaufman, V., Sugar, J., and Cooper, D. (1982), *Phys. Scr.* **25**, 623.
- CI XI Kaufman, V., Sugar, J., and Cooper, D. (1982), *Phys. Scr.* **26**, 163.
- CI XII Sugar, J., Kaufman, V., and Cooper, D. (1982), *Phys. Scr.* **26**, 189.
- CI XIII Sugar, J., Kaufman, V., and Cooper, D. (1982), *Phys. Scr.* **26**, 293.
- CI XIV Edlén, B. (1983), *Phys. Scr.* **28**, 51.
- Ar II Yamada, C., Kanamori, H., and Hirota, E. (1985), *J. Chem. Phys.* **83**, 552.
- Ar III Bowen, I. S. (1955), *Astrophys. J.* **121**, 306; Bowen, I. S. (1960), *Astrophys. J.* **132**, 1; Lacy, J. H. (Oct. 1985), private communication.
- Ar IV Bowen, I. S. (1955), *Astrophys. J.* **121**, 306.
- Ar V Phillips, L. W., and Parker, W. L. (1941), *Phys. Rev.* **60**, 301; Bowen, I. S. (1955), *Astrophys. J.* **121**, 306.
- Ar VI Phillips, L. W., and Parker, W. L. (1941), *Phys. Rev.* **60**, 301; Fawcett, B. C., Jones, B. B., and Wilson, R. (1961), *Proc. Phys. Soc. (London)*, **78**, 1223.
- Ar VII Phillips, L. W., and Parker, W. L. (1941), *Phys. Rev.* **60**, 301. The triplet levels have been adjusted.
- Ar X Jefferies, J. T. (1969), *Mem. Soc. R. Sci. Liege* **17**, 213.
- Ar XI Deutschman, W. A., and House, L. L. (1966), *Astrophys. J.* **144**, 435; Sandlin, G. D., Brueckner, G. E., and Tousey, R. (1977), *Astrophys. J.* **214**, 898.
- Ar XII Deutschman, W. A., and House, L. L. (1967), *Astrophys. J.* **149**, 451.
- Ar XIII Deutschman, W. A., and House, L. L. (1967), *Astrophys. J.* **149**, 451. The singlet-triplet separation was found by interpolation.
- Ar XIV Fawcett, B. C., Gabriel, A. H., and Paget, T. M. (1971), *J. Phys.* **B 4**, 986.
- Ar XV Edlén, B. (1983), *Phys. Scr.* **28**, 51.
- All ions of K through Ni
Sugar, J., and Corliss, C. (1985), *J. Phys. Chem. Ref. Data* **14**, Suppl. 2.
- 8. References for Observed Wavelengths**
- B(55) Bowen, I. S. (1955), *Astrophys. J.* **121**, 306.
- B(60) Bowen, I. S. (1960), *Astrophys. J.* **132**, 1.
- BBAMC Baluteau, J. -P., Bussoletti, E., Anderegg, M., Moorwood, A. F. M., and Coron, N. (1976), *Astrophys. J.* **210**, L45.
- BDGRG Bava, E., DeMarchi, A., Godone, A., Rovera, G. D., and Giusfredi, G. (1983), *Opt. Commun.* **47**, 193.
- BGBR Burrell, K. H., Groebner, R. J., Brooks, N. H., and Rottler, L. (1984), *Phys. Rev. A* **29**, 1343.
- CBS Cooksy, A. L., Blake, G. A., and Saykally, R. J. (1985), *Astrophys. J.* (submitted).
- CFD Cohen, L., Feldman, U., and Doschek, G. A. (1978), *Astrophys. J. Suppl. Ser.* **37**, 393.
- CS Cooksy, A. L., and Saykally, R. J. (1985), *Astrophys. J.* (submitted).
- D Dollfus, A. (1957), *C. R. Acad. Sci. Paris* **245**, 2011.
- DH Denne, B. and Hinnov, E. (1984), *J. Opt. Soc. Am. B* **1**, 699.
- DHSC Denne, B., Hinnov, E., Suckewer, S., and Cohen, S. (1983), *Phys. Rev. A* **28**, 206.
- DHST Denne, B., Hinnov, E., Suckewer, S., and Timberlake, J. (1984), *J. Opt. Soc. Am. B* **1**, 296.
- DHLS Davies, P. B., Handy, B. J., Lloyd, E. K. M., and Smith, D. R. (1978), *J. Chem. Phys.* **68**, 1135.
- DJM Dagenais, M., Johns, J. W. C., and McKellar, A. R. W. (1976), *Can. J. Phys.* **54**, 1438.
- E Edlén, B. (1942), *Z. Astrophys.* **22**, 30.
- E-pr Evenson, K. M. (March 1985), private communication.
- E(65) Eriksson, K. B. S. (1965), *Ark. Fys.* **30**, 199.
- E(66) Eriksson, K. B. S. (1966), *Ark. Fys.* **33**, 357.
- E(78) Eriksson, K. B. S. (1978), *Astrophys. J.* **222**, 398.
- ECZ Eidelberg, M., Crifo-Magnant, F., and Zeippen, C. J. (1981), *Astron. Astrophys. Suppl. Ser.* **43**, 455.
- FBM Finkenthal, M., Bell, R. E., Moos, H. W., and TFR Group (1984), *J. Appl. Phys.* **56**, 2012.
- FMH Forrest, W. J., McCarthy, J. F., and Houck, J. R. (1980), *Astrophys. J.* **240**, L37.
- GJ Grasdalen, G. L., and Joyce, R. R. (1976), *Nature* **259**, 187.
- H Hinnov, E. (Oct. 1985), private communication.
- HBGSH Herter, T., Briotta, D. A., Gull, G. E., Shure, M. A., and Houck, J. R. (1982), *Astrophys. J.* **259**, L109.
- HSCS Hinnov, E., Suckewer, S., Cohen, S., and Sato, K. (1982), *Phys. Rev. A* **25**, 2293.
- IEBL Inguscio, M., Evenson, K. M., Beltran-Lopez, V., and Ley-Koo, E. (1984), *Astrophys. J.* **278**, L127.
- ILME Inguscio, M., Leopold, K., Murray, J. M., and Evenson, K. M. (1985), *J. Opt. Soc. Am. B* **2**, 1566.
- J Jefferies, J. T. (1969), *Mem. Soc. R. Sci. Liege* **17**, 213.
- L Lacy, J. H. (Oct. 1985), private communication.
- M Magnant-Crifo, F. (1973), *Sol. Phys.* **31**, 91.
- MNM Munch, G., Neugebauer, G., and McCammon, D. (1967), *Astrophys. J.* **149**, 681.
- MSFJK Moorwood, A. F. M., Salinari, P., Furniss, I., Jennings, R. E., and King, K. J. (1980), *Astron. Astrophys.* **90**, 304.
- P Pryce, M. H. L. (1964), *Astrophys. J.* **140**, 1192.
- PSS Peacock, N. J., Stamp, M. F., and Silver, J. D. (1984), *Phys. Scr.* **T8**, 10.
- RKSPR Roberts, J. R., Kaufman, V., Sugar, J., Pittman, T. L., and Rowan, W. L. (1983), *Phys. Rev. A* **27**, 1721.
- RPSKR Roberts, J. R., Pittman, T. L., Sugar, J., Kaufman, V., and Rowan, W. L. (1985), unpublished data from TEXT.
- RSW Russell, R. W., Sofer, B. T., and Willner, S. P. (1977), *Astrophys. J.* **217**, L149.
- S Smitt, R. (1977), *Sol. Phys.* **51**, 113.
- SBST Sandlin, G. D., Brueckner, G. E., Scherrer, V. E., and Tousey, R. (1976), *Astrophys. J.* **205**, L47.
- SBT Sandlin, G. D., Brueckner, G. E., and Tousey, R. (1977), *Astrophys. J.* **214**, 898.
- SE(79) Saykally, R. J., and Evenson, K. M. (1979), *J. Chem. Phys.* **71**, 1564.
- SE(80) Saykally, R. J., and Evenson, K. M. (1980), *Astrophys. J.* **238**, L107.
- SCCFH Suckewer, S., Cecchi, J., Cohen, S., Fonck, R., and Hinnov, E. (1980), *Phys. Lett. A* **80**, 259.
- SFH Suckewer, S., Fonck, R., and Hinnov, E. (1980), *Phys. Rev. A* **22**, 2278.
- SH(78) Suckewer, S., and Hinnov, E. (1978), *Phys. Rev. Lett.* **41**, 756.
- SH(82) Suckewer, S., and Hinnov, E., *Physics of Electronic and Atomic Collisions*, (North Holland Press, 1982).
- SHG Shure, M. A., Houck, J. R., and Gull, G. E. (1984), *Astrophys. J.* **281**, L29.

- SK Stanton, A. C., and Kolb, C. E. (1980), *J. Chem. Phys.* **72**, 6637.
- ST Sandlin, G. D., and Tousey, R. (1979), *Astrophys. J.* **227**, L107.
- Su Suckewer, S. (Oct. 1985), private communication.
- Sw Swensson, J. W. (1967), *Naturwiss.* **15**, 440.
- T Thackeray, A. D. (1974), *Mon. Not. R. Astron. Soc.* **167**, 87.
- TMR Trauger, J. T., Munch, G., and Roesler, F. L. (1980), *Astrophys. J.* **236**, 1035.
- W Widing, K. G. (1978), *Astrophys. J.* **222**, 735.
- YKH Yamada, C., Kanamori, H., and Hirota, E. (1985), *J. Chem. Phys.* **83**, 552.

Table 1. Beryllium: wavelengths and transition probabilities

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	4856.061(13)	9.58 -7	Be I	2s 2p	³ P ₀ - ¹ P ₁	0.009	
	4856.212(10)	9.19 -3	Be I	2s 2p	³ P ₁ - ¹ P ₁	0.009	
	4856.766(13)	1.19 -6	Be I	2s 2p	³ P ₂ - ¹ P ₁	0.009	
	4.25(8) mm	1.76 -10	Be I	2s 2p	³ P ₁ - ³ P ₂	0.009	
	15.6(1.0) mm	4.74 -12	Be I	Zs 2p	³ P ₀ - ³ P ₁	0.009	

Table 2. Boron: wavelengths and transition probabilities

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	2772.35(4)	0.52 -5	B II	2s 2p	³ P ₀ - ¹ P ₁	0.048	
	2772.78(4)	2.01 -1	B II	2s 2p	³ P ₁ - ¹ P ₁	0.048	
	2774.01(4)	1.07 -4	B II	2s 2p	³ P ₂ - ¹ P ₁	0.048	
	625.(17) μm	5.52 -8	B II	2s 2p	³ P ₁ - ³ P ₂	0.048	
	655.6(7) μm	3.19 -8	B I	2s ² 2p	² P _{1/2} - ² P _{3/2}	0.008	
	1.79(14) mm	3.14 -9	B II	2s 2p	³ P ₀ - ³ P ₁	0.048	

Table 3. Carbon: wavelengths and transition probabilities

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	1999.95(4)	1.22 -3	C III	2s 2p	³ P ₀ - ¹ P ₁	0.048	
	2000.90(4)	1.04 -3	C III	2s 2p	³ P ₁ - ¹ P ₁	0.048	
	2003.16(4)	1.52 -3	C III	2s 2p	³ P ₂ - ¹ P ₁	0.048	
4621.57(10)	4621.570(5)	2.60 -3	C I	2s ² 2p ²	³ P ₁ - ¹ S ₀	0.011	P
8727.18(10)	Q 8727.141(22)	5.01 -1	C I	2s ² 2p ²	¹ D ₂ - ¹ S ₀	0.011	Sw
	9824.109(22)	7.79 -5	C I	2s ² 2p ²	³ P ₁ - ¹ D ₂	0.011	
9850.28(10)	9850.243(22)	2.30 -4	C I	2s ² 2p ²	³ P ₂ - ¹ D ₂	0.011	Sw
157.74084(21)	157.74084(21) μm	2.29 -6	C II	2s ² 2p	² P _{1/2} - ² P _{3/2}	0.024	CBS
	177.4(9) μm	2.10 -6	C III	2s 2p	³ P ₁ - ³ P ₂	0.048	
370.4140(15)	370.37(19) μm	2.65 -7	C I	2s ² 2p ²	³ P ₁ - ³ P ₂	0.011	SE(80)
	422.(4) μm	3.00 -7	C III	2s 2p	³ P ₀ - ³ P ₁	0.048	
609.1333(8)	609.4(4) μm	7.95 -8	C I	2s ² 2p ²	³ P ₀ - ³ P ₁	0.011	SE(80)

Table 4. Nitrogen: wavelengths and transition probabilities

Observed	Wavelength Calculated		A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	1575.183(4)		1.09 -2	N IV	2s 2p	³ P ₀ - ¹ P ₁	0.077	
	1576.750(4)		8.33 -3	N IV	2s 2p	³ P ₁ - ¹ P ₁	0.077	
	1580.338(4)		1.35 -2	N IV	2s 2p	³ P ₂ - ¹ P ₁	0.077	
	3062.838(13)		3.40 -2	N II	2s ² 2p ²	³ P ₁ - ¹ S ₀	0.030	
3466.4970(6)	3466.497(1)		6.18 -3	N I	2s ² 2p ³	⁴ S _{3/2} - ² P _{3/2}	0.015	E(66)
3466.5434(12)	3466.543(1)		2.46 -3	N I	2s ² 2p ³	⁴ S _{3/2} - ² P _{1/2}	0.015	E(66)
5197.94(10)	5197.901(14)		1.62 -5*	N I	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	0.015	B(55)
5200.41(10)	5200.257(14)		6.92 -6*	N I	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	0.015	B(55)
5754.57(4)	Q 5754.64(5)		1.08 +0	N II	2s ² 2p ²	¹ D ₂ - ¹ S ₀	0.030	B(55)
6548.06(4)	6548.03(5)		1.04 -3	N II	2s ² 2p ²	³ P ₁ - ¹ n ₂	0.030	B(55)
6583.39(7)	6583.41(5)		3.02 -3	N II	2s ² 2p ²	³ P ₂ - ¹ D ₂	0.030	B(55)
10397.74(10)	10397.74(5)		5.48 -2*	N I	2s ² 2p ³	² D _{5/2} - ² P _{3/2}	0.015	P
	10407.17(5)		2.47 -2*	N I	2s ² 2p ³	² D _{3/2} - ² P _{3/2}	0.015	
	10407.59(6)		4.71 -2*	N I	2s ² 2p ³	² D _{3/2} - ² P _{1/2}	0.015	
57.330(3)	57.343(3) μm		4.77 -5	N III	2s ² 2p	² P _{1/2} - ² P _{3/2}	0.047	MSFJK
	69.44(7) μm		3.63 -5	N IV	2s 2p	³ P ₁ - ³ P ₂	0.077	
121.88887(12)	121.88887(12) μm		7.47 -6	N II	2s ² 2p ²	³ P ₁ - ³ P ₂	0.030	CS
	158.5(4) μm		6.00 -6	N IV	2s 2p	³ P ₀ - ³ P ₁	0.077	
	205.5(4) μm		2.07 -6	N II	2s ² 2p ²	³ P ₀ - ³ P ₁	0.030	
	1.148(9) mm		1.07 -8	N I	2s ² 2p ³	² D _{5/2} - ² D _{3/2}	0.015	
	25.9(8) mm		5.17 -13	N I	2s ² 2p ³	² P _{1/2} - ² P _{3/2}	0.015	

Table 5. Oxygen: wavelengths and transition probabilities

Observed	Wavelength Calculated	A (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	1301.148(12)	6.10 -2	O V	2s 2p	$^3P_0 - ^1P_1$	0.114	
	1303.456(12)	4.57 -2	O V	2s 2p	$^3P_1 - ^1P_1$	0.114	
	1308.688(12)	7.49 -2	O V	2s 2p	$^3P_2 - ^1P_1$	0.114	
	2320.9510(16)	3.27 -1	O, III	$2s^2 2p^2$	$^3P_1 - ^1S_0$	0.055	
	2470.21(2)	2.38 -2	O II	$2s^2 2p^3$	$^4S_{3/2} - ^2P_{1/2}$	0.035	
	2470.33(2)	5.95 -2	O II	$2s^2 2p^3$	$^4S_{3/2} - ^2P_{3/2}$	0.035	
2972.288(1)	2972.2864(13)	6.68 -2	O I	$2s^2 2p^4$	$^3P_1 - ^1S_0$	0.014	E(65)
3726.04(2)	3726.03(2)	1.69 -4*	O II	$2s^2 2p^3$	$^4S_{3/2} - ^2D_{3/2}$	0.035	B(55)
3728.80(2)	3728.82(3)	5.01 -5*	O II	$2s^2 2p^3$	$^4S_{3/2} - ^2D_{5/2}$	0.035	B(55)
4363.10(2)	Q 4363.209(8)	2.65 +0	O III	$2s^2 2p^2$	$^1D_2 - ^1S_0$	0.055	B(55)
4958.93(2)	4958.910(7)	6.37 -3	O III	$2s^2 2p^2$	$^3P_1 - ^1D_2$	0.055	B(55)
5006.86(2)	5006.843(8)	4.67 -2	O III	$2s^2 2p^2$	$^3P_2 - ^1D_2$	0.055	B(55)
5577.34(10)	Q 5577.338(4)	1.34 +0	O I	$2s^2 2p^4$	$^1D_2 - ^1S_0$	0.014	P
6300.304(2)	6300.304(6)	5.11 -3	O I	$2s^2 2p^4$	$^3P_2 - ^1D_2$	0.014	E(65)
6363.776(2)	6363.776(6)	1.65 -3	O I	$2s^2 2p^4$	$^3P_1 - ^1D_2$	0.014	E(65)
7319.92(10)	7319.92(20)	1.15 -1*	O II	$2s^2 2p^3$	$^2D_{5/2} - ^2P_{3/2}$	0.035	B(55)
7330.19(10)	7329.63(20)	1.01 -1*	O II	$2s^2 2p^3$	$^2D_{3/2} - ^2P_{1/2}$	0.035	B(55)
	7330.70(20)	6.14 -2*	O II	$2s^2 2p^3$	$^2D_{3/2} - ^2P_{3/2}$	0.035	
25.87(2)	25.913(13) μm	5.17 -4	O IV	$2s^2 2p$	$^2P_{1/2} - ^2P_{3/2}$	0.077	FMH
	32.61(8) μm	3.55 -4	O V	2s 2p	$^3P_1 - ^3P_2$	0.114	
51.8145(5)	51.815(1) μm	9.69 -5	O III	$2s^2 2p^2$	$^3P_1 - ^3P_2$	0.055	MSFJK
63.18371(3)	63.185(6) μm	8.91 -5	O I	$2s^2 2p^4$	$^3P_2 - ^3P_1$	0.014	E-pr
	73.5(4) μm	5.81 -5	O V	2s 2p	$^3P_0 - ^3P_1$	0.114	
88.356(2)	88.3564(22) μm	2.61 -5	O III	$2s^2 2p^2$	$^3P_0 - ^3P_1$	0.055	MSFJK
145.52548(8)	145.53(13) μm	1.75 -5	O I	$2s^2 2p^4$	$^3P_1 - ^3P_0$	0.014	DHLS
	497.3(1.7) μm	1.25 -7	O II	$2s^2 2p^3$	$^2D_{5/2} - ^2D_{3/2}$	0.035	
	5.00(6) mm	4.39 -12	O II	$2s^2 2p^3$	$^2P_{3/2} - ^2P_{1/2}$	0.035	

Table 6. Fluorine: wavelengths and transition probabilities

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	1108.13(7)	2.56 -1	F VI	2s 2p	³ P ₀ - ¹ P ₁	0.157	
	1111.33(7)	1.90 -1	F VI	2s 2p	³ P ₁ - ¹ P ₁	0.157	
	1118.49(7)	3.11 -1	F VI	2s 2p	³ P ₂ - ¹ P ₁	0.157	
	1875.73(7)	1.51 +0	F IV	2s ² 2p ²	³ P ₁ - ¹ S ₀	0.087	
	1939.435(11)	3.52 -1	F III	2s ² 2p ³	⁴ S _{3/2} - ² P _{3/2}	0.063	
	1939.465(11)	1.44 -1	F III	2s ² 2p ³	⁴ S _{3/2} - ² P _{1/2}	0.063	
	2242.61(4)	4.93 -1	F II	2s ² 2p ⁴	³ P ₁ - ¹ S ₀	0.035	
	2929.70(4)	3.63 -4*	F III	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	0.063	
	2932.78(4)	1.63 -4*	F III	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	0.063	
	Q 3532.17(25)	3.52 +0	F IV	2s ² 2p ²	¹ D ₂ - ¹ S ₀	0.087	
3997.37(10)	3997.37(9)	3.17 -2	F IV	2s ² 2p ²	³ P ₁ - ¹ D ₂	0.087	B(60)
4060.22(10)	4060.21(9)	1.39 -1	F IV	2s ² 2p ²	³ P ₂ - ¹ D ₂	0.087	B(60)
	Q 4157.75(12)	2.10 +0	F II	2s ² 2p ⁴	¹ D ₂ - ¹ S ₀	0.035	
	4789.45(12)	3.83 -2	F II	2s ² 2p ⁴	³ P ₂ - ¹ D ₂	0.035	
	4868.99(17)	1.21 -2	F II	2s ² 2p ⁴	³ P ₁ - ¹ D ₂	0.035	
	5721.20(19)	3.05 -1*	F III	2s ² 2p ³	² D _{5/2} - ² P _{3/2}	0.063	
	5732.95(19)	2.08 -1*	F III	2s ² 2p ³	² D _{3/2} - ² P _{3/2}	0.063	
	5733.21(19)	2.74 -1*	F III	2s ² 2p ³	² D _{3/2} - ² P _{1/2}	0.063	
	13.432(9) μm	3.71 -3	F V	2s ² 2p	² P _{1/2} - ² P _{3/2}	0.114	
	17.36(21) μm	2.39 -3	F VI	2s 2p	³ P ₁ - ³ P ₂	0.157	
24.7475(15)	24.740(12) μm	1.19 -3	F I	2s ² 2p ⁵	² P _{3/2} - ² P _{1/2}	0.017	SK
	25.83(4) μm	7.82 -4	F IV	2s ² 2p ²	³ P ₁ - ³ P ₂	0.087	
	29.33(4) μm	8.91 -4	F II	2s ² 2p ⁴	³ P ₂ - ³ P ₁	0.035	
	38.5(1.0) μm	3.87 -4	F VI	2s 2p	³ P ₀ - ³ P ₁	0.157	
	44.07(21) μm	2.10 -4	F IV	2s ² 2p ²	³ P ₀ - ³ P ₁	0.087	
	67.2(3) μm	1.78 -4	F II	2s ² 2p ⁴	³ P ₁ - ³ P ₀	0.035	
	279.(6) μm	7.45 -7	F III	2s ² 2p ³	² D _{5/2} - ² D _{3/2}	0.063	
	12.(7) mm	5.20 -12	F III	2s ² 2p ³	² P _{1/2} - ² P _{3/2}	0.063	

Table 7. Neon: wavelengths and transition probabilities

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	964.20(10)	8.85 -1	Ne VII	2s 2p	³ F ₀ - ¹ F ₁	0.207	
	968.45(19)	6.54 -1	Ne VII	2s 2p	³ F ₁ - ¹ F ₁	0.207	
	977.86(20)	1.06 +0	Ne VII	2s 2p	³ F ₂ - ¹ F ₁	0.207	
1574.82(5)	1574.60(13)	5.50 +0	Ne V	2s ² 2p ²	³ P ₁ - ¹ S ₀	0.126	ST
1601.5	1600.0(5)	1.41 +0	Ne IV	2s ² 2p ³	⁴ S _{3/2} - ² P _{3/2}	0.097	SBT
1601.7	1600.1(5)	5.90 -1	Ne IV	2s ² 2p ³	⁴ S _{3/2} - ² P _{1/2}	0.097	SBT
	1814.63(5)	2.76 +0	Ne III	2s ² 2p ⁴	³ P ₁ - ¹ S ₀	0.064	
	2418.2(1.2)	2.65 -3*	Ne IV	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	0.097	
	2420.9(1.2)	6.03 -4*	Ne IV	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	0.097	
	Q 2972.8(5)	4.39 +0	Ne V	2s ² 2p ²	¹ D ₂ - ¹ S ₀	0.126	
3342.5(3)	Q 3342.42(17)	4.28 +0	Ne III	2s ² 2p ⁴	¹ D ₂ - ¹ S ₀	0.064	B(60)
3345.84(2)	3345.83(16)	1.24 -1	Ne V	2s ² 2p ²	³ P ₁ - ¹ D ₂	0.126	B(55)
3425.87(2)	3425.87(17)	4.36 -1	Ne V	2s ² 2p ²	³ P ₂ - ¹ D ₂	0.126	B(55)
3868.76(2)	3868.752(15)	1.39 -1	Ne III	2s ² 2p ⁴	³ P ₂ - ¹ D ₂	0.064	B(55)
3967.47(2)	3967.46(4)	5.95 -2	Ne III	2s ² 2p ⁴	³ P ₁ - ¹ D ₂	0.064	B(55)
4714.25(4)	4714.22(6)	6.19 -1*	Ne IV	2s ² 2p ³	² D _{5/2} - ² P _{3/2}	0.097	B(55)
4724.15(4)	4724.17(6)	6.41 -1*	Ne IV	2s ² 2p ³	² D _{3/2} - ² P _{3/2}	0.097	B(55)
4725.62(4)	4725.60(6)	5.92 -1*	Ne IV	2s ² 2p ³	² D _{3/2} - ² P _{1/2}	0.097	B(55)
	7.642(6) μ m	2.01 -2	Ne VI	2s ² 2p	² P _{1/2} - ² F _{3/2}	0.158	
	10.06(7) μ m	1.25 -2	Ne VII	2s 2p	³ P ₁ - ³ F ₂	0.207	
12.81355(2)	12.81355(2) μ m	8.55 -3	Ne II	2s ² 2p ⁵	² P _{3/2} - ² P _{1/2}	0.041	YKH
	14.32(3) μ m	4.59 -3	Ne V	2s ² 2p ²	³ P ₁ - ³ F ₂	0.126	
	15.555(5) μ m	5.97 -3	Ne III	2s ² 2p ⁴	³ P ₂ - ³ F ₁	0.064	
	22.0(3) μ m	1.99 -3	Ne VII	2s 2p	³ F ₀ - ³ F ₁	0.207	
24.28(2)	24.28(2) μ m	1.27 -3	Ne V	2s ² 2p ²	³ F ₀ - ³ F ₁	0.126	FMH
36.02(1)	36.02(4) μ m	1.15 -3	Ne III	2s ² 2p ⁴	³ F ₁ - ³ F ₀	0.064	SHG
	223.7(1.4) μ m	1.44 -6	Ne IV	2s ² 2p ³	² D _{5/2} - ² D _{3/2}	0.097	
	1.56(7) nm	2.36 -9	Ne IV	2s ² 2p ³	² P _{1/2} - ² F _{3/2}	0.097	

Table 8. Sodium: wavelengths and transition probabilities

Observed	Wavelength Calculated	λ (\AA)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	852.31(5)	2.62 +0	Na VIII	2s 2p	$^3P_0 - ^1P_1$	0.264	
	857.66(5)	1.92 +0	Na VIII	2s 2p	$^3P_1 - ^1P_1$	0.264	
	869.64(5)	3.08 +0	Na VIII	2s 2p	$^3P_2 - ^1P_1$	0.264	
	1356.6(4)	1.69 +1	Na VI	$2s^2 2p^2$	$^3P_1 - ^1S_0$	0.172	
	1365.1(6)	4.74 +0	Na V	$2s^2 2p^3$	$^4S_{3/2} - ^2P_{3/2}$	0.138	
	1365.8(6)	1.96 +0	Na V	$2s^2 2p^3$	$^4S_{3/2} - ^2P_{1/2}$	0.138	
	1529.29(5)	9.48 +0	Na IV	$2s^2 2p^4$	$^3P_1 - ^1S_0$	0.099	
	2066.9(1.4)	1.78 -2*	Na V	$2s^2 2p^3$	$^4S_{3/2} - ^2D_{3/2}$	0.138	
	2068.4(1.4)	1.73 -3*	Na V	$2s^2 2p^3$	$^4S_{3/2} - ^2D_{5/2}$	0.138	
Q	2568.9(1.9)	5.27 +0	Na VI	$2s^2 2p^2$	$^1D_2 - ^1S_0$	0.172	
Q	2803.74(18)	5.43 +0	Na IV	$2s^2 2p^4$	$^1D_2 - ^1S_0$	0.099	
	2872.7(1.9)	4.06 -1	Na VI	$2s^2 2p^2$	$^3P_1 - ^1D_2$	0.172	
	2971.9(1.8)	1.27 +0	Na VI	$2s^2 2p^2$	$^3P_2 - ^1D_2$	0.172	
3241.68(10)	3241.63(15)	5.75 -1	Na IV	$2s^2 2p^4$	$^3P_2 - ^1D_2$	0.099	B(60)
3362.20(10)	3362.24(16)	2.03 -1	Na IV	$2s^2 2p^4$	$^3P_1 - ^1D_2$	0.099	B(60)
	4010.9(2.3)	1.40 +0*	Na V	$2s^2 2p^3$	$^2D_{5/2} - ^2P_{3/2}$	0.138	
	4016.7(2.3)	1.91 +0*	Na V	$2s^2 2p^3$	$^2D_{3/2} - ^2P_{3/2}$	0.138	
	4022.7(2.3)	1.43 +0*	Na V	$2s^2 2p^3$	$^2D_{3/2} - ^2P_{1/2}$	0.138	
	4.675(22) μm	8.80 -2	Na VII	$2s^2 2p$	$^2P_{1/2} - ^2P_{3/2}$	0.209	
	6.23(3) μm	5.27 -2	Na VIII	2s 2p	$^3P_1 - ^3P_2$	0.264	
	7.319(5) μm	4.59 -2	Na III	$2s^2 2p^5$	$^2P_{3/2} - ^2P_{1/2}$	0.072	
	8.61(9) μm	2.11 -2	Na VI	$2s^2 2p^2$	$^3P_1 - ^3P_2$	0.172	
	9.039(12) μm	3.04 -2	Na IV	$2s^2 2p^4$	$^3P_2 - ^3P_1$	0.099	
	13.66(13) μm	8.27 -3	Na VIII	2s 2p	$^3P_0 - ^3P_1$	0.264	
	14.3(3) μm	6.14 -3	Na VI	$2s^2 2p^2$	$^3P_0 - ^3P_1$	0.172	
	21.29(6) μm	5.58 -3	Na IV	$2s^2 2p^4$	$^3P_1 - ^3P_0$	0.099	
	270.(100) μm	4.55 -7	Na V	$2s^2 2p^3$	$^2P_{1/2} - ^2P_{3/2}$	0.138	
	278.(110) μm	7.50 -7	Na V	$2s^2 2p^3$	$^2D_{5/2} - ^2D_{3/2}$	0.138	

Table 9. Magnesium: wavelengths and transition probabilities

Observed	Wavelength Calculated	A (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	762.29(20)	6.92 +0	Mg IX	2s 2p	$3P_0 - 1P_1$	0.328	
	768.90(20)	5.05 +0	Mg IX	2s 2p	$3P_1 - 1P_1$	0.328	
	783.72(21)	7.95 +0	Mg IX	2s 2p	$3P_2 - 1P_1$	0.328	
1189.82(1)	1189.82(16)	4.58 +1	Mg VII	$2s^2 2p^2$	$3P_1 - 1S_0$	0.225	SBT
1190.07(1)	1190.074(20)	1.37 +1	Mg VI	$2s^2 2p^3$	$4S_{3/2} - 2P_{3/2}$	0.187	SBT
1191.62(1)	1191.611(20)	5.62 +0	Mg VI	$2s^2 2p^3$	$4S_{3/2} - 2P_{1/2}$	0.187	SBT
1324.44(1)	1324.58(8)	2.79 +1	Mg V	$2s^2 2p^4$	$3P_1 - 1S_0$	0.141	SBT
1805.94(1)	1805.94(7)	2.75 -2*	Mg VI	$2s^2 2p^3$	$4S_{3/2} - 2D_{3/2}$	0.187	SBT
	1806.49(17)	4.58 -3*	Mg VI	$2s^2 2p^3$	$4S_{3/2} - 2D_{5/2}$	0.187	
	Q 2261.5(6)	6.16 +0	Mg VII	$2s^2 2p^2$	$1D_2 - 1S_0$	0.225	
	Q 2417.5(3)	6.59 +0	Mg V	$2s^2 2p^4$	$1D_2 - 1S_0$	0.141	
	2509.2(7)	1.17 +0	Mg VII	$2s^2 2p^2$	$3P_1 - 1D_2$	0.225	
	2629.1(8)	3.36 +0	Mg VII	$2s^2 2p^2$	$3P_2 - 1D_2$	0.225	
	2782.7(3)	1.86 +0	Mg V	$2s^2 2p^4$	$3P_2 - 1D_2$	0.141	
	2928.0(4)	5.85 -1	Mg V	$2s^2 2p^4$	$3P_1 - 1D_2$	0.141	
	3486.7(6)	3.33 +0*	Mg VI	$2s^2 2p^3$	$2D_{5/2} - 2P_{3/2}$	0.187	
	3488.7(3)	5.06 +0*	Mg VI	$2s^2 2p^3$	$2D_{3/2} - 2P_{3/2}$	0.187	
	3502.0(3)	3.48 +0*	Mg VI	$2s^2 2p^3$	$2D_{3/2} - 2P_{1/2}$	0.187	
	7573.179(8)	1.95 -4	Mg I	3s 3p	$3P_0 - 1P_1$	0.008	
	7584.704(8)	1.46 -4	Mg I	3s 3p	$3P_1 - 1P_1$	0.008	
	7608.206(8)	2.40 -4	Mg I	3s 3p	$3P_2 - 1P_1$	0.008	
3.0275(20)	3.0275(20) μm	3.24 -1	Mg VIII	$2s^2 2p$	$2P_{1/2} - 2P_{3/2}$	0.266	MNM
	4.06(4) μm	1.91 -1	Mg IX	2s 2p	$3P_1 - 3P_2$	0.328	
	4.487(4) μm	1.99 -1	Mg IV	$2s^2 2p^5$	$2P_{3/2} - 2P_{1/2}$	0.109	
	5.50(3) μm	8.09 -2	Mg VII	$2s^2 2p^2$	$3P_1 - 3P_2$	0.225	
5.60(2)	5.608(9) μm	1.27 -1	Mg V	$2s^2 2p^4$	$3P_2 - 3P_1$	0.141	RSW
	8.87(17) μm	2.94 -2	Mg IX	2s 2p	$3P_0 - 3P_1$	0.328	
	9.03(9) μm	2.44 -2	Mg VII	$2s^2 2p^2$	$3P_0 - 3P_1$	0.225	
	13.54(5) μm	2.17 -2	Mg V	$2s^2 2p^4$	$3P_1 - 3P_0$	0.141	
	92.3(1.2) μm	1.13 -5	Mg VI	$2s^2 2p^3$	$2P_{1/2} - 2P_{3/2}$	0.187	
245.6157(7)	245.62(9) μm	9.00 -7	Mg I	3s 3p	$3P_1 - 3P_2$	0.008	ILME
498.592792(3)	498.5(4) μm	1.00 -7	Mg I	3s 3p	$3P_0 - 3P_1$	0.008	BDGRG
	595.(190) μm	7.63 -8	Mg VI	$2s^2 2p^3$	$2D_{5/2} - 2D_{3/2}$	0.187	

Table 10. Aluminum: wavelengths and transition probabilities

Observed	Wavelength Calculated	A (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	688.03(17)	1.67 +1	Al X	2s 2p	$^3P_0 - ^1P_1$	0.399	
	695.93(18)	1.21 +1	Al X	2s 2p	$^3P_1 - ^1P_1$	0.399	
	713.98(18)	1.87 +1	Al X	2s 2p	$^3P_2 - ^1P_1$	0.399	
	1054.08(3)	3.51 +1	Al VII	$2s^2 2p^3$	$^4S_{3/2} - ^2P_{3/2}$	0.241	
	1057.05(3)	1.44 +1	Al VII	$2s^2 2p^3$	$^4S_{3/2} - ^2P_{1/2}$	0.241	
	1058.0(7)	1.12 +2	Al VIII	$2s^2 2p^2$	$^3P_1 - ^1S_0$	0.285	
	1169.85(14)	7.29 +1	Al VI	$2s^2 2p^4$	$^3P_1 - ^1S_0$	0.154	
	1603.36(8)	1.22 -2*	Al VII	$2s^2 2p^3$	$^4S_{3/2} - ^2D_{5/2}$	0.241	
1604.80(4)	1604.80(5)	4.26 -1*	Al VII	$2s^2 2p^3$	$^4S_{3/2} - ^2D_{3/2}$	0.241	ST
	Q 2018.(3)	7.09 +0	Al VIII	$2s^2 2p^2$	$^1D_2 - ^1S_0$	0.285	
	Q 2124.9(6)	7.79 +0	Al VI	$2s^2 2p^4$	$^1D_2 - ^1S_0$	0.154	
	2222.(3)	3.06 +0	Al VIII	$2s^2 2p^2$	$^3P_1 - ^1D_2$	0.285	
	2365.(3)	8.13 +0	Al VIII	$2s^2 2p^2$	$^3P_2 - ^1D_2$	0.285	
	2428.4(6)	5.15 +0	Al VI	$2s^2 2p^4$	$^3P_2 - ^1D_2$	0.154	
	2601.0(7)	1.48 +0	Al VI	$2s^2 2p^4$	$^3P_1 - ^1D_2$	0.154	
	3070.7(3)	7.22 +0	Al VII	$2s^2 2p^3$	$^2D_{3/2} - ^2P_{3/2}$	0.241	
	3076.0(4)	1.27 +1*	Al VII	$2s^2 2p^3$	$^2D_{5/2} - ^2P_{3/2}$	0.241	
	3096.0(3)	8.12 +0*	Al VII	$2s^2 2p^3$	$^2D_{3/2} - ^2P_{1/2}$	0.241	
	4451.311(14)	3.07 -3	Al II	3s 3p	$^3P_0 - ^1P_1$	0.019	
	4463.409(14)	2.31 -3	Al II	3s 3p	$^3P_1 - ^1P_1$	0.019	
	4488.233(14)	3.74 -3	Al II	3s 3p	$^3P_2 - ^1P_1$	0.019	
2.040(7)	2.044(4) μm	1.05 +0	Al IX	$2s^2 2p$	$^2P_{1/2} - ^2P_{3/2}$	0.330	GJ
	2.753(20) μm	6.16 -1	Al X	2s 2p	$^3P_1 - ^3P_2$	0.399	
2.879(14)	2.9045(17) μm	7.34 -1	Al V	$2s^2 2p^5$	$^2P_{3/2} - ^2P_{1/2}$	0.154	GJ
3.661(14)	3.6593(19) μm	4.58 -1	Al VI	$2s^2 2p^4$	$^3P_2 - ^3P_1$	0.154	GJ
3.72(2)	3.689(3) μm	2.68 -1	Al VIII	$2s^2 2p^2$	$^3P_1 - ^3P_2$	0.285	GJ
	5.85(10) μm	8.96 -2	Al VIII	$2s^2 2p^2$	$^3P_0 - ^3P_1$	0.285	
	6.06(12) μm	9.19 -2	Al X	2s 2p	$^3P_0 - ^3P_1$	0.399	
	9.116(6) μm	7.10 -2	Al VI	$2s^2 2p^4$	$^3P_1 - ^3P_0$	0.154	
	37.6(6) μm	1.67 -4	Al VII	$2s^2 2p^3$	$^2P_{1/2} - ^2P_{3/2}$	0.241	
	80.72(5) μm	2.54 -5	Al II	3s 3p	$^3P_1 - ^3P_2$	0.019	
	89.237(8) μm	1.25 -5	Al I	$3s^2 3p$	$^2P_{1/2} - ^2P_{3/2}$	0.006	
	164.26(20) μm	4.10 -6	Al II	3s 3p	$^3P_0 - ^3P_1$	0.019	
	179.(11) μm	1.86 -6	Al VII	$2s^2 2p^3$	$^2D_{3/2} - ^2D_{5/2}$	0.241	

Table 11. Silicon: wavelengths and transition probabilities

Observed	Wavelength Calculated	A (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	625.48(6)	3.75 +1	Si XI	2s 2p	$3P_0 - 1P_1$	0.476	
	634.78(6)	2.68 +1	Si XI	2s 2p	$3P_1 - 1P_1$	0.476	
	656.34(6)	4.05 +1	Si XI	2s 2p	$3P_2 - 1P_1$	0.476	
	944.38(4)	8.14 +1	Si VIII	$2s^2 2p^3$	$4S_{3/2} - 2P_{3/2}$	0.304	
	949.24(4)	3.37 +1	Si VIII	$2s^2 2p^3$	$4S_{3/2} - 2P_{1/2}$	0.304	
	950.08(23)	2.51 +2	Si IX	$2s^2 2p^2$	$3P_1 - 1S_0$	0.351	
	1049.2(3)	1.73 +2	Si VII	$2s^2 2p^4$	$3P_1 - 1S_0$	0.247	
1440.50(1)	1440.497(10)	3.42 -2*	Si VIII	$2s^2 2p^3$	$4S_{3/2} - 2D_{5/2}$	0.304	SBT
1445.75(1)	1445.753(10)	1.70 +0	Si VIII	$2s^2 2p^3$	$4S_{3/2} - 2D_{3/2}$	0.304	SBT
	Q 1822.4(8)	8.01 +0	Si IX	$2s^2 2p^2$	$1D_2 - 1S_0$	0.351	
	Q 1895.0(9)	9.01 +0	Si VII	$2s^2 2p^4$	$1D_2 - 1S_0$	0.247	
1984.88(2)	1984.88(3)	7.40 +0	Si IX	$2s^2 2p^2$	$3P_1 - 1D_2$	0.351	SBT
2146.64(4)	2146.64(5)	1.28 +1	Si VII	$2s^2 2p^4$	$3P_2 - 1D_2$	0.247	SBT
2149.26(5)	2149.31(3)	1.83 +1	Si IX	$2s^2 2p^2$	$3P_2 - 1D_2$	0.351	SBT
	2350.02(18)	3.37 +0	Si VII	$2s^2 2p^4$	$3P_1 - 1D_2$	0.247	
	2722.4(4)	2.83 +1	Si VIII	$2s^2 2p^3$	$2D_{3/2} - 2P_{3/2}$	0.304	
	2741.2(4)	1.69 +1*	Si VIII	$2s^2 2p^3$	$2D_{5/2} - 2P_{3/2}$	0.304	
	2763.1(4)	1.79 +1*	Si VIII	$2s^2 2p^3$	$2D_{3/2} - 2P_{1/2}$	0.304	
	3314.727(16)	1.85 -2	Si III	3s 3p	$3P_0 - 1P_1$	0.033	
	3328.921(16)	1.37 -2	Si III	3s 3p	$3P_1 - 1P_1$	0.033	
	3358.189(16)	2.22 -2	Si III	3s 3p	$3P_2 - 1P_1$	0.033	
	6526.781(3)	3.55 -2	Si I	$3s^2 3p^2$	$3P_1 - 1S_0$	0.008	
10991.42(10)	Q 10991.413(9)	7.96 -1	Si I	$3s^2 3p^2$	$1D_2 - 1S_0$	0.008	P
14305.(4)	14301.(4)	3.07 +0	Si X	$2s^2 2p$	$2P_{1/2} - 2P_{3/2}$	0.401	MNM
	16068.297(18)	9.75 -4	Si I	$3s^2 3p^2$	$3P_1 - 1D_2$	0.008	
	16454.531(19)	2.71 -3	Si I	$3s^2 3p^2$	$3P_2 - 1D_2$	0.008	
	19320.(50)	1.80 +0	Si XI	2s 2p	$3P_1 - 3P_2$	0.476	
19590.(70)	19641.(11)	2.37 +0	Si VI	$2s^2 2p^5$	$2P_{3/2} - 2P_{1/2}$	0.205	GJ
2.474(7)	2.4807(18) μm	1.47 +0	Si VII	$2s^2 2p^4$	$3P_2 - 3P_1$	0.247	GJ
	2.5839(5) μm	7.79 -1	Si IX	$2s^2 2p^2$	$3P_1 - 3P_2$	0.351	
3.92(2)	3.928(11) μm	2.95 -1	Si IX	$2s^2 2p^2$	$3P_0 - 3P_1$	0.351	GJ
	4.27(3) μm	2.59 -1	Si XI	2s 2p	$3P_0 - 3P_1$	0.476	
	6.515(18) μm	1.94 -1	Si VII	$2s^2 2p^4$	$3P_1 - 3P_0$	0.247	
	18.45(24) μm	1.40 -3	Si VIII	$2s^2 2p^3$	$2P_{1/2} - 2P_{3/2}$	0.304	
	34.8141(18) μm	2.13 -4	Si II	3s ² 3p	$2P_{1/2} - 2P_{3/2}$	0.016	
	38.207(21) μm	2.41 -4	Si III	3s 3p	$3P_1 - 3P_2$	0.033	
	39.62(11) μm	1.70 -4	Si VIII	$2s^2 2p^3$	$2D_{3/2} - 2D_{5/2}$	0.304	
	68.473(3) μm	4.20 -5	Si I	$3s^2 3p^2$	$3P_1 - 3P_2$	0.008	
	77.77(9) μm	3.86 -5	Si III	3s 3p	$3P_0 - 3P_1$	0.033	
129.68173(4)	129.676(16) μm	8.25 -6	Si I	$3s^2 3p^2$	$3P_0 - 3P_1$	0.008	IEBL

Table 12. Phosphorus: wavelengths and transition probabilities

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	571.87(7)	9.46 +1	P XII	2s 2p	³ P ₀ - ¹ P ₁	0.561	
	582.57(5)	6.76 +1	P XII	2s 2p	³ P ₁ - ¹ P ₁	0.561	
	607.95(8)	1.01 +2	P XII	2s 2p	³ P ₂ - ¹ P ₁	0.561	
	853.61(15)	1.74 +2	P IX	2s ² 2p ³	⁴ S _{3/2} - ² P _{3/2}	0.372	
	860.08(21)	5.24 +2	P X	2s ² 2p ²	³ P ₁ - ¹ S ₀	0.424	
	861.26(15)	7.34 +1	P IX	2s ² 2p ³	⁴ S _{3/2} - ² P _{1/2}	0.372	
	952.1(3)	3.82 +2	P VIII	2s ² 2p ⁴	³ P ₁ - ¹ S ₀	0.310	
	1307.51(5)	9.90 -2*	P IX	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	0.372	
1317.65(3)	1318.06(5)	5.46 +0	P IX	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	0.372	ST
	Q 1659.2(8)	6.99 +0	P X	2s ² 2p ²	¹ D ₂ - ¹ S ₀	0.424	
	Q 1708.5(1.0)	1.03 +0	P VIII	2s ² 2p ⁴	¹ D ₂ - ¹ S ₀	0.310	
	1785.8(9)	1.68 +1	P X	2s ² 2p ²	³ P ₁ - ¹ D ₂	0.424	
	1913.7(9)	2.90 +1	P VIII	2s ² 2p ⁴	³ P ₂ - ¹ D ₂	0.310	
	1974.5(1.1)	3.86 +1	P X	2s ² 2p ²	³ P ₂ - ¹ D ₂	0.424	
	2150.0(1.6)	7.03 +0	P VIII	2s ² 2p ⁴	³ P ₁ - ¹ D ₂	0.310	
	2421.7(1.2)	6.11 +1	P IX	2s ² 2p ³	² D _{3/2} - ² P _{3/2}	0.372	
	2458.2(1.2)	3.54 +1*	P IX	2s ² 2p ³	² D _{5/2} - ² P _{3/2}	0.372	
	2484.3(1.2)	3.72 +1*	P IX	2s ² 2p ³	² D _{3/2} - ² P _{1/2}	0.372	
	2682.154(10)	7.33 -2	P IV	3s 3p	³ F ₀ - ¹ F ₁	0.051	
	2698.696(10)	5.40 -2	P IV	3s 3p	³ P ₁ - ¹ F ₁	0.051	
	2733.280(11)	6.66 -2	P IV	3s 3p	³ P ₂ - ¹ F ₁	0.051	
	4669.25(6)	1.62 -1	P II	3s ² 3p ²	³ P ₁ - ¹ S ₀	0.019	
	5332.416(11)	1.08 -1	P I	3s ² 3p ³	⁴ S _{3/2} - ² P _{3/2}	0.010	
	5339.621(11)	4.26 -2	P I	3s ² 3p ³	⁴ S _{3/2} - ² P _{1/2}	0.010	
	Q 7875.99(17)	2.24 +0	P II	3s ² 3p ²	¹ D ₂ - ¹ S ₀	0.019	
	8787.54(3)	1.96 -4*	P I	3s ² 3p ³	⁴ S _{3/2} - ² D _{5/2}	0.010	
	8799.61(3)	2.97 -4*	P I	3s ² 3p ³	⁴ S _{3/2} - ² D _{3/2}	0.010	
	10308.(3)	8.20 +0	P XI	2s ² 2p	² P _{1/2} - ² P _{3/2}	0.479	
	11468.2(4)	3.62 -3	P II	3s ² 3p ²	³ P ₁ - ¹ D ₂	0.019	
	11882.8(4)	5.13 -2	P II	3s ² 3p ²	³ P ₂ - ¹ D ₂	0.019	
	13533.61(10)	7.45 -2*	P I	3s ² 3p ³	² D _{3/2} - ² P _{3/2}	0.010	
	13562.27(10)	1.13 -1*	P I	3s ² 3p ³	² D _{5/2} - ² P _{3/2}	0.010	
	13580.12(10)	1.01 -1*	P I	3s ² 3p ³	² D _{3/2} - ² P _{1/2}	0.010	
	13745.(6)	6.92 +0	P VII	2s ² 2p ⁵	² P _{3/2} - ² P _{1/2}	0.264	
	13951.(40)	4.75 +0	P XII	2s 2p	³ P ₁ - ³ P ₂	0.561	
	17350.(80)	4.28 +0	P VIII	2s ² 2p ⁴	³ P ₂ - ³ P ₁	0.310	
	18680.(100)	2.05 +0	P X	2s ² 2p ²	³ P ₁ - ³ P ₂	0.424	
	2.708(21) μm	8.99 -1	P X	2s ² 2p ²	³ P ₀ - ³ P ₁	0.424	
	3.112(22) μm	6.80 -1	P XII	2s 2p	³ P ₀ - ³ P ₁	0.561	
	4.85(8) μm	4.70 -1	P VIII	2s ² 2p ⁴	³ P ₁ - ³ P ₀	0.310	
	9.62(26) μm	9.74 -3	P IX	2s ² 2p ³	² P _{1/2} - ² P _{3/2}	0.372	

Table 12. Phosphorus: wavelengths and transition probabilities - Continued

Observed	Wavelength Calculated		A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	16.34(11)	μm	2.39 -3	P IX	2s ² 2p ³	² D _{3/2} - ² D _{5/2}	0.372	
	17.885(5)	μm	1.57 -3	P III	3s ² 3p	² P _{1/2} - ² P _{3/2}	0.030	
	21.336(6)	μm	1.38 -3	P IV	3s 3p	³ P ₁ - ³ P ₂	0.051	
	32.87(3)	μm	3.80 -4	P II	3s ² 3p ²	³ P ₁ - ³ P ₂	0.019	
	43.77(3)	μm	2.18 -4	P IV	3s 3p	³ P ₀ - ³ P ₁	0.051	
	60.64(7)	μm	8.05 -5	P II	3s ² 3p ²	³ P ₀ - ³ P ₁	0.019	
	395.3(9)	μm	1.45 -7	P I	3s ² 3p ³	² P _{1/2} - ² P _{3/2}	0.010	
	640.6(2.3)	μm	4.10 -8	P I	3s ² 3p ³	² D _{3/2} - ² D _{5/2}	0.010	

Table 13. Sulfur: wavelengths and transition probabilities

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	525.21(6)	1.58 +2	S XIII	2s 2p	³ P ₀ - ¹ P ₁	0.652	
	537.29(6)	1.10 +2	S XIII	2s 2p	³ P ₁ - ¹ P ₁	0.652	
	566.96(7)	1.57 +2	S XIII	2s 2p	³ P ₂ - ¹ P ₁	0.652	
	776.37(3)	3.48 +2	S X	2s ² 2p ³	⁴ S _{3/2} - ² P _{3/2}	0.447	
	782.96(17)	1.04 +3	S XI	2s ² 2p ²	³ P ₁ - ¹ S ₀	0.505	
	787.56(3)	1.50 +2	S X	2s ² 2p ³	⁴ S _{3/2} - ² P _{1/2}	0.447	
	871.73(16)	7.91 +2	S IX	2s ² 2p ⁴	³ P ₁ - ¹ S ₀	0.379	
1196.24(1)	1196.245(14)	2.87 -1*	S X	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	0.447	SBT
1212.96(1)	1212.970(15)	1.64 +1	S X	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	0.447	SBT
	Q 1520.2(7)	1.00 +1	S XI	2s ² 2p ²	¹ D ₂ - ¹ S ₀	0.505	
	Q 1552.7(4)	1.17 +1	S IX	2s ² 2p ⁴	¹ D ₂ - ¹ S ₀	0.379	
1614.51(3)	1614.5(7)	3.62 +1	S XI	2s ² 2p ²	³ P ₁ - ¹ D ₂	0.505	SBT
1715.44(1)	1715.41(12)	6.18 +1	S IX	2s ² 2p ⁴	³ P ₂ - ¹ D ₂	0.379	SBT
1826.21(2)	1826.2(9)	7.69 +1	S XI	2s ² 2p ²	³ P ₂ - ¹ D ₂	0.505	SBT
	1987.7(6)	1.36 +1	S IX	2s ² 2p ⁴	³ P ₁ - ¹ D ₂	0.379	
	2156.28(24)	1.25 +2	S X	2s ² 2p ³	² D _{3/2} - ² P _{3/2}	0.447	
	2211.26(25)	6.92 +1	S X	2s ² 2p ³	² D _{5/2} - ² P _{3/2}	0.447	
	2244.84(26)	7.20 +1	S X	2s ² 2p ³	² D _{3/2} - ² P _{1/2}	0.447	
	2265.5(8)	2.30 -1	S V	3s 3p	³ P ₀ - ¹ P ₁	0.073	
	2284.63(18)	1.68 -1	S V	3s 3p	³ P ₁ - ¹ P ₁	0.073	
	2325.1(8)	2.65 -1	S V	3s 3p	³ P ₂ - ¹ P ₁	0.073	
3721.69(10)	3721.68(10)	6.83 -1	S III	3s ² 3p ²	³ P ₁ - ¹ S ₀	0.035	B(60)
4068.60(2)	4068.60(3)	2.20 -1	S II	3s ² 3p ³	⁴ S _{3/2} - ² P _{3/2}	0.023	B(55)
4076.35(2)	4076.35(3)	7.44 -2	S II	3s ² 3p ³	⁴ S _{3/2} - ² P _{1/2}	0.023	B(55)
4589.2606(5)	4589.2606(14)	3.5 -1	S I	3s ² 3p ⁴	³ P ₁ - ¹ S ₀	0.010	E(78)
6312.06(4)	Q 6312.1(4)	3.22 +0	S III	3s ² 3p ²	¹ D ₂ - ¹ S ₀	0.035	B(55)
6716.47(2)	6716.467(23)	2.65 -4*	S II	3s ² 3p ³	⁴ S _{3/2} - ² D _{5/2}	0.023	TMR
6730.85(2)	6730.847(23)	5.37 -4*	S II	3s ² 3p ³	⁴ S _{3/2} - ² D _{3/2}	0.023	TMR
7611.0(4)	7611.2(6)	2.04 +1	S XII	2s ² 2p	² P _{1/2} - ² P _{3/2}	0.565	J
7725.0461(7)	Q 7725.046(4)	1.53 +0	S I	3s ² 3p ⁴	¹ D ₂ - ¹ S ₀	0.010	E(78)
	9068.9(7)	1.62 -2	S III	3s ² 3p ²	³ P ₁ - ¹ D ₂	0.035	
	9531.0(7)	9.40 -2	S III	3s ² 3p ²	³ P ₂ - ¹ D ₂	0.035	
T 9911.(1)	9911.8(1.0)	1.84 +1	S VIII	2s ² 2p ⁵	² P _{3/2} - ² P _{1/2}	0.329	J
	10264.(30)	1.20 +1	S XIII	2s 2p	³ P ₁ - ³ P ₂	0.652	
	10286.66(22)	1.32 -1*	S II	3s ² 3p ³	² D _{3/2} - ² P _{3/2}	0.023	
	10320.42(22)	2.22 -1*	S II	3s ² 3p ³	² D _{5/2} - ² P _{3/2}	0.023	
	10336.33(22)	1.95 -1*	S II	3s ² 3p ³	² D _{3/2} - ² P _{1/2}	0.023	
10821.177(5)	10821.176(6)	2.75 -2	S I	3s ² 3p ⁴	³ P ₂ - ¹ D ₂	0.010	E(78)
	11305.854(9)	8.0 -3	S I	3s ² 3p ⁴	³ P ₁ - ¹ D ₂	0.010	
	12520.(20)	1.14 +1	S IX	2s ² 2p ⁴	³ P ₂ - ³ P ₁	0.379	
	13924.(50)	4.94 +0	S XI	2s ² 2p ²	³ P ₁ - ³ P ₂	0.505	

Table 13. Sulfur: wavelengths and transition probabilities - Continued

Observed	Wavelength		A (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	Observed	Calculated						
	19200.(70)		2.51 +0	S XI	$2s^2 2p^2$	$3P_0 - 3P_1$	0.505	
	2.336(15) μm		1.58 +0	S XIII	$2s 2p$	$3P_0 - 3P_1$	0.652	
	3.75(3) μm		1.01 +0	S IX	$2s^2 2p^4$	$3P_1 - 3P_0$	0.379	
	5.467(21) μm		5.22 -2	S X	$2s^2 2p^3$	$2P_{1/2} - 2P_{3/2}$	0.447	
	8.676(11) μm		1.58 -2	S X	$2s^2 2p^3$	$2D_{3/2} - 2D_{5/2}$	0.447	
10.5105(1)	10.5141(22) μm		7.73 -3	S IV	$3s^2 3p$	$2P_{1/2} - 2P_{3/2}$	0.047	L
	13.12(26) μm		5.49 -3	S V	$3s 3p$	$3P_1 - 3P_2$	0.073	
18.7129(4)	18.7129(5) μm		2.06 -3	S III	$3s^2 3p^2$	$3P_1 - 3P_2$	0.035	BBAMC
	25.2490(3) μm		1.40 -3	S I	$3s^2 3p^4$	$3P_2 - 3P_1$	0.010	
	27.1(1.1) μm		9.16 -4	S V	$3s 3p$	$3P_0 - 3P_1$	0.073	
33.47(2)	33.47(2) μm		4.78 -4	S III	$3s^2 3p^2$	$3P_0 - 3P_1$	0.035	HBGSH
	56.311(5) μm		3.02 -4	S I	$3s^2 3p^4$	$3P_1 - 3P_0$	0.010	
	214.1(1.3) μm		9.13 -7	S II	$3s^2 3p^3$	$2P_{1/2} - 2P_{3/2}$	0.023	
	314.5(7) μm		3.46 -7	S II	$3s^2 3p^3$	$2D_{3/2} - 2D_{5/2}$	0.023	

Table 14. Chlorine: wavelengths and transition probabilities

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	483.99(17)	3.02 +2	Cl XIV	2s 2p	³ P ₀ - ¹ P ₁	0.750	
	497.59(17)	2.08 +2	Cl XIV	2s 2p	³ P ₁ - ¹ P ₁	0.750	
	531.69(20)	2.85 +2	Cl XIV	2s 2p	³ P ₂ - ¹ P ₁	0.750	
	708.6(5)	6.54 +2	Cl XI	2s ² 2p ³	⁴ S _{3/2} - ² P _{3/2}	0.529	
	716.1(5)	1.95 +3	Cl XII	2s ² 2p ²	³ P ₁ - ¹ S ₀	0.592	
	724.4(5)	2.94 +2	Cl XI	2s ² 2p ³	⁴ S _{3/2} - ² P _{1/2}	0.529	
	804.0(3)	1.55 +3	Cl X	2s ² 2p ⁴	³ P ₁ - ¹ S ₀	0.456	
	1100.3(1.2)	8.08 -1*	Cl XI	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	0.529	
	1125.5(1.3)	4.51 +1	Cl XI	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	0.529	
Q	1400.8(2.8)	1.11 +1	Cl XII	2s ² 2p ²	¹ D ₂ - ¹ S ₀	0.592	
Q	1420.6(1.4)	1.32 +1	Cl X	2s ² 2p ⁴	¹ D ₂ - ¹ S ₀	0.456	
	1464.9(2.2)	7.49 +1	Cl XII	2s ² 2p ²	³ P ₁ - ¹ D ₂	0.592	
	1542.7(1.2)	1.25 +2	Cl X	2s ² 2p ⁴	³ P ₂ - ¹ D ₂	0.456	
	1698.0(2.9)	1.46 +2	Cl XII	2s ² 2p ²	³ P ₂ - ¹ D ₂	0.592	
	1852.4(1.8)	2.54 +1	Cl X	2s ² 2p ⁴	³ P ₁ - ¹ D ₂	0.456	
	1913.1(8)	2.49 +2	Cl XI	2s ² 2p ³	² D _{3/2} - ² P _{3/2}	0.529	
	1967.(4)	6.14 -1	Cl VI	3s 3p	³ P ₀ - ¹ P ₁	0.097	
	1989.(4)	4.46 -1	Cl VI	3s 3p	³ P ₁ - ¹ P ₁	0.097	
	1990.8(8)	1.31 +2	Cl XI	2s ² 2p ³	² D _{5/2} - ² P _{3/2}	0.529	
	2031.6(9)	1.35 +3	Cl XI	2s ² 2p ³	² D _{3/2} - ² P _{1/2}	0.529	
	2035.(4)	6.93 -1	Cl VI	3s 3p	³ P ₂ - ¹ P ₁	0.097	
	3118.55(8)	2.19 +0	Cl IV	3s ² 3p ²	³ P ₁ - ¹ S ₀	0.053	
3342.9(3)	3342.80(20)	6.91 -1	Cl III	3s ² 3p ³	⁴ S _{3/2} - ² P _{3/2}	0.040	B(60)
3353.33(10)	3353.17(22)	1.22 -1	Cl III	3s ² 3p ³	⁴ S _{3/2} - ² P _{1/2}	0.040	B(60)
	3677.855(8)	1.37 +0	Cl II	3s ² 3p ⁴	³ P ₁ - ¹ S ₀	0.024	
5323.29(10)	Q 5323.3(3)	4.14 +0	Cl IV	3s ² 3p ²	¹ D ₂ - ¹ S ₀	0.053	B(55)
5517.66(10)	5517.71(6)	8.07 -4*	Cl III	3s ² 3p ³	⁴ S _{3/2} - ² D _{5/2}	0.040	B(55)
5537.6(3)	5537.88(6)	3.44 -3*	Cl III	3s ² 3p ³	⁴ S _{3/2} - ² D _{3/2}	0.040	B(55)
	5746.(20)	4.73 +1	Cl XIII	2s ² 2p	² P _{1/2} - ² P _{3/2}	0.657	
	Q 6161.835(21)	2.06 +0	Cl II	3s ² 3p ⁴	¹ D ₂ - ¹ S ₀	0.024	
	7334.(11)	4.55 +1	Cl IX	2s ² 2p ⁵	² P _{3/2} - ² P _{1/2}	0.400	
7530.54(10)	7529.9(4)	5.57 -2	Cl IV	3s ² 3p ²	³ F ₁ - ¹ D ₂	0.053	B(55)
	7756.(40)	2.80 +1	Cl XIV	2s 2p	³ P ₁ - ³ P ₂	0.750	
8045.63(10)	8046.1(5)	2.08 -1	Cl IV	3s ² 3p ²	³ P ₂ - ¹ D ₂	0.053	B(55)
	8433.65(12)	3.39 -1*	Cl III	3s ² 3p ³	² D _{3/2} - ² P _{3/2}	0.040	
	8480.85(12)	3.87 -1*	Cl III	3s ² 3p ³	² D _{5/2} - ² P _{3/2}	0.040	
	8500.00(13)	3.60 -1*	Cl III	3s ² 3p ³	² D _{3/2} - ² P _{1/2}	0.040	
	8578.697(29)	1.07 -1	Cl II	3s ² 3p ⁴	³ F ₂ - ¹ D ₂	0.024	
	9123.60(5)	2.98 -2	Cl II	3s ² 3p ⁴	³ F ₁ - ¹ D ₂	0.024	
	9223.(18)	2.83 +1	Cl X	2s ² 2p ⁴	³ P ₂ - ³ P ₁	0.456	
	10672.(24)	1.09 +1	Cl XII	2s ² 2p ²	³ F ₁ - ³ P ₂	0.592	

Table 14. Chlorine: wavelengths and transition probabilities - Continued

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	13774.(40)	6.78 +0	Cl XII	2s ² 2p ²	³ P ₀ - ³ P ₁	0.592	
	17700.(220)	3.52 +0	Cl XIV	2s 2p	³ P ₀ - ³ P ₁	0.750	
	3.051(20) μm	1.87 +0	Cl X	2s ² 2p ⁴	³ P ₁ - ³ P ₀	0.456	
	3.263(23) μm	2.40 -1	Cl XI	2s ² 2p ³	² P _{1/2} - ² P _{3/2}	0.529	
	4.91(5) μm	8.53 -2	Cl XI	2s ² 2p ³	² D _{3/2} - ² D _{5/2}	0.529	
	6.704(9) μm	2.98 -2	Cl V	3s ² 3p	² P _{1/2} - ² P _{3/2}	0.068	
	8.58(5) μm	2.10 -2	Cl VI	3s 3p	³ P ₁ - ³ P ₂	0.097	
11.333347(15)	11.333347(15) μm	1.24 -2	Cl I	3s ² 3p ⁵	² P _{3/2} - ² P _{1/2}	0.013	DJM
	11.741(7) μm	8.32 -3	Cl IV	3s ² 3p ²	³ P ₁ - ³ P ₂	0.053	
	14.3678(8) μm	7.50 -3	Cl II	3s ² 3p ⁴	³ P ₂ - ³ P ₁	0.024	
	18.08(23) μm	3.16 -3	Cl VI	3s 3p	³ P ₀ - ³ P ₁	0.097	
	20.354(21) μm	2.13 -3	Cl IV	3s ² 3p ²	³ P ₀ - ³ P ₁	0.053	
	33.281(8) μm	1.50 -3	Cl II	3s ² 3p ⁴	³ P ₁ - ³ P ₀	0.024	
	108.07(21) μm	7.08 -6	Cl III	3s ² 3p ³	² P _{1/2} - ² P _{3/2}	0.040	
	151.6(4) μm	3.08 -6	Cl III	3s ² 3p ³	² D _{3/2} - ² D _{5/2}	0.040	

Table 15. Argon: wavelengths and transition probabilities

	Wavelength Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
		447.33(14)	5.55 +2	Ar XV	2s 2p	³ P ₀ - ¹ P ₁	0.855	
		462.19(15)	3.75 +2	Ar XV	2s 2p	³ P ₁ - ¹ P ₁	0.855	
		501.15(18)	4.93 +2	Ar XV	2s 2p	³ P ₂ - ¹ P ₁	0.855	
		648.93(27)	1.17 +3	Ar XII	2s ² 2p ³	⁴ S _{3/2} - ² P _{3/2}	0.618	
		656.73(28)	3.51 +3	Ar XIII	2s ² 2p ²	³ P ₁ - ¹ S ₀	0.686	
		669.97(29)	5.49 +2	Ar XII	2s ² 2p ³	⁴ S _{3/2} - ² P _{1/2}	0.618	
		746.0(4)	2.91 +3	Ar XI	2s ² 2p ⁴	³ P ₁ - ¹ S ₀	0.539	
		1018.6(7)	2.17 +0*	Ar XII	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	0.618	
		1054.9(8)	1.11 +2	Ar XII	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	0.618	
	Q	1296.8(1.2)	1.23 +1	Ar XIII	2s ² 2p ²	¹ D ₂ - ¹ S ₀	0.686	
	Q	1304.9(1.2)	1.49 +1	Ar XI	2s ² 2p ⁴	¹ D ₂ - ¹ S ₀	0.539	
T	1331.52(1)	1330.5(1.1)	1.50 +2	Ar XIII	2s ² 2p ²	³ P ₁ - ¹ D ₂	0.686	SBT
	1392.12(1)	1392.1(1.0)	2.41 +2	Ar XI	2s ² 2p ⁴	³ F ₂ - ¹ D ₂	0.539	SBT
T	1582.56(1)	1584.3(1.6)	2.66 +2	Ar XIII	2s ² 2p ²	³ P ₂ - ¹ D ₂	0.686	SBT
		1686.3(1.8)	4.76 +2	Ar XII	2s ² 2p ³	² D _{3/2} - ² P _{3/2}	0.618	
		1737.3(1.5)	1.46 +0	Ar VII	3s 3p	³ P ₀ - ¹ P ₁	0.124	
		1741.9(2.1)	4.21 +1	Ar XI	2s ² 2p ⁴	³ P ₁ - ¹ D ₂	0.539	
		1762.0(1.6)	1.05 +0	Ar VII	3s 3p	³ P ₁ - ¹ P ₁	0.124	
		1787.9(2.0)	2.40 +2	Ar XII	2s ² 2p ³	² D _{5/2} - ² P _{3/2}	0.618	
		1815.8(1.7)	1.60 +0	Ar VII	3s 3p	³ P ₂ - ¹ P ₁	0.124	
		1836.2(2.2)	2.41 +2	Ar XII	2s ² 2p ³	² D _{3/2} - ² P _{1/2}	0.618	
		2691.04(19)	5.89 +0	Ar V	3s ² 3p ²	³ P ₁ - ¹ S ₀	0.075	
		2853.654(24)	1.88 +0	Ar IV	3s ² 3p ³	⁴ S _{3/2} - ² P _{3/2}	0.060	
		2868.15(5)	7.60 -1	Ar IV	3s ² 3p ³	⁴ S _{3/2} - ² P _{1/2}	0.060	
	3109.08(30)	3109.17(5)	4.09 +0	Ar III	3s ² 3p ⁴	³ P ₁ - ¹ S ₀	0.041	B(60)
	4412.4(2)	4416.(4)	1.04 +2	Ar XIV	2s ² 2p	² P _{1/2} - ² P _{3/2}	0.756	D
	4625.54(10)	Q 4625.34(14)	5.18 +0	Ar V	3s ² 3p ²	¹ D ₂ - ¹ S ₀	0.075	B(55)
	4711.33(2)	4711.339(11)	2.07 -3*	Ar IV	3s ² 3p ³	⁴ S _{3/2} - ² D _{5/2}	0.060	B(55)
	4740.20(2)	4740.199(11)	1.72 -2*	Ar IV	3s ² 3p ³	⁴ S _{3/2} - ² D _{3/2}	0.060	B(55)
	5191.82(10)	Q 5191.79(14)	2.59 +0	Ar III	3s ² 3p ⁴	¹ D ₂ - ¹ S ₀	0.041	B(55)
	5533.4(4)	5533.39(21)	1.06 +2	Ar X	2s ² 2p ⁵	² P _{3/2} - ² P _{1/2}	0.479	J
T	5926.	5944.(25)	6.20 +1	Ar XV	2s 2p	³ P ₁ - ³ P ₂	0.855	P
	6435.10(10)	6435.1(1.0)	1.61 -1	Ar V	3s ² 3p ²	³ P ₁ - ¹ D ₂	0.075	B(55)
T	6917.	6931.(24)	6.63 +1	Ar XI	2s ² 2p ⁴	³ P ₂ - ³ P ₁	0.539	P
	7005.67(10)	7005.7(1.2)	4.70 -1	Ar V	3s ² 3p ²	³ P ₂ - ¹ D ₂	0.075	B(55)
	7135.80(4)	7135.78(10)	3.24 -1	Ar III	3s ² 3p ⁴	³ P ₂ - ¹ D ₂	0.041	B(55)
	7170.62(10)	7170.47(16)	8.40 -1*	Ar IV	3s ² 3p ³	² D _{3/2} - ² P _{3/2}	0.060	B(55)
	7237.26(30)	7237.54(16)	7.08 -1*	Ar IV	3s ² 3p ³	² D _{5/2} - ² P _{3/2}	0.060	B(55)
	7262.76(30)	7262.7(3)	6.96 -1*	Ar IV	3s ² 3p ³	² D _{3/2} - ² P _{1/2}	0.060	B(55)
	7751.06(10)	7751.12(11)	8.44 -2	Ar III	3s ² 3p ⁴	³ P ₁ - ¹ D ₂	0.041	B(55)
		8303.(40)	2.29 +1	Ar XIII	2s ² 2p ²	³ P ₁ - ³ P ₂	0.686	

Table 15. Argon: wavelengths and transition probabilities - Continued

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	10159.(40)	1.68 +1	Ar XIII	2s ² 2p ²	³ P ₀ - ³ P ₁	0.686	
	13904.(140)	7.34 +0	Ar XV	2s 2p	³ P ₀ - ³ P ₁	0.855	
	2.066(24) μm	9.24 -1	Ar XII	2s ² 2p ³	² P _{1/2} - ² P _{3/2}	0.618	
	2.60(5) μm	3.00 +0	Ar XI	2s ² 2p ⁴	³ P ₁ - ³ P ₀	0.539	
	2.97(6) μm	3.77 -1	Ar XII	2s ² 2p ³	² D _{3/2} - ² D _{5/2}	0.618	
	4.527(5) μm	9.69 -2	Ar VI	3s ² 3p	² P _{1/2} - ² P _{3/2}	0.091	
	5.95(5) μm	6.41 -2	Ar VII	3s 3p	³ P ₁ - ³ P ₂	0.124	
6.985274(3)	6.985274(3) μm	5.28 -2	Ar II	3s ² 3p ⁵	² P _{3/2} - ² P _{1/2}	0.028	YKH
	7.904(22) μm	2.72 -2	Ar V	3s ² 3p ²	³ P ₁ - ³ P ₂	0.075	
8.9910(1)	8.9910(1) μm	3.06 -2	Ar III	3s ² 3p ⁴	³ P ₂ - ³ P ₁	0.041	L
	12.42(22) μm	9.36 -3	Ar VII	3s 3p	³ P ₀ - ³ P ₁	0.124	
	13.07(7) μm	8.03 -3	Ar V	3s ² 3p ²	³ P ₀ - ³ P ₁	0.075	
	21.842(6) μm	5.31 -3	Ar III	3s ² 3p ⁴	³ P ₁ - ³ P ₀	0.041	
	56.47(21) μm	4.94 -5	Ar IV	3s ² 3p ³	² P _{1/2} - ² P _{3/2}	0.060	
	77.41(4) μm	2.30 -5	Ar IV	3s ² 3p ³	² D _{3/2} - ² D _{5/2}	0.060	

Table 16. Potassium: wavelengths and transition probabilities

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)	
	414.5(4)	9.84 +2	K XVI	2s 2p	³ F ₀ - ¹ P ₁	0.97		
	430.5(4)	6.54 +2	K XVI	2s 2p	³ P ₁ - ¹ P ₁	0.97		
	474.6(5)	8.19 +2	K XVI	2s 2p	³ P ₂ - ¹ P ₁	0.97		
	594.6(4)	1.98 +3	K XIII	2s ² 2p ³	⁴ S _{3/2} - ² F _{3/2}	0.71		
	603.58(20)	6.10 +3	K XIV	2s ² 2p ²	³ P ₁ - ¹ S ₀	0.79		
	622.1(4)	9.91 +2	K XIII	2s ² 2p ³	⁴ S _{3/2} - ² P _{1/2}	0.71		
	694.13(25)	5.27 +3	K XII	2s ² 2p ⁴	³ P ₁ - ¹ S ₀	0.63		
	945.1(9)	5.58 +0*	K XIII	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	0.71		
	993.6(1.0)	2.54 +2	K XIII	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	0.71		
Q	1199.5(9)	1.71 +1	K XII	2s ² 2p ⁴	¹ D ₂ - ¹ S ₀	0.63		
Q	1204.8(9)	1.36 +1	K XIV	2s ² 2p ²	¹ D ₂ - ¹ S ₀	0.79		
	1209.5(7)	2.91 +2	K XIV	2s ² 2p ²	³ P ₁ - ¹ D ₂	0.79		
	1255.4(6)	4.49 +2	K XII	2s ² 2p ⁴	³ P ₂ - ¹ D ₂	0.63		
	1477.4(9)	4.71 +2	K XIV	2s ² 2p ²	³ P ₂ - ¹ D ₂	0.79		
	1480.8(5)	8.84 +2	K XIII	2s ² 2p ³	² D _{3/2} - ² F _{3/2}	0.71		
	1554.(5)	3.23 +0	K VIII	3s 3p	³ P ₀ - ¹ P ₁	0.15		
	1581.(5)	2.30 +0	K VIII	3s 3p	³ P ₁ - ¹ P ₁	0.15		
	1603.3(5)	4.23 +2	K XIII	2s ² 2p ³	² D _{5/2} - ² F _{3/2}	0.71		
	1643.(5)	3.43 +0	K VIII	3s 3p	³ P ₂ - ¹ P ₁	0.15		
	1647.4(1.2)	6.84 +1	K XII	2s ² 2p ⁴	³ P ₁ - ¹ D ₂	0.63		
	1664.0(6)	4.07 +2	K XIII	2s ² 2p ³	² D _{3/2} - ² P _{1/2}	0.71		
	2367.52(8)	1.40 +1	K VI	3s ² 3p ²	³ P ₁ - ¹ S ₀	0.10		
	2494.24(12)	4.56 +0	K V	3s ² 3p ³	⁴ S _{3/2} - ² F _{3/2}	0.08		
	2514.45(13)	1.90 +0	K V	3s ² 3p ³	⁴ S _{3/2} - ² P _{1/2}	0.08		
	2711.07(10)	1.05 +1	K IV	3s ² 3p ⁴	³ P ₁ - ¹ S ₀	0.06		
	3448.(4)	2.19 +2	K XV	2s ² 2p	² P _{1/2} - ² F _{3/2}	0.86		
Q	4100.40(24)	5.92 +0	K VI	3s ² 3p ²	¹ D ₂ - ¹ S ₀	0.10		
	4122.63(10)	4122.6(3)	4.96 -3*	K V	3s ² 3p ³	⁴ S _{3/2} - ² D _{5/2}	0.08	B(55)
	4163.30(10)	4163.3(3)	8.06 -2*	K V	3s ² 3p ³	⁴ S _{3/2} - ² D _{3/2}	0.08	B(55)
T	4256.4	4249.(4)	2.34 +2	K XI	2s ² 2p ⁵	² F _{3/2} - ² P _{1/2}	0.56	P
	4510.93(10)	Q 4510.92(29)	3.18 +0	K IV	3s ² 3p ⁴	¹ D ₂ - ¹ S ₀	0.06	B(60)
	4635.(15)	1.31 +2	K XVI	2s 2p	³ P ₁ - ³ P ₂	0.97		
	5274.(4)	1.50 +2	K XII	2s ² 2p ⁴	³ P ₂ - ³ P ₁	0.63		
	5602.4(4)	4.13 -1	K VI	3s ² 3p ²	³ P ₁ - ¹ D ₂	0.10		
	6101.83(10)	6101.8(4)	8.38 -1	K IV	3s ² 3p ⁴	³ P ₂ - ¹ D ₂	0.06	B(55)
	6221.9(1.1)	1.97 +0*	K V	3s ² 3p ³	² D _{3/2} - ² F _{3/2}	0.08		
	6228.6(5)	1.03 +0	K VI	3s ² 3p ²	³ P ₂ - ¹ D ₂	0.10		
	6315.1(1.1)	1.34 +0*	K V	3s ² 3p ³	² D _{5/2} - ² F _{3/2}	0.08		
	6349.2(1.1)	1.37 +0*	K V	3s ² 3p ³	² D _{3/2} - ² P _{1/2}	0.08		
	6669.(11)	4.37 +1	K XIV	2s ² 2p ²	³ P ₁ - ³ P ₂	0.79		
	6795.0(7)	2.03 -1	K IV	3s ² 3p ⁴	³ P ₁ - ¹ D ₂	0.06		

Table 16. Potassium: wavelengths and transition probabilities - Continued

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	7554.(11)	4.06 +1	K XIV	2s ² 2p ²	³ P ₀ - ³ P ₁	0.79	
	11110.(90)	1.45 +1	K XVI	2s 2p	³ P ₀ - ³ P ₁	0.97	
	13450.(40)	3.25 +0	K XIII	2s ² 2p ³	² P _{1/2} - ² P _{3/2}	0.71	
	19380.(80)	1.32 +0	K XIII	2s ² 2p ³	² D _{3/2} - ² D _{5/2}	0.71	
	2.351(12) μm	4.01 +0	K XII	2s ² 2p ⁴	³ P ₁ - ³ P ₀	0.63	
	3.1899(10) μm	2.77 -1	K VII	3s ² 3p	² P _{1/2} - ² P _{3/2}	0.12	
	4.213(13) μm	1.79 -1	K VIII	3s 3p	³ P ₁ - ³ P ₂	0.15	
	4.6153(21) μm	1.83 -1	K III	3s ² 3p ⁵	² P _{3/2} - ² P _{1/2}	0.05	
	5.575(4) μm	7.74 -2	K VI	3s ² 3p ²	³ P ₁ - ³ P ₂	0.10	
	5.983(4) μm	1.04 -1	K IV	3s ² 3p ⁴	³ P ₂ - ³ P ₁	0.06	
	8.823(8) μm	2.61 -2	K VI	3s ² 3p ²	³ P ₀ - ³ P ₁	0.10	
	8.99(6) μm	2.52 -2	K VIII	3s 3p	³ P ₀ - ³ P ₁	0.15	
	15.39(3) μm	1.51 -2	K IV	3s ² 3p ⁴	³ P ₁ - ³ P ₀	0.06	
	31.1(3) μm	2.94 -4	K V	3s ² 3p ³	² P _{1/2} - ² P _{3/2}	0.08	
	42.2(5) μm	1.41 -4	K V	3s ² 3p ³	² D _{3/2} - ² D _{5/2}	0.08	

Table 17. Calcium: wavelengths and transition probabilities

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	384.13(8)	1.72 +3	Ca XVII	2s 2p	³ P ₀ - ¹ P ₁	1.16	
	401.35(9)	1.12 +3	Ca XVII	2s 2p	³ P ₁ - ¹ P ₁	1.16	
	451.12(11)	1.33 +3	Ca XVII	2s 2p	³ P ₂ - ¹ P ₁	1.16	
	545.38(13)	3.23 +3	Ca XIV	2s ² 2p ³	⁴ S _{3/2} - ² P _{3/2}	0.82	
	555.21(15)	1.03 +4	Ca XV	2s ² 2p ²	³ P ₁ - ¹ S ₀	0.89	
	580.05(14)	1.73 +3	Ca XIV	2s ² 2p ³	⁴ S _{3/2} - ² P _{1/2}	0.82	
	648.71(21)	9.17 +3	Ca XIII	2s ² 2p ⁴	³ P ₁ - ¹ S ₀	0.73	
	880.9(3)	1.35 +1*	Ca XIV	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	0.82	
	944.6(4)	5.35 +2	Ca XIV	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	0.82	
	1098.4(1)	5.51 +2	Ca XV	2s ² 2p ²	³ P ₁ - ¹ D ₂	0.89	
	Q 1106.1(8)	1.96 +1	Ca XIII	2s ² 2p ⁴	¹ D ₂ - ¹ S ₀	0.73	
	Q 1122.7(6)	1.50 +1	Ca XV	2s ² 2p ²	¹ D ₂ - ¹ S ₀	0.89	
T 1133.68	1133.7(5)	8.06 +2	Ca XIII	2s ² 2p ⁴	³ P ₂ - ¹ D ₂	0.73	CFD
	1290.5(4)	1.62 +3	Ca XIV	2s ² 2p ³	² D _{3/2} - ² P _{3/2}	0.82	
T 1375.95(3)	1375.95(5)	8.10 +2	Ca XV	2s ² 2p ²	³ P ₂ - ¹ D ₂	0.89	SBT
	1402.4(2.0)	6.68 +0	Ca IX	3s 3p	³ P ₀ - ¹ P ₁	0.19	
	1431.8(4)	7.25 +2	Ca XIV	2s ² 2p ³	² D _{5/2} - ² P _{3/2}	0.82	
	1432.5(2.1)	4.70 +0	Ca IX	3s 3p	³ P ₁ - ¹ P ₁	0.19	
	1502.2(2.3)	6.80 +0	Ca IX	3s 3p	³ P ₂ - ¹ P ₁	0.19	
	1503.1(5)	6.66 +2	Ca XIV	2s ² 2p ³	² D _{3/2} - ² P _{1/2}	0.82	
	1568.7(1.0)	1.05 +2	Ca XIII	2s ² 2p ⁴	³ P ₁ - ¹ D ₂	0.73	
	2110.97(13)	3.04 +1	Ca VII	3s ² 3p ²	³ P ₁ - ¹ S ₀	0.13	
	2214.5(1.0)	1.00 +1	Ca VI	3s ² 3p ³	⁴ S _{3/2} - ² P _{3/2}	0.11	
	2242.1(1.0)	4.28 +0	Ca VI	3s ² 3p ³	⁴ S _{3/2} - ² P _{1/2}	0.11	
	2412.9(1)	2.40 +1	Ca V	3s ² 3p ⁴	³ P ₁ - ¹ S ₀	0.08	
	2737.(4)	4.37 +2	Ca XVI	2s ² 2p	² P _{1/2} - ² P _{3/2}	0.97	
3327.5(4)	3327.8(6)	4.87 +2	Ca XII	2s ² 2p ⁵	² P _{3/2} - ² P _{1/2}	0.66	J
	3637.(4)	2.70 +2	Ca XVII	2s 2p	³ P ₁ - ³ P ₂	1.16	
	3669.1(2.7)	1.17 -2*	Ca VI	3s ² 3p ³	⁴ S _{3/2} - ² D _{5/2}	0.11	
3688.2(2.5)	Q 3686.6(4)	6.81 +0	Ca VII	3s ² 3p ²	¹ D ₂ - ¹ S ₀	0.13	
	3725.4(2.8)	2.42 -1*	Ca VI	3s ² 3p ³	⁴ S _{3/2} - ² D _{3/2}	0.11	
	Q 3997.88(23)	3.73 +0	Ca V	3s ² 3p ⁴	¹ D ₂ - ¹ S ₀	0.08	
4087.1(4)	4087.2(5)	3.19 +2	Ca XIII	2s ² 2p ⁴	³ P ₂ - ³ P ₁	0.73	J
4939.48(20)	4939.6(7)	9.74 -1	Ca VII	3s ² 3p ²	³ P ₁ - ¹ D ₂	0.13	T
5309.18(10)	5309.11(28)	1.95 +0	Ca V	3s ² 3p ⁴	³ P ₂ - ¹ D ₂	0.08	B(55)
5446.0	5443.9(8)	7.90 +1	Ca XV	2s ² 2p ²	³ P ₁ - ³ P ₂	0.89	P
5460.7	5460.7(8)	4.31 +0*	Ca VI	3s ² 3p ³	² D _{3/2} - ² P _{3/2}	0.11	T
5586.3	5586.3(9)	2.58 +0*	Ca VI	3s ² 3p ³	² D _{5/2} - ² P _{3/2}	0.11	T
5618.58(20)	5618.8(9)	2.15 +0	Ca VII	3s ² 3p ²	³ P ₂ - ¹ D ₂	0.13	T
	5631.7(9)	2.70 +0*	Ca VI	3s ² 3p ³	² D _{3/2} - ² P _{1/2}	0.11	
5693.6(4)	5693.5(6)	9.40 +1	Ca XV	2s ² 2p ²	³ P ₀ - ³ P ₁	0.89	J

TABLE 12. Calcium wavelength and transition probabilities - Continued

Wavelength (Observed)	Wavelength Calculated	λ (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref.
							(obs. λ)
6086.92(10)	6086.4(5)	4.35 -1	Ca V	$3s^2 3p^4$	$^3P_1 - ^1D_2$	0.08	B(55)
	8950.(22)	2.77 +1	Ca XVII	$2s 2p$	$^3P_0 - ^3P_1$	1.16	
	9122.(18)	1.01 +1	Ca XIV	$2s^2 2p^3$	$^2P_{1/2} - ^2P_{3/2}$	0.82	
	13070.(40)	4.19 +0	Ca XIV	$2s^2 2p^3$	$^2D_{3/2} - ^2D_{5/2}$	0.82	
	2.258(15) μm	4.46 +0	Ca XIII	$2s^2 2p^4$	$^3P_1 - ^3P_0$	0.73	
2.32(2)	2.3205(11) μm	7.20 -1	Ca VIII	$3s^2 3p$	$^2P_{1/2} - ^2P_{3/2}$	0.15	GJ
	3.088(13) μm	4.54 -1	Ca IX	$3s 3p$	$^3P_1 - ^3P_2$	0.19	
3.18(3)	3.2061(10) μm	5.46 -1	Ca IV	$3s^2 3p^5$	$^2P_{3/2} - ^2P_{1/2}$	0.07	GJ
	4.086(5) μm	1.96 -1	Ca VII	$3s^2 3p^2$	$^3P_1 - ^3P_2$	0.13	
	4.1574(17) μm	3.09 -1	Ca V	$3s^2 3p^4$	$^3P_2 - ^3P_1$	0.08	
	6.154(8) μm	7.67 -2	Ca VII	$3s^2 3p^2$	$^3P_0 - ^3P_1$	0.13	
	6.67(6) μm	6.16 -2	Ca IX	$3s 3p$	$^3P_0 - ^3P_1$	0.19	
	11.482(19) μm	3.62 -2	Ca V	$3s^2 3p^4$	$^3P_1 - ^3P_0$	0.08	
	17.99(9) μm	1.50 -3	Ca VI	$3s^2 3p^3$	$^2P_{1/2} - ^2P_{3/2}$	0.11	
	24.30(17) μm	7.34 -4	Ca VI	$3s^2 3p^3$	$^2D_{3/2} - ^2D_{5/2}$	0.11	

Table 18. Scandium: wavelengths and transition probabilities

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	356.84(7)	2.90 +3	Sc XVIII	2s 2p	³ P ₀ - ¹ P ₁	1.21	
	375.12(7)	1.85 +3	Sc XVIII	2s 2p	³ P ₁ - ¹ P ₁	1.21	
	430.66(9)	2.06 +3	Sc XVIII	2s 2p	³ P ₂ - ¹ P ₁	1.21	
	498.88(6)	5.09 +3	Sc XV	2s ² 2p ³	⁴ S _{3/2} - ² P _{3/2}	0.93	
511.2(5)	510.83(13)	1.68 +4	Sc XVI	2s ² 2p ²	³ P ₁ - ¹ S ₀	1.01	H
	541.01(7)	2.96 +3	Sc XV	2s ² 2p ³	⁴ S _{3/2} - ² P _{1/2}	0.93	
606.5(5)	606.77(15)	1.55 +4	Sc XIV	2s ² 2p ⁴	³ P ₁ - ¹ S ₀	0.83	H
	819.94(17)	3.20 +1*	Sc XV	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	0.93	
899.8(5)	899.28(20)	1.07 +3	Sc XV	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	0.93	H
	996.0(5)	1.02 +3	Sc XVI	2s ² 2p ²	³ F ₁ - ¹ D ₂	1.01	
Q	1018.4(6)	2.28 +1	Sc XIV	2s ² 2p ⁴	¹ D ₂ - ¹ S ₀	0.83	
	1022.6(4)	1.41 +3	Sc XIV	2s ² 2p ⁴	³ F ₂ - ¹ D ₂	0.83	
Q	1048.7(8)	1.65 +1	Sc XVI	2s ² 2p ²	¹ D ₂ - ¹ S ₀	1.01	
	1120.45(27)	2.90 +3	Sc XV	2s ² 2p ³	² D _{3/2} - ² P _{3/2}	0.93	
	1274.0(3)	1.21 +3	Sc XV	2s ² 2p ³	² D _{5/2} - ² P _{3/2}	0.93	
	1276.0(7)	1.31 +1	Sc X	3s 3p	³ P ₀ - ¹ P ₁	0.23	
	1276.6(8)	1.36 +3	Sc XVI	2s ² 2p ²	³ F ₂ - ¹ D ₂	1.01	
	1309.6(7)	9.11 +0	Sc X	3s 3p	³ F ₁ - ¹ P ₁	0.23	
	1358.0(4)	1.05 +3	Sc XV	2s ² 2p ³	² D _{3/2} - ² P _{1/2}	0.93	
	1387.8(8)	1.28 +1	Sc X	3s 3p	³ P ₂ - ¹ P ₁	0.23	
	1501.2(9)	1.56 +2	Sc XIV	2s ² 2p ⁴	³ F ₁ - ¹ D ₂	0.83	
	1901.41(26)	6.12 +1	Sc VIII	3s ² 3p ²	³ F ₁ - ¹ S ₀	0.16	
	1988.0(8)	2.05 +1	Sc VII	3s ² 3p ³	⁴ S _{3/2} - ² P _{3/2}	0.14	
	2024.2(8)	8.93 +0	Sc VII	3s ² 3p ³	⁴ S _{3/2} - ² P _{1/2}	0.14	
	2178.99(7)	5.09 +1	Sc VI	3s ² 3p ⁴	³ F ₁ - ¹ S ₀	0.11	
2190.5(2)	2190.52(19)	8.53 +2	Sc XVII	2s ² 2p	² P _{1/2} - ² P _{3/2}	1.09	SCCFH
2637.2(2)	2637.18(21)	9.78 +2	Sc XIII	2s ² 2p ⁵	² P _{3/2} - ² P _{1/2}	0.76	SCCFH
2907.9(3)	2907.82(24)	5.29 +2	Sc XVIII	2s 2p	³ P ₁ - ³ P ₂	1.21	SH(82)
3206.1(3)	3206.36(21)	6.55 +2	Sc XIV	2s ² 2p ⁴	³ F ₂ - ³ F ₁	0.83	SCCFH
	3305.9(2.2)	2.78 -2*	Sc VII	3s ² 3p ³	⁴ S _{3/2} - ² D _{5/2}	0.14	
Q	3350.5(8)	7.70 +0	Sc VIII	3s ² 3p ²	¹ D ₂ - ¹ S ₀	0.16	
	3381.7(2.3)	7.32 -1	Sc VII	3s ² 3p ³	⁴ S _{3/2} - ² D _{3/2}	0.14	
Q	3592.01(18)	4.31 +0	Sc VI	3s ² 3p ⁴	¹ D ₂ - ¹ S ₀	0.11	
4354.3(4)	4354.4(4)	2.08 +2	Sc XVI	2s ² 2p ²	³ P ₀ - ³ P ₁	1.01	SCCFH
	4393.4(1.4)	2.15 +0	Sc VIII	3s ² 3p ²	³ P ₁ - ¹ D ₂	0.16	
4530.3(4)	4530.4(5)	1.34 +2	Sc XVI	2s ² 2p ²	³ P ₁ - ³ P ₂	1.01	SCCFH
	4673.12(22)	4.19 +0	Sc VI	3s ² 3p ⁴	³ F ₂ - ¹ D ₂	0.11	
	4820.6(7)	8.96 +0*	Sc VII	3s ² 3p ³	² D _{3/2} - ² P _{3/2}	0.14	
	4983.4(7)	4.91 +0*	Sc VII	3s ² 3p ³	² D _{5/2} - ² P _{3/2}	0.14	
	5042.8(7)	5.15 +0*	Sc VII	3s ² 3p ³	² D _{3/2} - ² P _{1/2}	0.14	
	5121.7(1.9)	4.25 +0	Sc VIII	3s ² 3p ²	³ P ₂ - ¹ D ₂	0.16	

Table 18. Scandium: wavelengths and transition probabilities - Continued

Observed	Wavelength Calculated	λ (\AA)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	5539.6(4)	8.49	-1	Sc VI	$3s^2 3p^4$	$3P_1 - 1D_2$	0.11
	6404.(9)	2.82	+1	Sc XV	$2s^2 2p^3$	$2P_{1/2} - 2P_{3/2}$	0.93
	7319.(11)	5.01	+1	Sc XVIII	$2s 2p$	$3P_0 - 3P_1$	1.21
	9291.(18)	1.13	+1	Sc XV	$2s^2 2p^3$	$2D_{3/2} - 2D_{5/2}$	0.93
	17353.(12)	1.72	+0	Sc IX	$3s^2 3p$	$2P_{1/2} - 2P_{3/2}$	0.18
	2.3112(4) μm	1.46	+0	Sc V	$3s^2 3p^5$	$2P_{3/2} - 2P_{1/2}$	0.09
	2.321(4) μm	1.09	+0	Sc X	$3s 3p$	$3P_1 - 3P_2$	0.23
	2.396(12) μm	3.66	+0	Sc XIV	$2s^2 2p^4$	$3P_1 - 3P_0$	0.83
	2.9877(9) μm	8.29	-1	Sc VI	$3s^2 3p^4$	$3P_2 - 3P_1$	0.11
	3.090(7) μm	4.51	-1	Sc VIII	$3s^2 3p^2$	$3P_1 - 3P_2$	0.16
	4.400(10) μm	2.09	-1	Sc VIII	$3s^2 3p^2$	$3P_0 - 3P_1$	0.16
	4.984(18) μm	1.40	-1	Sc X	$3s 3p$	$3P_0 - 3P_1$	0.23
	9.001(11) μm	7.49	-2	Sc VI	$3s^2 3p^4$	$3P_1 - 3P_0$	0.11
	10.94(3) μm	6.61	-3	Sc VII	$3s^2 3p^3$	$2P_{1/2} - 2P_{3/2}$	0.14
	14.76(6) μm	2.99	-3	Sc VII	$3s^2 3p^3$	$2D_{3/2} - 2D_{5/2}$	0.14

Table 19. Titanium: wavelengths and transition probabilities

Observed	Wavelength		λ (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	Observed	Calculated						
		331.68(3)	4.79 +3	Ti XIX	2s 2p	$^3P_0 - ^1P_1$	1.35	
		350.78(4)	2.99 +3	Ti XIX	2s 2p	$^3P_1 - ^1P_1$	1.35	
		412.47(5)	3.11 +3	Ti XIX	2s 2p	$^3P_2 - ^1P_1$	1.35	
456.1(3)		456.10(5)	7.72 +3	Ti XVI	$2s^2 2p^3$	$^4S_{3/2} - ^2P_{3/2}$	1.04	H
470.4(3)		470.54(11)	2.68 +4	Ti XVII	$2s^2 2p^2$	$^3P_1 - ^1S_0$	1.13	H
505.9(3)		505.82(6)	4.94 +3	Ti XVI	$2s^2 2p^3$	$^4S_{3/2} - ^2P_{1/2}$	1.04	H
		567.41(16)	2.55 +4	Ti XV	$2s^2 2p^4$	$^3P_1 - ^1S_0$	0.94	
		764.99(15)	7.16 +1*	Ti XVI	$2s^2 2p^3$	$^4S_{3/2} - ^2D_{5/2}$	1.04	
861.8(1)		861.85(19)	2.00 +3	Ti XVI	$2s^2 2p^3$	$^4S_{3/2} - ^2D_{3/2}$	1.04	H
T 899.7(3)		900.9(4)	1.84 +3	Ti XVII	$2s^2 2p^2$	$^3F_1 - ^1D_2$	1.13	H
919.73(8)		919.71(9)	2.42 +3	Ti XV	$2s^2 2p^4$	$^3P_2 - ^1D_2$	0.94	PSS
	Q	936.3(4)	2.72 +1	Ti XV	$2s^2 2p^4$	$^1D_2 - ^1S_0$	0.94	
968.9(3)		968.80(20)	5.16 +3	Ti XVI	$2s^2 2p^3$	$^2D_{3/2} - ^2P_{3/2}$	1.04	H
	Q	985.0(7)	1.77 +1	Ti XVII	$2s^2 2p^2$	$^1D_2 - ^1S_0$	1.13	
1129.2(4)		1129.6(3)	1.99 +3	Ti XVI	$2s^2 2p^3$	$^2D_{5/2} - ^2P_{3/2}$	1.04	FBM
		1165.69(19)	2.46 +1	Ti XI	3s 3p	$^3P_0 - ^1P_1$	0.27	
		1177.4(7)	2.25 +3	Ti XVII	$2s^2 2p^2$	$^3P_2 - ^1D_2$	1.13	
		1201.63(20)	1.68 +1	Ti XI	3s 3p	$^3P_1 - ^1P_1$	0.27	
1224.1(4)		1224.4(3)	1.60 +3	Ti XVI	$2s^2 2p^3$	$^2D_{3/2} - ^2P_{1/2}$	1.04	FBM
		1289.09(24)	2.27 +1	Ti XI	3s 3p	$^3P_2 - ^1P_1$	0.27	
1440.2(8)		1440.05(22)	2.23 +2	Ti XV	$2s^2 2p^4$	$^3F_1 - ^1D_2$	0.94	FBM
		1724.7(4)	1.17 +2	Ti IX	$3s^2 3p^2$	$^3P_1 - ^1S_0$	0.19	
1778.1(1)		1778.09(10)	1.59 +3	Ti XVIII	$2s^2 2p$	$^2P_{1/2} - ^2P_{3/2}$	1.22	SFH
		1797.5(6)	3.90 +1	Ti VIII	$3s^2 3p^3$	$^4S_{3/2} - ^2P_{3/2}$	0.17	
		1845.4(7)	1.75 +1	Ti VIII	$3s^2 3p^3$	$^4S_{3/2} - ^2P_{1/2}$	0.17	
		1989.38(18)	1.01 +2	Ti VII	$3s^2 3p^4$	$^3P_1 - ^1S_0$	0.14	
2117.1(2)		2117.12(18)	1.89 +3	Ti XIV	$2s^2 2p^5$	$^2P_{3/2} - ^2P_{1/2}$	0.86	SFH
2344.6(2)		2344.5(2.3)	1.01 +3	Ti XIX	2s 2p	$^3P_1 - ^3P_2$	1.35	PSS
2544.8(1)		2544.54(19)	1.30 +3	Ti XV	$2s^2 2p^4$	$^3P_2 - ^3P_1$	0.94	SFH
		3006.1(1.8)	6.62 -2*	Ti VIII	$3s^2 3p^3$	$^4S_{3/2} - ^2D_{5/2}$	0.17	
	Q	3071.8(1.3)	8.58 +0	Ti IX	$3s^2 3p^2$	$^1D_2 - ^1S_0$	0.19	
		3105.6(1.9)	2.00 +0	Ti VIII	$3s^2 3p^3$	$^4S_{3/2} - ^2D_{3/2}$	0.17	
	Q	3259.5(6)	4.92 +0	Ti VII	$3s^2 3p^4$	$^1D_2 - ^1S_0$	0.14	
3370.8(2)		3370.80(23)	4.44 +2	Ti XVII	$2s^2 2p^2$	$^3P_0 - ^3P_1$	1.13	SFH
3834.4(2)		3834.4(4)	2.15 +2	Ti XVII	$2s^2 2p^2$	$^3P_1 - ^3P_2$	1.13	SFH
		3930.3(2.2)	4.52 -1	Ti IX	$3s^2 3p^2$	$^3P_1 - ^1D_2$	0.19	
		4143.1(7)	8.46 +0	Ti VII	$3s^2 3p^4$	$^3P_2 - ^1D_2$	0.14	
		4264.4(5)	1.77 +1*	Ti VIII	$3s^2 3p^3$	$^2D_{3/2} - ^2P_{3/2}$	0.17	
		4467.6(6)	9.10 +0*	Ti VIII	$3s^2 3p^3$	$^2D_{5/2} - ^2P_{3/2}$	0.17	
		4544.4(6)	9.44 +0*	Ti VIII	$3s^2 3p^3$	$^2D_{3/2} - ^2P_{1/2}$	0.17	
4635.6(3)		4639.(5)	7.19 +1	Ti XVI	$2s^2 2p^3$	$^2P_{1/2} - ^2P_{3/2}$	1.04	H

TABLE III. Titanium wavelengths and transition probabilities - Continued

Observed	Wavelength Calculated	A (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	4700.(3)	8.05 +0	Ti IX	$3s^2 3p^2$	$3P_2 - 1D_2$	0.19	
	5101.7(1.2)	1.54 +0	Ti VII	$3s^2 3p^4$	$3P_1 - 1D_2$	0.14	
	6092.(16)	8.71 +1	Ti XIX	$2s 2p$	$3P_0 - 3P_1$	1.35	
	6806.(10)	2.80 +1	Ti XVI	$2s^2 2p^3$	$2D_{3/2} - 2D_{5/2}$	1.04	
	13254.(7)	3.86 +0	Ti X	$3s^2 3p$	$2F_{1/2} - 2F_{3/2}$	0.22	
	17150.(30)	3.56 +0	Ti VI	$3s^2 3p^5$	$2P_{3/2} - 2P_{1/2}$	0.12	
	17710.(40)	2.43 +0	Ti XI	$3s 3p$	$3P_1 - 3P_2$	0.27	
	2.2050(10) μm	2.06 +0	Ti VII	$3s^2 3p^4$	$3P_2 - 3P_1$	0.14	
	2.401(8) μm	9.55 -1	Ti IX	$3s^2 3p^2$	$3P_1 - 3P_2$	0.19	
	3.205(10) μm	5.39 -1	Ti IX	$3s^2 3p^2$	$3P_0 - 3P_1$	0.19	
	3.270(22) μm	1.41 +0	Ti XV	$2s^2 2p^4$	$3P_1 - 3P_0$	0.94	
	3.896(21) μm	3.00 -1	Ti XI	$3s 3p$	$3P_0 - 3P_1$	0.27	
	6.923(14) μm	2.57 -2	Ti VIII	$3s^2 3p^3$	$2P_{1/2} - 2P_{3/2}$	0.17	
	7.386(15) μm	1.34 -1	Ti VII	$3s^2 3p^4$	$3P_1 - 3P_0$	0.14	
	9.382(25) μm	1.24 -2	Ti VIII	$3s^2 3p^3$	$2D_{3/2} - 2D_{5/2}$	0.17	

Table 20. Vanadium: wavelengths and transition probabilities

Observed	Wavelength Calculated	λ (\AA)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	308.26(21)	7.77 +3	V XX	2s 2p	$^3P_0 - ^1P_1$	1.49	
	327.98(24)	4.75 +3	V XX	2s 2p	$^3P_1 - ^1P_1$	1.49	
	396.0(4)	4.57 +3	V XX	2s 2p	$^3P_2 - ^1P_1$	1.49	
	415.80(5)	1.13 +4	V XVII	$2s^2 2p^3$	$^4S_{3/2} - ^2P_{3/2}$	1.17	
T 434.2(2)	432.82(19)	4.19 +4	V XVIII	$2s^2 2p^2$	$^3P_1 - ^1S_0$	1.26	FBM
	472.99(6)	8.10 +3	V XVII	$2s^2 2p^3$	$^4S_{3/2} - ^2P_{1/2}$	1.17	
529.9(2)	529.75(15)	4.09 +4	V XVI	$2s^2 2p^4$	$^3P_1 - ^1S_0$	1.06	FBM
	712.96(14)	1.53 +2	V XVII	$2s^2 2p^3$	$^4S_{3/2} - ^2D_{5/2}$	1.17	
	813.3(4)	3.33 +3	V XVIII	$2s^2 2p^2$	$^3P_1 - ^1D_2$	1.26	
	826.2(3)	4.05 +3	V XVI	$2s^2 2p^4$	$^3P_2 - ^1D_2$	1.06	
	826.92(19)	3.57 +3	V XVII	$2s^2 2p^3$	$^4S_{3/2} - ^2D_{3/2}$	1.17	
	836.33(20)	9.04 +3	V XVII	$2s^2 2p^3$	$^2D_{3/2} - ^2P_{3/2}$	1.17	
Q 857.1(5)		3.33 +1	V XVI	$2s^2 2p^4$	$^1D_2 - ^1S_0$	1.06	
Q 925.2(1.0)		1.93 +1	V XVIII	$2s^2 2p^2$	$^1D_2 - ^1S_0$	1.26	
	997.61(28)	3.23 +3	V XVII	$2s^2 2p^3$	$^2D_{5/2} - ^2P_{3/2}$	1.17	
	1072.2(1.6)	4.22 +1	V XII	3s 3p	$^3P_0 - ^1P_1$	0.31	
1078.2(1.4)	1078.5(6)	3.67 +3	V XVIII	$2s^2 2p^2$	$^3P_2 - ^1D_2$	1.26	FBM
	1105.1(3)	2.35 +3	V XVII	$2s^2 2p^3$	$^2D_{3/2} - ^2P_{1/2}$	1.17	
	1108.9(1.7)	2.85 +1	V XII	3s 3p	$^3P_1 - ^1P_1$	0.31	
	1204.5(2.1)	3.72 +1	V XII	3s 3p	$^3P_2 - ^1P_1$	0.31	
	1386.9(1.0)	3.07 +2	V XVI	$2s^2 2p^4$	$^3P_1 - ^1D_2$	1.06	
1457.6(9)	1458.(4)	2.89 +3	V XIX	$2s^2 2p$	$^2P_{1/2} - ^2P_{3/2}$	1.36	FBM
	1573.04(18)	2.11 +2	V X	$3s^2 3p^2$	$^3P_1 - ^1S_0$	0.23	
	1633.3(5)	7.05 +1	V IX	$3s^2 3p^3$	$^4S_{3/2} - ^2P_{3/2}$	0.21	
	1694.1(6)	3.28 +1	V IX	$3s^2 3p^3$	$^4S_{3/2} - ^2P_{1/2}$	0.21	
1719.4(1.7)	1721.4(1.5)	3.52 +3	V XV	$2s^2 2p^5$	$^2P_{3/2} - ^2P_{1/2}$	0.98	FBM
	1830.39(24)	1.89 +2	V VIII	$3s^2 3p^4$	$^3P_1 - ^1S_0$	0.17	
	1908.(5)	1.86 +3	V XX	2s 2p	$^3P_1 - ^3P_2$	1.49	
2042.7(8)	2042.8(8)	2.47 +3	V XVI	$2s^2 2p^4$	$^3P_2 - ^3P_1$	1.06	FBM
	2633.6(1.4)	9.19 +2	V XVIII	$2s^2 2p^2$	$^3P_0 - ^3P_1$	1.26	
	2752.6(1.6)	1.57 -1*	V IX	$3s^2 3p^3$	$^4S_{3/2} - ^2D_{5/2}$	0.21	
Q 2836.7(6)		9.45 +0	V X	$3s^2 3p^2$	$^1D_2 - ^1S_0$	0.23	
	2880.3(1.7)	4.98 +0	V IX	$3s^2 3p^3$	$^4S_{3/2} - ^2D_{3/2}$	0.21	
Q 2978.1(6)		5.61 +0	V VIII	$3s^2 3p^4$	$^1D_2 - ^1S_0$	0.17	
	3307.(3)	3.24 +2	V XVIII	$2s^2 2p^2$	$^3P_1 - ^3P_2$	1.26	
	3438.(3)	1.71 +2	V XVII	$2s^2 2p^3$	$^2P_{1/2} - ^2P_{3/2}$	1.17	
	3528.9(9)	9.10 +0	V X	$3s^2 3p^2$	$^3P_1 - ^1D_2$	0.23	
	3692.8(7)	1.62 +1	V VIII	$3s^2 3p^4$	$^3P_2 - ^1D_2$	0.17	
	3770.2(1.0)	3.34 +1	V IX	$3s^2 3p^3$	$^2D_{3/2} - ^2P_{3/2}$	0.21	
	4014.1(1.1)	1.64 +1*	V IX	$3s^2 3p^3$	$^2D_{5/2} - ^2P_{3/2}$	0.21	
	4110.7(1.2)	1.66 +1*	V IX	$3s^2 3p^3$	$^2D_{3/2} - ^2P_{1/2}$	0.21	

Table 20. Vanadium: wavelengths and transition probabilities - Continued

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	4330.0(1.3)	1.47 +1	V X	3s ² 3p ²	³ P ₂ - ¹ D ₂	0.23	
	4746.1(1.6)	2.60 +0	V VIII	3s ² 3p ⁴	³ P ₁ - ¹ D ₂	0.17	
	5127.(40)	1.46 +2	V XX	2s 2p	³ P ₀ - ³ P ₁	1.49	
	5172.(8)	6.21 +1	V XVII	2s ² 2p ³	² D _{3/2} - ² D _{5/2}	1.17	
	10311.(5)	0.19 +0	V XI	3s ² 3p	² P _{1/2} - ² P _{3/2}	0.26	
	13038.(3)	8.11 +0	V VII	3s ² 3p ⁵	² P _{3/2} - ² P _{1/2}	0.15	
	13963.(280)	4.82 +0	V XII	3s 3p	³ P ₁ - ³ P ₂	0.31	
	16640.(14)	4.76 +0	V VIII	3s ² 3p ⁴	³ P ₂ - ³ P ₁	0.17	
	19080.(30)	1.88 +0	V X	3s ² 3p ²	³ P ₁ - ³ P ₂	0.23	
	2.392(3) μm	1.29 +0	V X	3s ² 3p ²	³ P ₀ - ³ P ₁	0.23	
	3.24(15) μm	5.67 -1	V XII	3s 3p	³ P ₀ - ³ P ₁	0.31	
	4.552(15) μm	8.87 -2	V IX	3s ² 3p ³	² P _{1/2} - ² P _{3/2}	0.21	
	6.207(27) μm	4.23 -2	V IX	3s ² 3p ³	² D _{3/2} - ² D _{5/2}	0.21	
	6.362(29) μm	2.08 -1	V VIII	3s ² 3p ⁴	³ P ₁ - ³ P ₀	0.17	
	9.78(26) μm	5.10 -2	V XVI	2s ² 2p ⁴	³ P ₁ - ³ P ₀	1.06	

Table 21. Chromium: wavelengths and transition probabilities

Observed	Wavelength		A (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	Observed	Calculated						
		286.51(17)	1.24 +4	Cr XXI	2s 2p	$^3P_0 - ^1P_1$	1.63	
		306.80(5)	7.42 +3	Cr XXI	2s 2p	$^3P_1 - ^1P_1$	1.63	
378.0(3)		378.1(3)	1.61 +4	Cr XVIII	$2s^2 2p^3$	$^4S_{3/2} - ^2P_{3/2}$	1.30	DH
		381.6(3)	6.56 +3	Cr XXI	2s 2p	$^3P_2 - ^1P_1$	1.63	
398.4(3)		398.42(16)	6.38 +4	Cr XIX	$2s^2 2p^2$	$^3P_1 - ^1S_0$	1.40	HSCS
442.1(3)		442.3(4)	1.31 +4	Cr XVIII	$2s^2 2p^3$	$^4S_{3/2} - ^2P_{1/2}$	1.30	DH
493.8(3)		493.79(24)	6.42 +4	Cr XVII	$2s^2 2p^4$	$^3P_1 - ^1S_0$	1.19	HSCS
663.1(3)		663.1(9)	3.22 +2	Cr XVIII	$2s^2 2p^3$	$^4S_{3/2} - ^2D_{5/2}$	1.30	DH
722.1(3)		722.56(16)	1.56 +4	Cr XVIII	$2s^2 2p^3$	$^2D_{3/2} - ^2P_{3/2}$	1.30	DH
731.1(3)		731.07(8)	5.62 +3	Cr XIX	$2s^2 2p^2$	$^3P_1 - ^1D_2$	1.40	HSCS
740.75(3)		740.75(3)	6.67 +3	Cr XVII	$2s^2 2p^4$	$^3P_2 - ^1D_2$	1.19	PSS
	Q	781.9(6)	4.19 +1	Cr XVII	$2s^2 2p^4$	$^1D_2 - ^1S_0$	1.19	
793.3(3)		793.3(1.3)	6.12 +3	Cr XVIII	$2s^2 2p^3$	$^4S_{3/2} - ^2D_{3/2}$	1.30	HSCS
	Q	875.6(8)	2.03 +1	Cr XIX	$2s^2 2p^2$	$^1D_2 - ^1S_0$	1.40	
		879.96(23)	5.14 +3	Cr XVIII	$2s^2 2p^3$	$^2D_{5/2} - ^2P_{3/2}$	1.30	
979.0(3)		979.06(14)	5.93 +3	Cr XIX	$2s^2 2p^2$	$^3P_2 - ^1D_2$	1.40	HSCS
		988.5(1.0)	7.59 +1	Cr XIII	3s 3p	$^3P_0 - ^1P_1$	0.35	
		999.6(3)	3.33 +3	Cr XVIII	$2s^2 2p^3$	$^2D_{3/2} - ^2P_{1/2}$	1.30	
		1028.49(10)	5.03 +1	Cr XIII	3s 3p	$^3P_1 - ^1P_1$	0.35	
		1135.8(1.3)	6.25 +1	Cr XIII	3s 3p	$^3P_2 - ^1P_1$	0.35	
1205.9(3)		1205.9(3)	5.11 +3	Cr XX	$2s^2 2p$	$^2P_{1/2} - ^2P_{3/2}$	1.50	HSCS
1340.7(4)		1340.09(20)	4.09 +2	Cr XVII	$2s^2 2p^4$	$^3P_1 - ^1D_2$	1.19	FBM
1410.60(2)		1410.62(4)	6.39 +3	Cr XVI	$2s^2 2p^5$	$^2P_{3/2} - ^2P_{1/2}$	1.10	PSS
1440.01(2)		1440.8(2.1)	3.68 +2	Cr XI	$3s^2 3p^2$	$^3P_1 - ^1S_0$	0.27	SBT
1489.04(3)		1489.05(16)	1.21 +2	Cr X	$3s^2 3p^3$	$^4S_{3/2} - ^2P_{3/2}$	0.24	SBT
1564.30(2)		1564.09(17)	5.89 +1	Cr X	$3s^2 3p^3$	$^4S_{3/2} - ^2P_{1/2}$	0.24	SBT
1566.4(1)		1565.(5)	3.38 +3	Cr XXI	2s 2p	$^3P_1 - ^3P_2$	1.63	Su
1656.3(3)		1656.29(27)	4.58 +3	Cr XVII	$2s^2 2p^4$	$^3P_2 - ^3P_1$	1.19	HSCS
		1693.9(6)	3.40 +2	Cr IX	$3s^2 3p^4$	$^3P_1 - ^1S_0$	0.21	
2090.9(3)		2090.9(4)	1.81 +3	Cr XIX	$2s^2 2p^2$	$^3P_0 - ^3P_1$	1.40	HSCS
		2534.1(5)	3.67 -1*	Cr X	$3s^2 3p^3$	$^4S_{3/2} - ^2D_{5/2}$	0.24	
2606.4(3)		2606.4(3)	3.80 +2	Cr XVIII	$2s^2 2p^3$	$^2P_{1/2} - ^2P_{3/2}$	1.30	DH
	Q	2634.(7)	1.03 +1	Cr XI	$3s^2 3p^2$	$^1D_2 - ^1S_0$	0.27	
		2694.4(5)	1.14 +1	Cr X	$3s^2 3p^3$	$^4S_{3/2} - ^2D_{3/2}$	0.24	
	Q	2733.6(1.5)	6.41 +0	Cr IX	$3s^2 3p^4$	$^1D_2 - ^1S_0$	0.21	
2885.4(3)		2885.4(1.2)	4.69 +2	Cr XIX	$2s^2 2p^2$	$^3P_1 - ^3P_2$	1.40	HSCS
3178.		3177.9(7)	1.77 +1	Cr XI	$3s^2 3p^2$	$^3P_1 - ^1D_2$	0.27	M
		3301.1(5)	2.99 +1	Cr IX	$3s^2 3p^4$	$^3P_2 - ^1D_2$	0.21	
		3326.4(8)	6.22 +1	Cr X	$3s^2 3p^3$	$^2D_{3/2} - ^2P_{3/2}$	0.24	
		3608.2(9)	2.86 +1*	Cr X	$3s^2 3p^3$	$^2D_{5/2} - ^2P_{3/2}$	0.24	
		3725.8(1.0)	2.82 +1*	Cr X	$3s^2 3p^3$	$^2D_{3/2} - ^2P_{1/2}$	0.24	

Table 21. Chromium: wavelengths and transition probabilities - Continued

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
3996.8(4)	3996.6(1.1)	2.60 +1	Cr XI	3s ² 3p ²	³ P ₂ - ¹ D ₂	0.27	J
4038.6(3)	4039.(7)	1.27 +2	Cr XVIII	2s ² 2p ³	² D _{3/2} - ² D _{5/2}	1.30	DH
	4330.(40)	2.38 +2	Cr XXI	2s 2p	³ P ₀ - ³ P ₁	1.63	
	4450.5(1.4)	4.19 +0	Cr IX	3s ² 3p ⁴	³ P ₁ - ¹ D ₂	0.21	
8153.8(4)	8153.7(7)	1.66 +1	Cr XII	3s ² 3p	² P _{1/2} - ² P _{3/2}	0.30	J
	10106.4(2.0)	1.74 +1	Cr VIII	3s ² 3p ⁵	² P _{3/2} - ² P _{1/2}	0.18	
	10878.(120)	1.03 +1	Cr XIII	3s 3p	³ P ₁ - ³ P ₂	0.35	
	12783.(8)	1.04 +1	Cr IX	3s ² 3p ⁴	³ P ₂ - ³ P ₁	0.21	
	15514.(17)	3.46 +0	Cr XI	3s ² 3p ²	³ P ₁ - ³ P ₂	0.27	
	18059.(16)	2.98 +0	Cr XI	3s ² 3p ²	³ P ₀ - ³ P ₁	0.27	
	2.54(6) μm	1.13 +0	Cr XIII	3s 3p	³ P ₀ - ³ P ₁	0.35	
	3.103(7) μm	2.74 -1	Cr X	3s ² 3p ³	² P _{1/2} - ² P _{3/2}	0.24	
	4.260(13) μm	1.28 -1	Cr X	3s ² 3p ³	² D _{3/2} - ² D _{5/2}	0.24	
	4.3(4) μm	1.93 -1	Cr XVII	2s ² 2p ⁴	³ P ₀ - ³ P ₁	1.19	
	5.787(24) μm	2.73 -1	Cr IX	3s ² 3p ⁴	³ P ₁ - ³ P ₀	0.21	

Table 22. Manganese: wavelengths and transition probabilities

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	266.37(28)	1.94 +4	Mn XXII	2s 2p	³ P ₀ - ¹ P ₁	1.79	
	286.70(25)	1.14 +4	Mn XXII	2s 2p	³ P ₁ - ¹ P ₁	1.79	
	342.78(26)	2.19 +4	Mn XIX	2s ² 2p ³	⁴ S _{3/2} - ² P _{3/2}	1.44	
	365.6(5)	9.65 +4	Mn XX	2s ² 2p ²	³ P ₁ - ¹ S ₀	1.54	
	368.4(5)	9.16 +3	Mn XXII	2s 2p	³ P ₂ - ¹ P ₁	1.79	
	413.0(4)	2.08 +4	Mn XIX	2s ² 2p ³	⁴ S _{3/2} - ² P _{1/2}	1.44	
	457.8(8)	9.94 +4	Mn XVIII	2s ² 2p ⁴	³ P ₁ - ¹ S ₀	1.32	
	615.6(8)	6.50 +2	Mn XIX	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	1.44	
	625.2(1.1)	2.66 +4	Mn XIX	2s ² 2p ³	² D _{3/2} - ² P _{3/2}	1.44	
	655.0(1.2)	9.56 +3	Mn XX	2s ² 2p ²	³ P ₁ - ¹ D ₂	1.54	
	664.0(1.4)	1.08 +4	Mn XVIII	2s ² 2p ⁴	³ P ₂ - ¹ D ₂	1.32	
Q	707.2(2.1)	5.53 +1	Mn XVIII	2s ² 2p ⁴	¹ D ₂ - ¹ S ₀	1.32	
	758.9(1.3)	1.02 +4	Mn XIX	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	1.44	
	773.5(1.7)	8.13 +3	Mn XIX	2s ² 2p ³	² D _{5/2} - ² P _{3/2}	1.44	
Q	827.7(2.5)	2.16 +1	Mn XX	2s ² 2p ²	¹ D ₂ - ¹ S ₀	1.54	
	880.2(2.2)	9.51 +3	Mn XX	2s ² 2p ²	³ P ₂ - ¹ D ₂	1.54	
	906.3(2.3)	4.54 +3	Mn XIX	2s ² 2p ³	² D _{3/2} - ² P _{1/2}	1.44	
	914.8(8)	1.26 +2	Mn XIV	3s 3p	³ P ₀ - ¹ P ₁	0.40	
	956.7(9)	8.21 +1	Mn XIV	3s 3p	³ P ₁ - ¹ P ₁	0.40	
	1006.4(3.0)	8.79 +3	Mn XXI	2s ² 2p	² P _{1/2} - ² P _{3/2}	1.64	
	1073.8(1.2)	9.75 +1	Mn XIV	3s 3p	³ P ₂ - ¹ P ₁	0.40	
	1170.(7)	1.12 +4	Mn XVII	2s ² 2p ⁵	² P _{3/2} - ² P _{1/2}	1.24	
	1293.(4)	5.94 +3	Mn XXII	2s 2p	³ P ₁ - ³ P ₂	1.79	
	1298.(6)	5.30 +2	Mn XVIII	2s ² 2p ⁴	³ P ₁ - ¹ D ₂	1.32	
1322.23(4)	1322.(6)	6.20 +2	Mn XII	3s ² 3p ²	³ P ₁ - ¹ S ₀	0.31	ST
	1359.(4)	8.17 +3	Mn XVIII	2s ² 2p ⁴	³ P ₂ - ³ P ₁	1.32	
1359.57(2)	1359.58(9)	2.00 +2	Mn XI	3s ² 3p ³	⁴ S _{3/2} - ² P _{3/2}	0.29	SBT
1450.49(5)	1450.43(10)	1.02 +2	Mn XI	3s ² 3p ³	⁴ S _{3/2} - ² P _{1/2}	0.29	SBT
	1574.2(7)	5.90 +2	Mn X	3s ² 3p ⁴	³ P ₁ - ¹ S ₀	0.25	
	1678.(6)	3.46 +3	Mn XX	2s ² 2p ²	³ P ₀ - ³ P ₁	1.54	
	2015.(11)	7.98 +2	Mn XIX	2s ² 2p ³	² P _{1/2} - ² P _{3/2}	1.44	
	2341.09(27)	8.33 -1*	Mn XI	3s ² 3p ³	⁴ S _{3/2} - ² D _{5/2}	0.29	
Q	2456.(19)	1.12 +1	Mn XII	3s ² 3p ²	¹ D ₂ - ¹ S ₀	0.31	
Q	2516.5(2.7)	7.24 +0	Mn X	3s ² 3p ⁴	¹ D ₂ - ¹ S ₀	0.25	
	2538.3(3)	2.42 +1	Mn XI	3s ² 3p ³	⁴ S _{3/2} - ² D _{3/2}	0.29	
	2559.(19)	6.43 +2	Mn XX	2s ² 2p ²	³ P ₁ - ³ P ₂	1.54	
	2860.(12)	3.35 +1	Mn XII	3s ² 3p ²	³ P ₁ - ¹ D ₂	0.31	
	2925.9(6)	1.13 +2	Mn XI	3s ² 3p ³	² D _{3/2} - ² P _{3/2}	0.29	
	2956.0(2.6)	5.33 +1	Mn X	3s ² 3p ⁴	³ P ₂ - ¹ D ₂	0.25	
	3240.6(7)	4.73 +1*	Mn XI	3s ² 3p ³	² D _{5/2} - ² P _{3/2}	0.29	
	3259.(30)	2.35 +2	Mn XIX	2s ² 2p ³	² D _{3/2} - ² D _{5/2}	1.44	

Table 22. Manganese: wavelengths and transition probabilities - Continued

Observed	Wavelength		A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	Observed	Calculated						
		3381.9(8)	4.89 +1*	Mn XI	3s ² 3p ³	² D _{3/2} - ² P _{1/2}	0.29	
3685.5(4)		3682.(19)	4.48 +1	Mn XII	3s ² 3p ²	³ P ₂ - ¹ D ₂	0.31	J
		3756.(36)	3.73 +2	Mn XXII	2s 2p	³ P ₀ - ³ P ₁	1.79	
		4200.(5)	6.42 +0	Mn X	3s ² 3p ⁴	³ P ₁ - ¹ D ₂	0.25	
6536.3(4)		6536.3(4)	3.22 +1	Mn XIII	3s ² 3p	² P _{1/2} - ² P _{3/2}	0.34	J
		7968.5(1.3)	3.55 +1	Mn IX	3s ² 3p ⁵	² P _{3/2} - ² P _{1/2}	0.22	
		8770.(110)	1.97 +1	Mn XIV	3s 3p	³ P ₁ - ³ P ₂	0.40	
		9978.(4)	2.18 +1	Mn X	3s ² 3p ⁴	³ P ₂ - ³ P ₁	0.25	
		12817.(230)	6.03 +0	Mn XII	3s ² 3p ²	³ P ₁ - ³ P ₂	0.31	
		13885.(190)	6.52 +0	Mn XII	3s ² 3p ²	³ P ₀ - ³ P ₁	0.31	
		14200.(600)	5.15 +0	Mn XVIII	2s ² 2p ⁴	³ P ₀ - ³ P ₁	1.32	
	2.09(6) μm		2.03 +0	Mn XIV	3s 3p	³ P ₀ - ³ P ₁	0.40	
	2.170(3) μm		7.80 -1	Mn XI	3s ² 3p ³	² P _{1/2} - ² P _{3/2}	0.29	
	3.013(6) μm		3.54 -1	Mn XI	3s ² 3p ³	² D _{3/2} - ² D _{5/2}	0.29	
	5.624(18) μm		2.90 -1	Mn X	3s ² 3p ⁴	³ P ₁ - ³ P ₀	0.25	

Table 23. Iron: wavelengths and transition probabilities

Observed	Wavelength		A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	Observed	Calculated						
		247.12(14)	3.01 +4	Fe XXIII	2s 2p	³ P ₀ - ¹ P ₁	1.96	
		267.59(12)	1.72 +4	Fe XXIII	2s 2p	³ P ₁ - ¹ P ₁	1.96	
309.26(3)	309.6(3)		2.91 +4	Fe XX	2s ² 2p ³	⁴ S _{3/2} - ² P _{3/2}	1.58	SBST
	335.5(3)		1.43 +5	Fe XXI	2s ² 2p ²	³ P ₁ - ¹ S ₀	1.69	
	355.80(22)		1.26 +4	Fe XXIII	2s 2p	³ P ₂ - ¹ P ₁	1.96	
	384.8(4)		3.27 +4	Fe XX	2s ² 2p ³	⁴ S _{3/2} - ² P _{1/2}	1.58	
424.26(5)	424.27(7)		1.50 +5	Fe XIX	2s ² 2p ⁴	³ P ₁ - ¹ S ₀	1.47	W
541.35(5)	541.42(12)		4.49 +4	Fe XX	2s ² 2p ³	² D _{3/2} - ² P _{3/2}	1.58	W
567.76(5)	568.9(1.0)		1.27 +3	Fe XX	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	1.58	W
585.8(3)	585.79(17)		1.59 +4	Fe XXI	2s ² 2p ²	³ F ₁ - ¹ D ₂	1.69	HSCS
592.234(6)	592.235(7)		1.73 +4	Fe XIX	2s ² 2p ⁴	³ F ₂ - ¹ D ₂	1.47	PSS
	Q 639.84(16)		7.33 +1	Fe XIX	2s ² 2p ⁴	¹ D ₂ - ¹ S ₀	1.47	
679.3(3)	679.39(20)		1.27 +4	Fe XX	2s ² 2p ³	² D _{5/2} - ² P _{3/2}	1.58	H
	723.2(1.6)		1.64 +4	Fe XX	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	1.58	
	Q 785.3(1.9)		2.27 +1	Fe XXI	2s ² 2p ²	¹ D ₂ - ¹ S ₀	1.69	
786.1(3)	786.1(3)		1.51 +4	Fe XXI	2s ² 2p ²	³ P ₂ - ¹ D ₂	1.69	HSCS
	822.2(3)		6.01 +3	Fe XX	2s ² 2p ³	² D _{3/2} - ² P _{1/2}	1.58	
845.55(1)	845.5(3)		1.48 +4	Fe XXII	2s ² 2p	² F _{1/2} - ² F _{3/2}	1.80	SH(82)
	847.43(20)		2.09 +2	Fe XV	3s 3p	³ P ₀ - ¹ P ₁	0.46	
	890.84(17)		1.34 +2	Fe XV	3s 3p	³ P ₁ - ¹ P ₁	0.46	
974.86(2)	974.858(19)		1.93 +4	Fe XVIII	2s ² 2p ⁵	² F _{3/2} - ² F _{1/2}	1.36	PSS
	1019.4(3)		1.50 +2	Fe XV	3s 3p	³ P ₂ - ¹ P ₁	0.46	
1079.3(3)	1079.3(5)		1.02 +4	Fe XXIII	2s 2p	³ P ₁ - ³ P ₂	1.96	HSCS
1118.060(10)	1118.055(25)		1.45 +4	Fe XIX	2s ² 2p ⁴	³ P ₂ - ³ P ₁	1.47	PSS
1216.43(1)	1216.46(15)		1.01 +3	Fe XIII	3s ² 3p ²	³ P ₁ - ¹ S ₀	0.36	SBT
1242.00(1)	1242.00(8)		3.17 +2	Fe XII	3s ² 3p ³	⁴ S _{3/2} - ² P _{3/2}	0.33	SBT
	1259.27(4)		6.72 +2	Fe XIX	2s ² 2p ⁴	³ P ₁ - ¹ D ₂	1.47	
1349.40(1)	1349.36(9)		1.73 +2	Fe XII	3s ² 3p ³	⁴ S _{3/2} - ² P _{1/2}	0.33	SBT
1354.08(5)	1354.10(9)		6.49 +3	Fe XXI	2s ² 2p ²	³ F ₀ - ³ F ₁	1.69	SBT
1467.06(1)	1467.4(1.1)		9.90 +2	Fe XI	3s ² 3p ⁴	³ P ₁ - ¹ S ₀	0.29	SBT
	1585.5(1.1)		1.59 +3	Fe XX	2s ² 2p ³	² F _{1/2} - ² F _{3/2}	1.58	
2169.08(2)	2169.69(24)		1.84 +0*	Fe XII	3s ² 3p ³	⁴ S _{3/2} - ² D _{5/2}	0.33	SBT
2298.0(3)	2298.0(5)		8.46 +2	Fe XXI	2s ² 2p ²	³ P ₁ - ³ P ₂	1.69	HSCS
	Q 2301.3(5)		1.20 +1	Fe XIII	3s ² 3p ²	¹ D ₂ - ¹ S ₀	0.36	
	Q 2321.0(2.7)		8.31 +0	Fe XI	3s ² 3p ⁴	¹ D ₂ - ¹ S ₀	0.29	
2405.68(1)	2405.1(3)		4.81 +1	Fe XII	3s ² 3p ³	⁴ S _{3/2} - ² D _{3/2}	0.33	SBT
2565.93(6)	2566.7(5)		2.00 +2	Fe XII	3s ² 3p ³	² D _{3/2} - ² P _{3/2}	0.33	SBT
2578.77(1)	2578.84(14)		4.57 +1	Fe XIII	3s ² 3p ²	³ P ₁ - ¹ D ₂	0.36	SBT
2648.71(2)	2648.67(7)		9.23 +1	Fe XI	3s ² 3p ⁴	³ P ₂ - ¹ D ₂	0.29	SBT
2665.1(3)	2665.2(3.0)		4.17 +2	Fe XX	2s ² 2p ³	² D _{3/2} - ² D _{5/2}	1.58	SH(78)
	2902.8(6)		8.13 +1*	Fe XII	3s ² 3p ³	² D _{5/2} - ² P _{3/2}	0.33	

Table 2. Iron - wavelengths and transition probabilities - Continued

Observed	Wavelength Calculated	λ (\AA)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
3072.0(4)	3072.0(7)	7.21 +1*	Fe XII	$3s^2 3p^3$	$2D_{3/2} - 2P_{1/2}$	0.33	J
	3230.(16)	5.70 +2	Fe XXIII	$2s 2p$	$3P_0 - 3P_1$	1.96	
3388.5(4)	3388.05(23)	5.75 +1	Fe XIII	$3s^2 3p^2$	$3P_2 - 1D_2$	0.36	J
3986.8(4)	3986.80(22)	9.44 +0	Fe XI	$3s^2 3p^4$	$3P_1 - 1D_2$	0.29	J
5302.86(6)	5302.9(6)	6.02 +1	Fe XIV	$3s^2 3p$	$2P_{1/2} - 2P_{3/2}$	0.39	E
6374.6(4)	6374.53(4)	6.94 +1	Fe X	$3s^2 3p^5$	$2P_{3/2} - 2P_{1/2}$	0.26	J
	7045.(20)	4.03 +1	Fe XIX	$2s^2 2p^4$	$3P_0 - 3P_1$	1.47	
7058.6(4)	7060.(10)	3.74 +1	Fe XV	$3s 3p$	$3P_1 - 3P_2$	0.46	J
7891.8(4)	7891.8(6)	4.37 +1	Fe XI	$3s^2 3p^4$	$3P_2 - 3P_1$	0.29	J
10746.8(4)	10746.9(5)	1.40 +1	Fe XIII	$3s^2 3p^2$	$3P_0 - 3P_1$	0.36	J
10797.9(4)	10797.9(7)	9.87 +0	Fe XIII	$3s^2 3p^2$	$3P_1 - 3P_2$	0.36	J
	15606.(17)	2.04 +0	Fe XII	$3s^2 3p^3$	$2P_{1/2} - 2P_{3/2}$	0.33	
	17390.(60)	3.58 +0	Fe XV	$3s 3p$	$3P_0 - 3P_1$	0.46	
	2.217(3) μm	8.68 -1	Fe XII	$3s^2 3p^3$	$2D_{3/2} - 2D_{5/2}$	0.33	
	6.082(19) μm	2.23 -1	Fe XI	$3s^2 3p^4$	$3P_1 - 3P_0$	0.29	

Table 24. Cobalt: wavelengths and transition probabilities

Wavelength		A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
Observed	Calculated						
	229.40(15)	4.59 +4	Co XXIV	2s 2p	³ P ₀ - ¹ P ₁	2.12	
	249.80(18)	2.57 +4	Co XXIV	2s 2p	³ P ₁ - ¹ P ₁	2.12	
	278.55(17)	3.72 +4	Co XXI	2s ² 2p ³	⁴ S _{3/2} - ² P _{3/2}	1.74	
	307.89(27)	2.09 +5	Co XXII	2s ² 2p ²	³ P ₁ - ¹ S ₀	1.85	
	345.0(3)	1.68 +4	Co XXIV	2s 2p	³ P ₂ - ¹ P ₁	2.12	
	356.8(3)	5.10 +4	Co XXI	2s ² 2p ³	⁴ S _{3/2} - ² P _{1/2}	1.74	
	390.9(4)	2.17 +5	Co XX	2s ² 2p ⁴	³ P ₁ - ¹ S ₀	1.60	
	471.8(6)	7.39 +4	Co XXI	2s ² 2p ³	² D _{3/2} - ² P _{3/2}	1.74	
	522.1(6)	2.43 +3	Co XXI	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	1.74	
	523.3(8)	2.58 +4	Co XXII	2s ² 2p ²	³ P ₁ - ¹ D ₂	1.85	
	528.3(6)	2.73 +4	Co XX	2s ² 2p ⁴	³ P ₂ - ¹ D ₂	1.60	
Q	574.9(9)	1.01 +2	Co XX	2s ² 2p ⁴	¹ D ₂ - ¹ S ₀	1.60	
	597.1(1.0)	1.95 +4	Co XXI	2s ² 2p ³	² D _{5/2} - ² P _{3/2}	1.74	
	680.1(1.0)	2.62 +4	Co XXI	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	1.74	
	696.5(1.4)	2.38 +4	Co XXII	2s ² 2p ²	³ P ₂ - ¹ D ₂	1.85	
	717.9(1.5)	2.42 +4	Co XXIII	2s ² 2p	² P _{1/2} - ² P _{3/2}	1.96	
Q	747.9(1.6)	2.36 +1	Co XXII	2s ² 2p ²	¹ D ₂ - ¹ S ₀	1.85	
	750.6(1.6)	7.57 +3	Co XXI	2s ² 2p ³	² D _{3/2} - ² P _{1/2}	1.74	
	786.2(1.3)	3.42 +2	Co XVI	3s 3p	³ P ₀ - ¹ P ₁	0.51	
	819.9(1.3)	3.25 +4	Co XIX	2s ² 2p ⁵	² P _{3/2} - ² P _{1/2}	1.49	
	831.9(1.4)	2.14 +2	Co XVI	3s 3p	³ P ₁ - ¹ P ₁	0.51	
	905.1(2.3)	1.74 +4	Co XXIV	2s 2p	³ P ₁ - ³ P ₂	2.12	
	930.9(1.9)	2.47 +4	Co XX	2s ² 2p ⁴	³ P ₂ - ³ P ₁	1.60	
	972.7(1.9)	2.26 +2	Co XVI	3s 3p	³ P ₂ - ¹ P ₁	0.51	
	1102.2(2.7)	1.12 +4	Co XXII	2s ² 2p ²	³ P ₀ - ³ P ₁	1.85	
	1123.0(9)	1.60 +3	Co XIV	3s ² 3p ²	³ P ₁ - ¹ S ₀	0.41	
	1134.17(26)	4.85 +2	Co XIII	3s ² 3p ³	⁴ S _{3/2} - ² P _{3/2}	0.38	
	1221.(4)	8.38 +2	Co XX	2s ² 2p ⁴	³ P ₁ - ¹ D ₂	1.60	
	1258.5(3)	2.87 +2	Co XIII	3s ² 3p ³	⁴ S _{3/2} - ² P _{1/2}	0.38	
	1270.(5)	3.02 +3	Co XXI	2s ² 2p ³	² P _{1/2} - ² P _{3/2}	1.74	
	1368.7(5)	1.62 +3	Co XII	3s ² 3p ⁴	³ P ₁ - ¹ S ₀	0.34	
	2011.8(8)	3.96 +0*	Co XIII	3s ² 3p ³	⁴ S _{3/2} - ² D _{5/2}	0.38	
	2104.(12)	1.05 +3	Co XXII	2s ² 2p ²	³ P ₁ - ³ P ₂	1.85	
Q	2137.9(1.3)	9.72 +0	Co XII	3s ² 3p ⁴	¹ D ₂ - ¹ S ₀	0.34	
Q	2166.(3)	1.27 +1	Co XIV	3s ² 3p ²	¹ D ₂ - ¹ S ₀	0.41	
	2245.5(1.4)	3.49 +2	Co XIII	3s ² 3p ³	² D _{3/2} - ² P _{3/2}	0.38	
	2247.(14)	6.75 +2	Co XXI	2s ² 2p ³	² D _{3/2} - ² D _{5/2}	1.74	
	2290.2(1.0)	9.05 +1	Co XIII	3s ² 3p ³	⁴ S _{3/2} - ² D _{3/2}	0.38	
	2331.(4)	1.09 +2	Co XIV	3s ² 3p ²	³ P ₁ - ¹ D ₂	0.41	
	2373.4(1.1)	1.56 +2	Co XII	3s ² 3p ⁴	³ P ₂ - ¹ D ₂	0.34	
	2598.0(1.9)	1.33 +2*	Co XIII	3s ² 3p ³	² D _{5/2} - ² P _{3/2}	0.38	

Table 24. Cobalt: wavelengths and transition probabilities - Continued

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	2791.7(2.2)	1.10 +2*	Co XIII	3s ² 3p ³	² D _{3/2} - ² P _{1/2}	0.38	
	2809.(22)	8.48 +2	Co XXIV	2s 2p	³ P ₀ - ³ P ₁	2.12	
	3110.(7)	1.24 +2	Co XIV	3s ² 3p ²	³ P ₂ - ¹ D ₂	0.41	
3801.2	3801.(4)	1.34 +1	Co XII	3s ² 3p ⁴	³ P ₁ - ¹ D ₂	0.34	P
	4249.(50)	1.75 +2	Co XX	2s ² 2p ⁴	³ P ₀ - ³ P ₁	1.60	
4350.6	4352.(10)	1.09 +2	Co XV	3s ² 3p	² P _{1/2} - ² P _{3/2}	0.44	P
T 5188.5	5168.(13)	1.30 +2	Co XI	3s ² 3p ⁵	² P _{3/2} - ² P _{1/2}	0.31	P
5744.	5746.(19)	7.01 +1	Co XVI	3s 3p	³ P ₁ - ³ P ₂	0.51	P
	6319.(8)	8.42 +1	Co XII	3s ² 3p ⁴	³ P ₂ - ³ P ₁	0.34	
	8310.(34)	2.99 +1	Co XIV	3s ² 3p ²	³ P ₀ - ³ P ₁	0.41	
	9300.(60)	1.50 +1	Co XIV	3s ² 3p ²	³ P ₁ - ³ P ₂	0.41	
	11478.(40)	4.98 +0	Co XIII	3s ² 3p ³	² P _{1/2} - ² P _{3/2}	0.38	
	14300.(120)	6.17 +0	Co XVI	3s 3p	³ P ₀ - ³ P ₁	0.51	
	16550.(70)	2.04 +0	Co XIII	3s ² 3p ³	² D _{3/2} - ² D _{5/2}	0.38	
	8.00(18) μm	9.59 -2	Co XII	3s ² 3p ⁴	³ P ₁ - ³ P ₀	0.34	

Table 25. Nickel: wavelengths and transition probabilities

Observed	Wavelength Calculated	A (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	212.81(16)	6.91 +4	Ni XXV	2s 2p	$3P_0 - 1P_1$	2.30	
	232.89(11)	3.79 +4	Ni XXV	2s 2p	$3P_1 - 1P_1$	2.30	
	249.94(19)	4.60 +4	Ni XXII	$2s^2 2p^3$	$4S_{3/2} - 2P_{3/2}$	1.89	
	282.4(3)	3.02 +5	Ni XXIII	$2s^2 2p^2$	$3P_1 - 1S_0$	2.01	
	330.6(4)	7.80 +4	Ni XXII	$2s^2 2p^3$	$4S_{3/2} - 2P_{1/2}$	1.89	
	334.9(4)	2.21 +4	Ni XXV	2s 2p	$3P_2 - 1P_1$	2.30	
	359.1(5)	3.31 +5	Ni XXI	$2s^2 2p^4$	$3P_1 - 1S_0$	1.76	
	412.3(5)	1.20 +5	Ni XXII	$2s^2 2p^3$	$2D_{3/2} - 2P_{3/2}$	1.89	
465.4(3)	465.40(17)	4.15 +4	Ni XXIII	$2s^2 2p^2$	$3P_1 - 1D_2$	2.01	HSCS
471.15(5)	471.14(6)	4.24 +4	Ni XXI	$2s^2 2p^4$	$3P_2 - 1D_2$	1.76	W
477.6(3)	477.6(3)	4.48 +3	Ni XXII	$2s^2 2p^3$	$4S_{3/2} - 2D_{5/2}$	1.89	HSCS
Q 514.0(8)		1.44 +2	Ni XXI	$2s^2 2p^4$	$1D_2 - 1S_0$	1.76	
	524.3(9)	2.99 +4	Ni XXII	$2s^2 2p^3$	$2D_{5/2} - 2P_{3/2}$	1.89	
609.9(3)	609.9(3)	3.94 +4	Ni XXIV	$2s^2 2p$	$2P_{1/2} - 2P_{3/2}$	2.13	HSCS
614.8(3)	614.8(3)	3.71 +4	Ni XXIII	$2s^2 2p^2$	$3P_2 - 1D_2$	2.01	HSCS
634.8(3)	634.8(3)	4.11 +4	Ni XXII	$2s^2 2p^3$	$4S_{3/2} - 2D_{3/2}$	1.89	HSCS
	689.8(1.5)	9.11 +3	Ni XXII	$2s^2 2p^3$	$2D_{3/2} - 2P_{1/2}$	1.89	
694.64(3)	694.64(3)	5.34 +4	Ni XX	$2s^2 2p^5$	$2P_{3/2} - 2P_{1/2}$	1.65	PSS
Q 718.1(2.1)		2.37 +1	Ni XXIII	$2s^2 2p^2$	$1D_2 - 1S_0$	2.01	
	730.35(16)	5.37 +2	Ni XVII	3s 3p	$3P_0 - 1P_1$	0.57	
	764.6(1.8)	2.87 +4	Ni XXV	2s 2p	$3P_1 - 3P_2$	2.30	
	777.06(19)	3.30 +2	Ni XVII	3s 3p	$3P_1 - 1P_1$	0.57	
779.5(3)	779.48(12)	4.14 +4	Ni XXI	$2s^2 2p^4$	$3P_2 - 3P_1$	1.76	HSCS
911.0(3)	911.00(25)	2.07 +4	Ni XXIII	$2s^2 2p^2$	$3P_0 - 3P_1$	2.01	HSCS
	928.76(27)	3.26 +2	Ni XVII	3s 3p	$3P_2 - 1P_1$	0.57	
	1025.(5)	5.61 +3	Ni XXII	$2s^2 2p^3$	$2P_{1/2} - 2P_{3/2}$	1.89	
	1033.2(5)	2.50 +3	Ni XV	$3s^2 3p^2$	$3P_1 - 1S_0$	0.46	
	1034.9(5)	7.17 +2	Ni XIV	$3s^2 3p^3$	$4S_{3/2} - 2P_{3/2}$	0.43	
1174.72(5)	1174.720(7)	4.66 +2	Ni XIV	$3s^2 3p^3$	$4S_{3/2} - 2P_{1/2}$	0.43	SBT
1191.1(4)	1191.0(3)	1.01 +3	Ni XXI	$2s^2 2p^4$	$3P_1 - 1D_2$	1.76	FBM
1277.23(1)	1277.231(18)	2.57 +3	Ni XIII	$3s^2 3p^4$	$3P_1 - 1S_0$	0.38	SBT
1866.75(1)	1866.751(17)	8.27 +0*	Ni XIV	$3s^2 3p^3$	$4S_{3/2} - 2D_{5/2}$	0.43	SBT
1917.3(2)	1914.98(21)	1.32 +3	Ni XXIII	$2s^2 2p^2$	$3P_1 - 3P_2$	2.01	H
1928.7(3)	1929.(6)	1.03 +3	Ni XXII	$2s^2 2p^3$	$2D_{3/2} - 2D_{5/2}$	1.89	H
	1966.1(1.9)	5.97 +2	Ni XIV	$3s^2 3p^3$	$2D_{3/2} - 2P_{3/2}$	0.43	
Q 1968.38(4)		1.16 +1	Ni XIII	$3s^2 3p^4$	$1D_2 - 1S_0$	0.38	
Q 2046.5(2.1)		1.34 +1	Ni XV	$3s^2 3p^2$	$1D_2 - 1S_0$	0.46	
2085.51(5)	2085.51(3)	1.94 +2	Ni XV	$3s^2 3p^2$	$3P_1 - 1D_2$	0.46	SBT
2125.50(2)	2125.500(23)	2.58 +2	Ni XIII	$3s^2 3p^4$	$3P_2 - 1D_2$	0.38	SBT
2184.26(5)	2184.259(24)	1.63 +2	Ni XIV	$3s^2 3p^3$	$4S_{3/2} - 2D_{3/2}$	0.43	SBT
	2321.6(2.7)	2.11 +2*	Ni XIV	$3s^2 3p^3$	$2D_{5/2} - 2P_{3/2}$	0.43	

Table 25. Nickel: wavelengths and transition probabilities - Continued

Observed	Wavelength		A (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	Observed	Calculated						
		2467.(19)	1.23 +3	Ni XXV	2s 2p	$^3P_0 - ^3P_1$	2.30	
		2539.96(5)	1.59 +2	Ni XIV	$3s^2 3p^3$	$^2D_{3/2} - ^2F_{1/2}$	0.43	
2818.2(3)		2817.7(3)	5.72 +2	Ni XXI	$2s^2 2p^4$	$^3P_0 - ^3P_1$	1.76	HSCS
		2818.01(6)	2.05 +2	Ni XV	$3s^2 3p^2$	$^3P_2 - ^1D_2$	0.46	
3601.1(4)		3600.0(2.6)	1.93 +2	Ni XVI	$3s^2 3p$	$^2P_{1/2} - ^2P_{3/2}$	0.50	J
		3636.50(9)	1.84 +1	Ni XIII	$3s^2 3p^4$	$^3P_1 - ^1D_2$	0.38	
4231.2(4)		4230.9(1.8)	2.37 +2	Ni XII	$3s^2 3p^5$	$^2P_{3/2} - ^2P_{1/2}$	0.35	J
T 4744.		4756.(10)	1.23 +2	Ni XVII	3s 3p	$^3P_1 - ^3P_2$	0.57	P
5115.8(4)		5115.81(10)	1.57 +2	Ni XIII	$3s^2 3p^4$	$^3P_2 - ^3P_1$	0.38	J
6701.7(4)		6701.68(22)	5.65 +1	Ni XV	$3s^2 3p^2$	$^3P_0 - ^3P_1$	0.46	J
8024.1(4)		8024.1(5)	2.27 +1	Ni XV	$3s^2 3p^2$	$^3P_1 - ^3P_2$	0.46	J
		8690.(40)	1.11 +1	Ni XIV	$3s^2 3p^3$	$^2P_{1/2} - ^2P_{3/2}$	0.43	
		12150.(60)	1.00 +1	Ni XVII	3s 3p	$^3P_0 - ^3P_1$	0.57	
		12815.0(1.2)	4.27 +0	Ni XIV	$3s^2 3p^3$	$^2D_{3/2} - ^2D_{5/2}$	0.43	
		19.3(4) μm	-	Ni XIII	$3s^2 3p^4$	$^3P_1 - ^3P_0$	0.38	

Table 26. Copper: wavelengths and transition probabilities

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	197.66(09)	1.02 +5	Cu XXVI	2s 2p	³ P ₀ - ¹ P ₁	2.41	
	216.89(11)	5.55 +4	Cu XXVI	2s 2p	³ P ₁ - ¹ P ₁	2.41	
	223.66(14)	5.48 +4	Cu XXIII	2s ² 2p ³	⁴ S _{3/2} - ² P _{3/2}	1.94	
	257.61(19)	4.38 +5	Cu XXIV	2s ² 2p ²	³ P ₁ - ¹ S ₀	2.09	
	304.96(26)	1.18 +5	Cu XXIII	2s ² 2p ³	⁴ S _{3/2} - ² P _{1/2}	1.94	
	326.00(24)	2.85 +4	Cu XXVI	2s 2p	³ P ₂ - ¹ P ₁	2.41	
	328.6(3)	4.85 +5	Cu XXII	2s ² 2p ⁴	³ P ₁ - ¹ S ₀	1.67	
	362.0(4)	1.90 +5	Cu XXIII	2s ² 2p ³	² D _{3/2} - ² P _{3/2}	1.94	
414.1(3)	414.0(5)	6.53 +4	Cu XXIV	2s ² 2p ²	³ P ₁ - ¹ D ₂	2.09	HSCS
420.0(3)	419.8(5)	6.52 +4	Cu XXII	2s ² 2p ⁴	³ P ₂ - ¹ D ₂	1.67	HSCS
434.8(3)	434.7(5)	7.98 +3	Cu XXIII	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	1.94	HSCS
	Q 458.3(6)	2.10 +2	Cu XXII	2s ² 2p ⁴	¹ D ₂ - ¹ S ₀	1.67	
	460.7(6)	4.53 +4	Cu XXIII	2s ² 2p ³	² D _{5/2} - ² P _{3/2}	1.94	
522.8(3)	522.66(27)	6.26 +4	Cu XXV	2s ² 2p	² P _{1/2} - ² P _{3/2}	2.22	HSCS
540.0(3)	539.8(8)	5.78 +4	Cu XXIV	2s ² 2p ²	³ P ₂ - ¹ D ₂	2.09	HSCS
585.0(3)	585.3(1.0)	6.40 +4	Cu XXIII	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	1.94	HSCS
592.3(3)	592.2(4)	8.62 +4	Cu XXI	2s ² 2p ⁵	² P _{3/2} - ² P _{1/2}	1.54	HSCS
	636.7(1.2)	1.05 +4	Cu XXIII	2s ² 2p ³	² D _{3/2} - ² P _{1/2}	1.94	
648.0(3)	648.0(6)	4.74 +4	Cu XXVI	2s 2p	³ P ₁ - ³ P ₂	2.41	HSCS
657.7(3)	657.7(1.2)	6.78 +4	Cu XXII	2s ² 2p ⁴	³ P ₂ - ³ P ₁	1.67	
	670.1(1.8)	8.36 +2	Cu XVIII	3s 3p	³ P ₀ - ¹ P ₁	0.60	
	Q 681.9(1.3)	2.53 +1	Cu XXIV	2s ² 2p ²	¹ D ₂ - ¹ S ₀	2.09	
	726.4(2.1)	5.04 +2	Cu XVIII	3s 3p	³ P ₁ - ¹ P ₁	0.60	
756.9(3)	757.0(1.6)	3.55 +4	Cu XXIV	2s ² 2p ²	³ P ₀ - ³ P ₁	2.09	HSCS
	839.0(2.0)	1.00 +4	Cu XXIII	2s ² 2p ³	² P _{1/2} - ² P _{3/2}	1.94	
	890.4(3.2)	4.63 +2	Cu XVIII	3s 3p	³ P ₂ - ¹ P ₁	0.60	
944.6(2)	942.4(1.8)	1.03 +3	Cu XV	3s ² 3p ³	⁴ S _{3/2} - ² P _{3/2}	0.48	DHST
952.8(3)	953.3(1.8)	3.81 +3	Cu XVI	3s ² 3p ²	³ P ₁ - ¹ S ₀	0.52	DHSC
	1097.1(2.4)	7.45 +2	Cu XV	3s ² 3p ³	⁴ S _{3/2} - ² P _{1/2}	0.48	
	1161.(4)	1.21 +3	Cu XXII	2s ² 2p ⁴	³ P ₁ - ¹ D ₂	1.67	
	1191.3(2.8)	4.01 +3	Cu XIV	3s ² 3p ⁴	³ P ₁ - ¹ S ₀	0.44	
1691.0(3)	1690.(8)	1.49 +3	Cu XXIII	2s ² 2p ³	² D _{3/2} - ² D _{5/2}	1.94	H
	1718.(5)	1.01 +3	Cu XV	3s ² 3p ³	² D _{3/2} - ² P _{3/2}	0.48	
	1731.(5)	1.68 +1*	Cu XV	3s ² 3p ³	⁴ S _{3/2} - ² D _{5/2}	0.48	
1776.0(3)	1777.(9)	1.57 +3	Cu XXIV	2s ² 2p ²	³ P ₁ - ³ P ₂	2.09	HSCS
	Q 1805.(7)	1.42 +1	Cu XIV	3s ² 3p ⁴	¹ D ₂ - ¹ S ₀	0.44	
1872.0(3)	1874.(6)	3.32 +2	Cu XVI	3s ² 3p ²	³ P ₁ - ¹ D ₂	0.52	H
	1906.(7)	4.18 +2	Cu XIV	3s ² 3p ⁴	³ P ₂ - ¹ D ₂	0.44	
	Q 1940.(7)	1.39 +1	Cu XVI	3s ² 3p ²	¹ D ₂ - ¹ S ₀	0.52	
	1985.(11)	1.55 +3	Cu XXII	2s ² 2p ⁴	³ P ₀ - ³ P ₁	1.67	
	2068.(9)	3.33 +2*	Cu XV	3s ² 3p ³	² D _{5/2} - ² P _{3/2}	0.48	

Table 26. Copper: wavelengths and transition probabilities - Continued

Observed	Wavelength		A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	Observed	Calculated						
2085.3(2)	2086.(9)		2.81 +2	Cu XV	3s ² 3p ³	4S _{3/2} - 2D _{3/2}	0.48	DHST
	2228.(7)		1.55 +3	Cu XXVI	2s 2p	3P ₀ - 3P ₁	2.41	
	2312.(10)		2.27 +2	Cu XV	3s ² 3p ³	2D _{3/2} - 2P _{1/2}	0.48	
T 2539.7(3)	2555.(12)		3.28 +2	Cu XVI	3s ² 3p ²	3P ₂ - 1D ₂	0.52	DHSC
3007.6(3)	3007.6(1.0)		3.30 +2	Cu XVII	3s ² 3p	2P _{1/2} - 2P _{3/2}	0.55	HSCS
3500.4(3)	3500.4(1.0)		4.19 +2	Cu XIII	3s ² 3p ⁵	2P _{3/2} - 2P _{1/2}	0.41	HSCS
	3502.(20)		2.43 +2	Cu XIV	3s ² 3p ⁴	3P ₁ - 1D ₂	0.44	
3941.6(3)	3941.6(2.2)		2.16 +2	Cu XVIII	3s 3p	3P ₁ - 3P ₂	0.60	DHSC
4183.4(3)	4181.(20)		2.83 +2	Cu XIV	3s ² 3p ⁴	3P ₂ - 3P ₁	0.44	RPSKR
5375.8(3)	5393.(30)		1.07 +2	Cu XVI	3s ² 3p ²	3P ₀ - 3P ₁	0.52	DHSC
	6683.(40)		2.37 +1	Cu XV	3s ² 3p ³	2P _{1/2} - 2P _{3/2}	0.48	
	7030.(50)		3.25 +1	Cu XVI	3s ² 3p ²	3P ₁ - 3P ₂	0.52	
	10130.(100)		8.43 +0	Cu XV	3s ² 3p ³	2D _{3/2} - 2D _{5/2}	0.48	
	10436.(120)		1.59 +1	Cu XVIII	3s 3p	3P ₀ - 3P ₁	0.60	
	13.9(4)	μm	5.80 -3	Cu XIV	3s ² 3p ⁴	3P ₀ - 3P ₁	0.44	

Table 27. Zinc: wavelengths and transition probabilities

Observed	Wavelength Calculated	λ (\AA)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	183.18(11)	1.50 +5	Zn XXVII	2s 2p	$^3P_0 - ^1P_1$	2.60	
	199.73(14)	6.31 +4	Zn XXIV	$2s^2 2p^3$	$^4S_{3/2} - ^2P_{3/2}$	2.10	
	201.65(14)	8.03 +4	Zn XXVII	2s 2p	$^3P_1 - ^1P_1$	2.60	
	235.54(24)	6.23 +5	Zn XXV	$2s^2 2p^2$	$^3P_1 - ^1S_0$	2.27	
	280.37(28)	1.76 +5	Zn XXIV	$2s^2 2p^3$	$^4S_{3/2} - ^2P_{1/2}$	2.10	
	299.8(4)	7.03 +5	Zn XXIII	$2s^2 2p^4$	$^3P_1 - ^1S_0$	1.97	
	317.4(3)	3.62 +4	Zn XXVII	2s 2p	$^3P_2 - ^1P_1$	2.60	
	319.4(4)	2.96 +5	Zn XXIV	$2s^2 2p^3$	$^2D_{3/2} - ^2P_{3/2}$	2.10	
	368.2(6)	1.01 +5	Zn XXV	$2s^2 2p^2$	$^3P_1 - ^1D_2$	2.27	
	374.1(6)	0.91 +4	Zn XXIII	$2s^2 2p^4$	$^3P_2 - ^1D_2$	1.97	
	393.7(6)	1.38 +4	Zn XXIV	$2s^2 2p^3$	$^4S_{3/2} - ^2D_{5/2}$	2.10	
	405.4(6)	6.79 +4	Zn XXIV	$2s^2 2p^3$	$^2D_{5/2} - ^2P_{3/2}$	2.10	
Q	407.8(7)	3.12 +2	Zn XXIII	$2s^2 2p^4$	$^1D_2 - ^1S_0$	1.97	
	450.4(3)	9.78 +4	Zn XXVI	$2s^2 2p$	$^2P_{1/2} - ^2P_{3/2}$	2.40	
	473.2(1.0)	8.88 +4	Zn XXV	$2s^2 2p^2$	$^3P_2 - ^1D_2$	2.27	
	507.9(4)	1.37 +5	Zn XXII	$2s^2 2p^5$	$^2P_{3/2} - ^2P_{1/2}$	1.83	
	533.0(1.0)	9.91 +4	Zn XXIV	$2s^2 2p^3$	$^4S_{3/2} - ^2D_{3/2}$	2.10	
	552.9(6)	7.57 +4	Zn XXVII	2s 2p	$^3P_1 - ^3P_2$	2.60	
	558.7(1.3)	1.09 +5	Zn XXIII	$2s^2 2p^4$	$^3P_2 - ^3P_1$	1.97	
	591.6(1.2)	1.17 +4	Zn XXIV	$2s^2 2p^3$	$^2D_{3/2} - ^2P_{1/2}$	2.10	
	632.2(2.3)	1.28 +3	Zn XIX	3s 3p	$^3P_0 - ^1P_1$	0.70	
	634.0(1.7)	5.95 +4	Zn XXV	$2s^2 2p^2$	$^3P_0 - ^3P_1$	2.27	
Q	653.8(1.8)	2.61 +1	Zn XXV	$2s^2 2p^2$	$^1D_2 - ^1S_0$	2.27	
	680.2(1.9)	7.56 +2	Zn XIX	3s 3p	$^3P_1 - ^1P_1$	0.70	
	694.4(1.7)	1.73 +4	Zn XXIV	$2s^2 2p^3$	$^2P_{1/2} - ^2P_{3/2}$	2.10	
	856.6(2.9)	6.43 +2	Zn XIX	3s 3p	$^3P_2 - ^1P_1$	0.70	
	856.6(1.9)	1.42 +3	Zn XVI	$3s^2 3p^3$	$^4S_{3/2} - ^2P_{3/2}$	0.55	
	879.4(2.0)	5.69 +3	Zn XVII	$3s^2 3p^2$	$^3P_1 - ^1S_0$	0.59	
	1024.6(2.7)	1.17 +3	Zn XVI	$3s^2 3p^3$	$^4S_{3/2} - ^2P_{1/2}$	0.55	
	1109.(3)	6.13 +3	Zn XV	$3s^2 3p^4$	$^3P_1 - ^1S_0$	0.51	
	1132.(5)	1.42 +3	Zn XXIII	$2s^2 2p^4$	$^3P_1 - ^1D_2$	1.97	
	1459.(9)	3.73 +3	Zn XXIII	$2s^2 2p^4$	$^3F_0 - ^3F_1$	1.97	
1507.5(1.0)	1504.(5)	1.68 +3	Zn XVI	$3s^2 3p^3$	$^2D_{3/2} - ^2P_{3/2}$	0.55	RPSKR
	1507.(8)	2.02 +3	Zn XXIV	$2s^2 2p^3$	$^2D_{3/2} - ^2D_{5/2}$	2.10	
	1602.(6)	3.32 +1*	Zn XVI	$3s^2 3p^3$	$^4S_{3/2} - ^2D_{5/2}$	0.55	
Q	1651.(7)	1.78 +1	Zn XV	$3s^2 3p^4$	$^1D_2 - ^1S_0$	0.51	
	1659.(12)	1.84 +3	Zn XXV	$2s^2 2p^2$	$^3P_1 - ^3P_2$	2.27	
1676.9(2)	1680.(7)	5.56 +2	Zn XVII	$3s^2 3p^2$	$^3P_1 - ^1D_2$	0.59	RPSKR
1702.8(2)	1706.(7)	6.67 +2	Zn XV	$3s^2 3p^4$	$^3P_2 - ^1D_2$	0.51	RPSKR
	1842.(8)	5.15 +2	Zn XVI	$3s^2 3p^3$	$^2D_{5/2} - ^2P_{3/2}$	0.55	
Q	1846.(9)	1.43 +1	Zn XVII	$3s^2 3p^2$	$^1D_2 - ^1S_0$	0.59	

Table 27. Zinc: wavelengths and transition probabilities - Continued

Observed	Wavelength Calculated	λ (\AA)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	1990.(5)	4.69 +2	Zn XVI	$3s^2 3p^3$	$4S_{3/2} - 2D_{3/2}$	0.55	
	2000.(8) ^a	2.13 +3	Zn XXVII	$2s 2p$	$3P_0 - 3P_1$	2.60	
	2111.(10)	3.11 +2	Zn XVI	$3s^2 3p^3$	$2D_{3/2} - 2P_{1/2}$	0.55	
2284.6(1)	2293.(10)	5.26 +2	Zn XVII	$3s^2 3p^2$	$3P_2 - 1D_2$	0.59	BGBR
2532.0(1)	2531.5(1.0)	5.53 +2	Zn XVIII	$3s^2 3p$	$2P_{1/2} - 2P_{3/2}$	0.63	BGBR
2922.3(1)	2922.5(1.0)	7.20 +2	Zn XIV	$3s^2 3p^5$	$2P_{3/2} - 2P_{1/2}$	0.47	BGBR
3296.2(2)	3304.0(3)	3.67 +2	Zn XIX	$3s 3p$	$3P_1 - 3P_2$	0.70	BGBR
	3374.(15)	3.15 +1	Zn XV	$3s^2 3p^4$	$3P_1 - 1D_2$	0.51	
3450.4(2)	3449.(20)	4.98 +2	Zn XV	$3s^2 3p^4$	$3P_2 - 3P_1$	0.51	BGBR
4355.0(3)	4365.(25)	2.00 +2	Zn XVII	$3s^2 3p^2$	$3P_0 - 3P_1$	0.59	RPSKR
	5224.(30)	4.83 +1	Zn XVI	$3s^2 3p^3$	$2P_{1/2} - 2P_{3/2}$	0.55	
	6266.(50)	4.40 +1	Zn XVII	$3s^2 3p^2$	$3P_1 - 3P_2$	0.59	
	8206.(100)	1.54 +1	Zn XVI	$3s^2 3p^3$	$2D_{3/2} - 2D_{5/2}$	0.55	
	8952.(150)	2.46 +1	Zn XIX	$3s 3p$	$3P_0 - 3P_1$	0.70	
	4.0(2) μm	2.39 -1	Zn XV	$3s^2 3p^4$	$3P_0 - 3P_1$	0.51	

^aThis is a wavelength in vacuum.

Table 28. Gallium: wavelengths and transition probabilities

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	169.66(13)	2.19 +5	Ga XXVIII	2s 2p	³ P ₀ - ¹ P ₁	2.79	
	178.06(13)	7.58 +4	Ga XXV	2s ² 2p ³	⁴ S _{3/2} - ² P _{3/2}	2.28	
	187.22(16)	1.15 +5	Ga XXVIII	2s 2p	³ P ₁ - ¹ P ₁	2.79	
	215.25(26)	8.79 +5	Ga XXVI	2s ² 2p ²	³ P ₁ - ¹ S ₀	2.45	
	256.91(28)	2.59 +5	Ga XXV	2s ² 2p ³	⁴ S _{3/2} - ² P _{1/2}	2.28	
	272.9(4)	1.01 +6	Ga XXIV	2s ² 2p ⁴	³ P ₁ - ¹ S ₀	2.14	
	283.1(3)	4.52 +5	Ga XXV	2s ² 2p ³	² D _{3/2} - ² P _{3/2}	2.28	
	309.4(4)	4.52 +4	Ga XXVIII	2s 2p	³ P ₂ - ¹ P ₁	2.79	
	327.5(6)	1.55 +5	Ga XXVI	2s ² 2p ²	³ P ₁ - ¹ D ₂	2.45	
	333.4(6)	1.49 +5	Ga XXIV	2s ² 2p ⁴	³ P ₂ - ¹ D ₂	2.14	
	355.0(5)	2.34 +4	Ga XXV	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	2.28	
	357.2(5)	2.28 +5	Ga XXV	2s ² 2p ³	² D _{5/2} - ² P _{3/2}	2.28	
Q	362.4(7)	4.65 +2	Ga XXIV	2s ² 2p ⁴	¹ D ₂ - ¹ S ₀	2.14	
	390.12(23)	1.50 +5	Ga XXVII	2s ² 2p	² F _{1/2} - ² F _{3/2}	2.59	
	414.6(1.0)	1.35 +5	Ga XXVI	2s ² 2p ²	³ P ₂ - ¹ D ₂	2.45	
	437.95(29)	2.13 +5	Ga XXIII	2s ² 2p ⁵	² P _{3/2} - ² P _{1/2}	1.99	
	474.1(6)	1.19 +5	Ga XXVIII	2s 2p	³ P ₁ - ³ P ₂	2.79	
	477.6(1.3)	1.72 +5	Ga XXIV	2s ² 2p ⁴	³ P ₂ - ³ P ₁	2.14	
	479.9(1.0)	1.52 +5	Ga XXV	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	2.28	
	535.1(1.6)	9.76 +4	Ga XXVI	2s ² 2p ²	³ P ₀ - ³ P ₁	2.45	
	552.9(1.3)	1.25 +4	Ga XXV	2s ² 2p ³	² D _{3/2} - ² P _{1/2}	2.28	
	580.1(1.4)	2.91 +4	Ga XXV	2s ² 2p ³	² F _{1/2} - ² F _{3/2}	2.28	
	588.6(2.0)	1.93 +3	Ga XX	3s 3p	³ P ₀ - ¹ P ₁	0.70	
Q	628.0(2.2)	2.69 +1	Ga XXVI	2s ² 2p ²	¹ D ₂ - ¹ S ₀	2.45	
	636.7(1.6)	1.12 +3	Ga XX	3s 3p	³ P ₁ - ¹ P ₁	0.70	
	776.9(2.0)	1.91 +3	Ga XVII	3s ² 3p ³	⁴ S _{3/2} - ² P _{3/2}	0.62	
813.1(3)	811.1(2.1)	8.40 +3	Ga XVIII	3s ² 3p ²	³ P ₁ - ¹ S ₀	0.66	RPSKR
	825.7(2.7)	8.75 +2	Ga XX	3s 3p	³ P ₂ - ¹ P ₁	0.70	
	955.9(2.8)	1.82 +3	Ga XVII	3s ² 3p ³	⁴ S _{3/2} - ² F _{1/2}	0.62	
	1030.(3)	9.22 +3	Ga XVI	3s ² 3p ⁴	³ P ₁ - ¹ S ₀	0.58	
	1105.(7)	1.66 +3	Ga XXIV	2s ² 2p ⁴	³ P ₁ - ¹ D ₂	2.14	
	1108.(7)	8.11 +3	Ga XXIV	2s ² 2p ⁴	³ F ₀ - ³ P ₁	2.14	
1319.1(3)	1319.(5)	2.76 +3	Ga XVII	3s ² 3p ³	² D _{3/2} - ² P _{3/2}	0.62	RPSKR
	1365.(8)	2.62 +3	Ga XXV	2s ² 2p ³	² D _{3/2} - ² D _{5/2}	2.28	
	1478.(6)	6.39 +1*	Ga XVII	3s ² 3p ³	⁴ S _{3/2} - ² D _{5/2}	0.62	
1503.7(3)	1503.(6)	9.15 +2	Ga XVIII	3s ² 3p ²	³ P ₁ - ¹ D ₂	0.66	RPSKR
Q	1506.(7)	2.28 +1	Ga XVI	3s ² 3p ⁴	¹ D ₂ - ¹ S ₀	0.58	
	1526.(6)	1.05 +3	Ga XVI	3s ² 3p ⁴	³ F ₂ - ¹ D ₂	0.58	
	1559.(14)	2.11 +3	Ga XXVI	2s ² 2p ²	³ P ₁ - ³ P ₂	2.45	
	1638.(7)	7.79 +2	Ga XVII	3s ² 3p ³	² D _{5/2} - ² P _{3/2}	0.62	
Q	1762.(9)	1.46 +1	Ga XVIII	3s ² 3p ²	¹ D ₂ - ¹ S ₀	0.66	

Table 28. Gallium: wavelengths and transition probabilities - Continued

Observed	Wavelength Calculated	λ (\AA)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	1808.(9)	2.86 +3	Ga XXVIII	2s 2p	$^3P_0 - ^3P_1$	2.79	
	1890.(10)	7.64 +2	Ga XVII	$3s^2 3p^3$	$^4S_{3/2} - ^2D_{3/2}$	0.62	
	1934.(10)	4.11 +2	Ga XVII	$3s^2 3p^3$	$^2D_{3/2} - ^2P_{1/2}$	0.62	
	2046.(10)	8.33 +2	Ga XVIII	$3s^2 3p^2$	$^3P_2 - ^1D_2$	0.66	
	2146.9(1.0)	9.07 +2	Ga XIX	$3s^2 3p$	$^2P_{1/2} - ^2F_{3/2}$	0.70	
2456.3(3)	2459.7(1.0)	1.21 +3	Ga XV	$3s^2 3p^5$	$^2F_{3/2} - ^2F_{1/2}$	0.54	RPSKR
	2780.(6)	6.13 +2	Ga XX	3s 3p	$^3P_1 - ^3P_2$	0.70	
	2868.(15)	8.54 +2	Ga XVI	$3s^2 3p^4$	$^3P_2 - ^3P_1$	0.58	
	3258.(20)	4.00 +1	Ga XVI	$3s^2 3p^4$	$^3P_1 - ^1D_2$	0.58	
	3566.(20)	3.62 +2	Ga XVIII	$3s^2 3p^2$	$^3F_0 - ^3F_1$	0.66	
	4150.(30)	9.37 +1	Ga XVII	$3s^2 3p^3$	$^2P_{1/2} - ^2F_{3/2}$	0.62	
	5650.(60)	5.74 +1	Ga XVIII	$3s^2 3p^2$	$^3P_1 - ^3P_2$	0.66	
	6790.(80)	2.65 +1	Ga XVII	$3s^2 3p^3$	$^2D_{3/2} - ^2D_{5/2}$	0.62	
	7800.(100)	3.70 +1	Ga XX	3s 3p	$^3P_0 - ^3P_1$	0.70	
	2.00(7) μm	1.82 +0	Ga XVI	$3s^2 3p^4$	$^3P_0 - ^3P_1$	0.58	

Table 29. Germanium: wavelengths and transition probabilities

	Wavelength		λ (\AA)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	Observed	Calculated						
		157.03(14)	3.16 +5	Ge XXIX	2s 2p	$^3P_0 - ^1P_1$	3.00	
		158.58(12)	8.86 +4	Ge XXVI	$2s^2 2p^3$	$^4S_{3/2} - ^2P_{3/2}$	2.46	
		173.59(17)	1.64 +5	Ge XXIX	2s 2p	$^3P_1 - ^1P_1$	3.00	
		196.65(27)	1.23 +6	Ge XXVII	$2s^2 2p^2$	$^3P_1 - ^1S_0$	2.64	
		234.74(27)	3.76 +5	Ge XXVI	$2s^2 2p^3$	$^4S_{3/2} - ^2P_{1/2}$	2.46	
		247.9(4)	1.44 +6	Ge XXV	$2s^2 2p^4$	$^3P_1 - ^1S_0$	2.31	
		251.8(3)	6.76 +5	Ge XXVI	$2s^2 2p^3$	$^2D_{3/2} - ^2P_{3/2}$	2.46	
		291.5(6)	2.33 +5	Ge XXVII	$2s^2 2p^2$	$^3P_1 - ^1D_2$	2.64	
	297.5(3)	297.4(6)	2.22 +5	Ge XXV	$2s^2 2p^4$	$^3P_2 - ^1D_2$	2.31	H
		301.9(5)	5.56 +4	Ge XXIX	2s 2p	$^3P_2 - ^1P_1$	3.00	
		315.2(5)	3.49 +5	Ge XXVI	$2s^2 2p^3$	$^2D_{5/2} - ^2P_{3/2}$	2.46	
	319.1(3)	319.1(5)	3.83 +4	Ge XXVI	$2s^2 2p^3$	$^4S_{3/2} - ^2D_{5/2}$	2.46	H
		Q 321.8(7)	7.02 +2	Ge XXV	$2s^2 2p^4$	$^1D_2 - ^1S_0$	2.31	
	339.5(3)	339.51(17)	2.28 +5	Ge XXVIII	$2s^2 2p$	$^2P_{1/2} - ^2P_{3/2}$	2.79	H
		363.4(9)	2.04 +5	Ge XXVII	$2s^2 2p^2$	$^3P_2 - ^1D_2$	2.64	
	379.5(1)	379.59(22)	3.27 +5	Ge XXIV	$2s^2 2p^3$	$^2P_{3/2} - ^2P_{1/2}$	2.16	H
	408.7(3)	408.5(6)	1.84 +5	Ge XXIX	2s 2p	$^3P_1 - ^3P_2$	3.00	H
	410.7(3)	410.6(1.2)	2.66 +5	Ge XXV	$2s^2 2p^4$	$^3P_2 - ^3P_1$	2.31	HSCS
	427.9(3)	428.2(9)	2.33 +5	Ge XXVI	$2s^2 2p^3$	$^4S_{3/2} - ^2D_{3/2}$	2.46	HSCS
	454.8(3)	454.7(1.5)	1.57 +5	Ge XXVII	$2s^2 2p^2$	$^3P_0 - ^3P_1$	2.64	HSCS
		488.80(18)	4.78 +4	Ge XXVI	$2s^2 2p^3$	$^2P_{1/2} - ^2P_{3/2}$	2.46	
		519.6(1.3)	1.30 +4	Ge XXVI	$2s^2 2p^3$	$^2D_{3/2} - ^2P_{1/2}$	2.46	
		547.9(8)	2.89 +3	Ge XXI	3s 3p	$^3P_0 - ^1P_1$	0.80	
		595.6(7)	1.64 +3	Ge XXI	3s 3p	$^3P_1 - ^1P_1$	0.80	
		Q 604.2(2.6)	2.75 +1	Ge XXVII	$2s^2 2p^2$	$^1D_2 - ^1S_0$	2.64	
	703.6(2)	703.1(1.9)	2.47 +3	Ge XVIII	$3s^2 3p^3$	$^4S_{3/2} - ^2P_{3/2}$	0.69	DHST
	746.9(3)	747.7(2.1)	1.22 +4	Ge XIX	$3s^2 3p^2$	$^3P_1 - ^1S_0$	0.73	H
		797.7(1.3)	1.17 +3	Ge XXI	3s 3p	$^3P_2 - ^1P_1$	0.80	
T	859.9(3)	864.(5)	1.64 +4	Ge XXV	$2s^2 2p^4$	$^3P_0 - ^3P_1$	2.31	H
T	890.2(2)	890.(3)	2.80 +3	Ge XVIII	$3s^2 3p^3$	$^4S_{3/2} - ^2P_{1/2}$	0.69	DHST
T	952.9(3)	954.(3)	1.37 +4	Ge XVII	$3s^2 3p^4$	$^3P_1 - ^1S_0$	0.64	DHSC
		1079.20(8)	1.90 +3	Ge XXV	$2s^2 2p^4$	$^3P_1 - ^1D_2$	2.31	
		1161.(5)	4.32 +3	Ge XVIII	$3s^2 3p^3$	$^2D_{3/2} - ^2P_{3/2}$	0.69	
		1252.(8)	3.28 +3	Ge XXVI	$2s^2 2p^3$	$^2D_{3/2} - ^2D_{5/2}$	2.46	
		1343.(6)	1.48 +3	Ge XIX	$3s^2 3p^2$	$^3P_1 - ^1D_2$	0.73	
		1360.(6)	1.18 +2*	Ge XVIII	$3s^2 3p^3$	$^4S_{3/2} - ^2D_{5/2}$	0.69	
		1364.(6)	1.63 +3	Ge XVII	$3s^2 3p^4$	$^3P_2 - ^1D_2$	0.63	
		Q 1368.(7)	2.99 +1	Ge XVII	$3s^2 3p^4$	$^1D_2 - ^1S_0$	0.64	
		1456.(7)	1.18 +3	Ge XVIII	$3s^2 3p^3$	$^2D_{5/2} - ^2P_{3/2}$	0.69	
	1473.7(1)	1474.(15)	2.39 +3	Ge XXVII	$2s^2 2p^2$	$^3P_1 - ^3P_2$	2.64	H
		1646.(9)	3.76 +3	Ge XXIX	2s 2p	$^3P_0 - ^3P_1$	3.00	

Table 29. Germanium: wavelengths and transition probabilities - Continued

	Wavelength		A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	Observed	Calculated						
		Q 1687.(9)	1.48 +1	Ge XIX	3s ² 3p ²	1D ₂ - 1S ₀	0.73	
T 1778.8(2)		1779.(10)	5.22 +2	Ge XVIII	3s ² 3p ³	2D _{3/2} - 2P _{1/2}	0.69	DHST
T 1782.0(2)		1783.(10)	1.22 +3	Ge XVIII	3s ² 3p ³	4S _{3/2} - 2D _{3/2}	0.69	DHST
		1810.4(3)	1.31 +3	Ge XIX	3s ² 3p ²	3P ₂ - 1D ₂	0.73	H
		1832.7(3)	1.46 +3	Ge XX	3s ² 3p	2P _{1/2} - 2P _{3/2}	0.77	DHSC
		2085.1(1)	1.98 +3	Ge XVI	3s ² 3p ⁵	2P _{3/2} - 2P _{1/2}	0.60	DHSC
		2350.2(3)	1.01 +3	Ge XXI	3s 3p	3P ₁ - 3P ₂	0.80	DHSC
		2406.9(3)	1.43 +3	Ge XVII	3s ² 3p ⁴	3P ₂ - 3P ₁	0.64	DHSC
		2933.7(2)	6.39 +2	Ge XIX	3s ² 3p ²	3P ₀ - 3P ₁	0.73	DHSC
T 3131.3(3)		3130.(20)	4.97 +1	Ge XVII	3s ² 3p ⁴	3P ₁ - 1D ₂	0.64	DHSC
		3340.(20)	1.75 +2	Ge XVIII	3s ² 3p ³	2P _{1/2} - 2P _{3/2}	0.69	
		5170.3(3)	7.24 +1	Ge XIX	3s ² 3p ²	3P ₁ - 3P ₂	0.73	DHSC
T 5702.4(2)		5730.(60)	4.28 +1	Ge XVIII	3s ² 3p ³	2D _{3/2} - 2D _{5/2}	0.69	DHST
		6840.(50)	5.46 +1	Ge XXI	3s 3p	3P ₀ - 3P ₁	0.80	
		12060.(200)	7.99 +0	Ge XVII	3s ² 3p ⁴	3P ₀ - 3P ₁	0.64	

Table 30. Arsenic: wavelengths and transition probabilities

Observed	Wavelength Calculated	A (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	141.19(11)	9.89 +4	As XXVII	$2s^2 2p^3$	$4S_{3/2} - 2P_{3/2}$	2.64	
	145.25(14)	4.52 +5	As XXX	$2s 2p$	$3P_0 - 1P_1$	3.20	
	160.74(17)	2.31 +5	As XXX	$2s 2p$	$3P_1 - 1P_1$	3.20	
	179.63(27)	1.71 +6	As XXVIII	$2s^2 2p^2$	$3P_1 - 1S_0$	2.83	
	213.99(26)	5.42 +5	As XXVII	$2s^2 2p^3$	$4S_{3/2} - 2P_{1/2}$	2.64	
	224.83(29)	9.95 +5	As XXVII	$2s^2 2p^3$	$2D_{3/2} - 2P_{3/2}$	2.64	
	225.0(4)	2.04 +6	As XXVI	$2s^2 2p^4$	$3P_1 - 1S_0$	2.49	
	259.8(6)	3.47 +5	As XXVIII	$2s^2 2p^2$	$3P_1 - 1D_2$	2.83	
	265.5(6)	3.27 +5	As XXVI	$2s^2 2p^4$	$3P_2 - 1D_2$	2.49	
	278.8(4)	5.24 +5	As XXVII	$2s^2 2p^3$	$2D_{5/2} - 2P_{3/2}$	2.64	
Q	286.0(7)	1.07 +3	As XXVI	$2s^2 2p^4$	$1D_2 - 1S_0$	2.49	
	286.1(5)	6.10 +4	As XXVII	$2s^2 2p^3$	$4S_{3/2} - 2D_{5/2}$	2.64	
	294.8(6)	6.77 +4	As XXX	$2s 2p$	$3P_2 - 1P_1$	3.20	
	296.78(18)	3.41 +5	As XXIX	$2s^2 2p$	$2P_{1/2} - 2P_{3/2}$	2.99	
	319.0(9)	3.05 +5	As XXVIII	$2s^2 2p^2$	$3P_2 - 1D_2$	2.83	
	330.58(22)	4.95 +5	As XXV	$2s^2 2p^5$	$2P_{3/2} - 2P_{1/2}$	2.34	
	353.5(5)	2.82 +5	As XXX	$2s 2p$	$3P_1 - 3P_2$	3.20	
	354.9(1.1)	4.07 +5	As XXVI	$2s^2 2p^4$	$3P_2 - 3P_1$	2.49	
	379.6(8)	3.56 +5	As XXVII	$2s^2 2p^3$	$4S_{3/2} - 2D_{3/2}$	2.64	
	388.9(1.3)	2.47 +5	As XXVIII	$2s^2 2p^2$	$3P_0 - 3P_1$	2.83	
	415.0(1.0)	7.69 +4	As XXVII	$2s^2 2p^3$	$2P_{1/2} - 2P_{3/2}$	2.64	
	490.6(1.4)	1.32 +4	As XXVII	$2s^2 2p^3$	$2D_{3/2} - 2P_{1/2}$	2.64	
	510.0(1.5)	4.26 +3	As XXII	$3s 3p$	$3P_0 - 1P_1$	0.90	
	556.9(1.3)	2.38 +3	As XXII	$3s 3p$	$3P_1 - 1P_1$	0.90	
Q	582.2(2.9)	2.81 +1	As XXVIII	$2s^2 2p^2$	$1D_2 - 1S_0$	2.83	
	634.8(1.8)	3.11 +3	As XIX	$3s^2 3p^3$	$4S_{3/2} - 2P_{3/2}$	0.76	
	688.(4)	3.10 +4	As XXVI	$2s^2 2p^4$	$3P_0 - 3P_1$	2.49	
	689.0(2.1)	1.75 +4	As XX	$3s^2 3p^2$	$3P_1 - 1S_0$	0.81	
	771.6(2.4)	1.54 +3	As XXII	$3s 3p$	$3P_2 - 1P_1$	0.90	
	828.(3)	4.24 +3	As XIX	$3s^2 3p^3$	$4S_{3/2} - 2P_{1/2}$	0.76	
	881.(3)	2.00 +4	As XVIII	$3s^2 3p^4$	$3P_1 - 1S_0$	0.71	
	1025.(4)	7.06 +3	As XIX	$3s^2 3p^3$	$2D_{3/2} - 2P_{3/2}$	0.76	
	1055.(9)	2.17 +3	As XXVI	$2s^2 2p^4$	$3P_1 - 1D_2$	2.49	
	1162.(8)	3.96 +3	As XXVII	$2s^2 2p^3$	$2D_{3/2} - 2D_{5/2}$	2.64	
1195.3(2)	1199.(5)	2.34 +3	As XX	$3s^2 3p^2$	$3P_1 - 1D_2$	0.81	RPSKR
	1219.(6)	2.49 +3	As XVIII	$3s^2 3p^4$	$3P_2 - 1D_2$	0.71	
Q	1238.(6)	4.04 +1	As XVIII	$3s^2 3p^4$	$1D_2 - 1S_0$	0.71	
	1246.(6)	2.18 +2*	As XIX	$3s^2 3p^3$	$4S_{3/2} - 2D_{5/2}$	0.76	
1292.4(2)	1294.(6)	1.77 +3	As XIX	$3s^2 3p^3$	$2D_{5/2} - 2P_{3/2}$	0.76	RPSKR
	1400.(17)	2.68 +3	As XXVIII	$2s^2 2p^2$	$3P_1 - 3P_2$	2.83	
	1507.(10)	4.85 +3	As XXX	$2s 2p$	$3P_0 - 3P_1$	3.20	

Table 30. Arsenic: wavelengths and transition probabilities - Continued

	Wavelength		A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	Observed	Calculated						
	1573.2(5)	1573.2(1.0)	2.30 +3	As XXI	3s ² 3p	² P _{1/2} - ² P _{3/2}	0.85	RKSPR
T	1600.3(2)	1606.(10)	2.03 +3	As XX	3s ² 3p ²	³ P ₂ - ¹ D ₂	0.81	RPSKR
		Q 1619.(11)	1.49 +1	As XX	3s ² 3p ²	¹ D ₂ - ¹ S ₀	0.81	
		1642.(10)	6.39 +2	As XIX	3s ² 3p ³	² D _{3/2} - ² P _{1/2}	0.76	
	1660.4(2)	1666.(10)	1.93 +3	As XIX	3s ² 3p ³	⁴ S _{3/2} - ² D _{3/2}	0.76	RPSKR
	1777.2(3)	1779.8(1.0)	3.18 +3	As XVII	3s ² 3p ⁵	² P _{3/2} - ² P _{1/2}	0.67	RPSKR
		2000.7(2.8)	1.63 +3	As XXII	3s 3p	³ P ₁ - ³ P ₂	0.90	
	2032.6(3)	2030.(14)	2.34 +3	As XVIII	3s ² 3p ⁴	³ P ₂ - ³ P ₁	0.71	RPSKR
	2438.0(3)	2440.(16)	1.10 +3	As XX	3s ² 3p ²	³ P ₀ - ³ P ₁	0.81	RPSKR
		2724.(20)	3.15 +2	As XIX	3s ² 3p ³	² P _{1/2} - ² P _{3/2}	0.76	
		3051.(20)	6.07 +1	As XVIII	3s ² 3p ⁴	³ P ₁ - ¹ D ₂	0.71	
		4730.(50)	8.91 +1	As XX	3s ² 3p ²	³ P ₁ - ³ P ₂	0.81	
		4920.(60)	6.56 +1	As XIX	3s ² 3p ³	² D _{3/2} - ² D _{5/2}	0.76	
		6055.(70)	7.84 +1	As XXII	3s 3p	³ P ₀ - ³ P ₁	0.90	
		7990.(100)	2.63 +1	As XVIII	3s ² 3p ⁴	³ P ₀ - ³ P ₁	0.71	

Table 31. Selenium: wavelengths and transition probabilities

Observed	Wavelength		λ (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	Observed	Calculated						
		125.75(11)	1.02 +5	Se XXVIII	$2s^2 2p^3$	$4S_{3/2} - 2P_{3/2}$	2.83	
		134.29(14)	6.41 +5	Se XXXI	$2s 2p$	$3P_0 - 1P_1$	3.42	
		148.67(17)	3.24 +5	Se XXXI	$2s 2p$	$3P_1 - 1P_1$	3.42	
		164.08(27)	2.37 +6	Se XXIX	$2s^2 2p^2$	$3P_1 - 1S_0$	3.03	
		194.75(27)	7.71 +5	Se XXVIII	$2s^2 2p^3$	$4S_{3/2} - 2P_{1/2}$	2.83	
		201.31(29)	1.44 +6	Se XXVIII	$2s^2 2p^3$	$2D_{3/2} - 2P_{3/2}$	2.83	
		204.0(4)	2.88 +6	Se XXVII	$2s^2 2p^4$	$3P_1 - 1S_0$	2.68	
		231.8(5)	5.10 +5	Se XXIX	$2s^2 2p^2$	$3P_1 - 1D_2$	3.03	
		237.4(6)	4.76 +5	Se XXVII	$2s^2 2p^4$	$3P_2 - 1D_2$	2.68	
		247.0(4)	7.72 +5	Se XXVIII	$2s^2 2p^3$	$2D_{5/2} - 2P_{3/2}$	2.83	
	Q	254.2(6)	1.65 +3	Se XXVII	$2s^2 2p^4$	$1D_2 - 1S_0$	2.68	
		256.2(5)	9.50 +4	Se XXVIII	$2s^2 2p^3$	$4S_{3/2} - 2D_{5/2}$	2.83	
		260.50(14)	5.04 +5	Se XXX	$2s^2 2p$	$2P_{1/2} - 2P_{3/2}$	3.20	
		280.4(8)	4.51 +5	Se XXIX	$2s^2 2p^2$	$3P_2 - 1D_2$	3.03	
		288.0(6)	8.13 +4	Se XXXI	$2s 2p$	$3P_2 - 1P_1$	3.42	
289.1(3)		289.16(17)	7.39 +5	Se XXVI	$2s^2 2p^5$	$2P_{3/2} - 2P_{1/2}$	2.52	H
		307.3(5)	4.25 +5	Se XXXI	$2s 2p$	$3P_1 - 3P_2$	3.42	
		308.3(9)	3.37 +5	Se XXVII	$2s^2 2p^4$	$3P_2 - 3P_1$	2.68	
		334.7(1.1)	3.83 +5	Se XXIX	$2s^2 2p^2$	$3P_0 - 3P_1$	3.03	
		335.0(8)	5.40 +5	Se XXVIII	$2s^2 2p^3$	$4S_{3/2} - 2D_{3/2}$	2.83	
		354.9(9)	1.21 +5	Se XXVIII	$2s^2 2p^3$	$2P_{1/2} - 2P_{3/2}$	2.83	
		465.2(1.5)	1.32 +4	Se XXVIII	$2s^2 2p^3$	$2D_{3/2} - 2P_{1/2}$	2.83	
		474.8(1.3)	6.20 +3	Se XXIII	$3s 3p$	$3P_0 - 1P_1$	1.00	
		520.6(1.1)	3.40 +3	Se XXIII	$3s 3p$	$3P_1 - 1P_1$	1.00	
		557.(3)	5.60 +4	Se XXVII	$2s^2 2p^4$	$3P_0 - 3P_1$	2.68	
	Q	562.(3)	2.88 +1	Se XXIX	$2s^2 2p^2$	$1D_2 - 1S_0$	3.03	
T 569.2(5)		572.0(1.6)	3.77 +3	Se XX	$3s^2 3p^3$	$4S_{3/2} - 2P_{3/2}$	0.83	H
T 639.6(3)		634.5(2.0)	2.49 +4	Se XXI	$3s^2 3p^2$	$3P_1 - 1S_0$	0.88	DHSC
		747.7(2.2)	1.99 +3	Se XXIII	$3s 3p$	$3P_2 - 1P_1$	1.00	
T 766.6(2)		767.(3)	6.36 +3	Se XX	$3s^2 3p^3$	$4S_{3/2} - 2P_{1/2}$	0.83	DHST
		810.3(3)	2.89 +4	Se XIX	$3s^2 3p^4$	$3P_1 - 1S_0$	0.79	H
T 908.8(2)		908.(4)	1.10 +4	Se XX	$3s^2 3p^3$	$2D_{3/2} - 2P_{3/2}$	0.83	DHST
		1032.(11)	2.44 +3	Se XXVII	$2s^2 2p^4$	$3P_1 - 1D_2$	2.68	
		1070.(6)	3.65 +3	Se XXI	$3s^2 3p^2$	$3P_1 - 1D_2$	0.88	
		1089.(8)	4.68 +3	Se XXVIII	$2s^2 2p^3$	$2D_{3/2} - 2D_{5/2}$	2.83	
		1090.(6)	3.77 +3	Se XIX	$3s^2 3p^4$	$3P_2 - 1D_2$	0.79	
	Q	1117.(6)	5.56 +1	Se XIX	$3s^2 3p^4$	$1D_2 - 1S_0$	0.79	
		1137.(6)	3.88 +2*	Se XX	$3s^2 3p^3$	$4S_{3/2} - 2D_{5/2}$	0.83	
		1151.(6)	2.62 +3	Se XX	$3s^2 3p^3$	$2D_{5/2} - 2P_{3/2}$	0.83	
		1335.(18)	2.97 +3	Se XXIX	$2s^2 2p^2$	$3P_1 - 3P_2$	3.03	
		1357.9(1.0)	3.58 +3	Se XXII	$3s^2 3p$	$2P_{1/2} - 2P_{3/2}$	0.93	

Table 31. Selenium: wavelengths and transition probabilities - Continued

Observed	Wavelength		λ (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	Observed	Calculated						
		1388.(10)	6.14 +3	Se XXXI	2s 2p	$^3P_0 - ^3P_1$	3.42	
		1416.(8)	3.13 +3	Se XXI	$3s^2 3p^2$	$^3P_2 - ^1D_2$	0.88	
		1524.(9)	7.51 +2	Se XX	$3s^2 3p^3$	$^2D_{3/2} - ^2P_{1/2}$	0.83	
1527.8(3)		1527.8(1.0)	5.03 +3	Se XVIII	$3s^2 3p^5$	$^2P_{3/2} - ^2P_{1/2}$	0.74	DHSC
1545.9(2)		1545.(9)	3.01 +3	Se XX	$3s^2 3p^3$	$^4S_{3/2} - ^2D_{3/2}$	0.83	DHST
	Q	1558.(10)	1.49 +1	Se XXI	$3s^2 3p^2$	$^1D_2 - ^1S_0$	0.88	
1714.1(3)		1714.1(4)	2.58 +3	Se XXIII	3s 3p	$^3P_1 - ^3P_2$	1.00	DHSC
1727.7(3)		1726.(12)	3.76 +3	Se XIX	$3s^2 3p^4$	$^3P_2 - ^3P_1$	0.79	DHSC
2042.0(3)		2043.(15)	1.85 +3	Se XXI	$3s^2 3p^2$	$^3P_0 - ^3P_1$	0.88	DHSC
		2246.(15)	5.48 +2	Se XX	$3s^2 3p^3$	$^2P_{1/2} - ^2P_{3/2}$	0.83	
T 2935.8(3)		2958.(20)	7.31 +1	Se XIX	$3s^2 3p^4$	$^3P_1 - ^1D_2$	0.79	DHSC
4276.0(3)		4305.(40)	9.47 +1	Se XX	$3s^2 3p^3$	$^2D_{3/2} - ^2D_{5/2}$	0.83	DHSC
4396.5(3) ^a		4383.(50)	1.07 +2	Se XXI	$3s^2 3p^2$	$^3P_1 - ^3P_2$	0.88	DHSC
		5397.(60)	1.10 +2	Se XXIII	3s 3p	$^3P_0 - ^3P_1$	1.00	
T 5645.0(3) ^a		5620.(80)	7.22 +1	Se XIX	$3s^2 3p^4$	$^3P_0 - ^3P_1$	0.79	DHSC

^aAlternate wavelength for these transitions were given by reference BGBR. They are 4424.1(2) and 5593.9(6) Å for Se XXI and Se XIX, respectively.

Table 32. Bromine: wavelengths and transition probabilities

Observed	Wavelength Calculated	A (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	112.07(11)	9.08 +4	Br XXIX	$2s^2 2p^3$	$4S_{3/2} - 2P_{3/2}$	3.03	
	124.10(12)	9.02 +5	Br XXXII	$2s 2p$	$3P_0 - 1P_1$	3.64	
	137.37(15)	4.51 +5	Br XXXII	$2s 2p$	$3P_1 - 1P_1$	3.64	
	149.90(22)	3.24 +6	Br XXX	$2s^2 2p^2$	$3P_1 - 1S_0$	3.24	
	177.03(27)	1.09 +6	Br XXIX	$2s^2 2p^3$	$4S_{3/2} - 2P_{1/2}$	3.03	
	180.71(28)	2.07 +6	Br XXIX	$2s^2 2p^3$	$2D_{3/2} - 2P_{3/2}$	3.03	
	184.9(3)	4.02 +6	Br XXVIII	$2s^2 2p^4$	$3P_1 - 1S_0$	2.87	
	207.1(4)	7.42 +5	Br XXX	$2s^2 2p^2$	$3P_1 - 1D_2$	3.24	
	212.4(4)	6.87 +5	Br XXVIII	$2s^2 2p^4$	$3P_2 - 1D_2$	2.87	
	219.3(4)	4.50 +5	Br XXIX	$2s^2 2p^3$	$2D_{5/2} - 2P_{3/2}$	3.03	
Q	226.4(5)	2.54 +3	Br XXVIII	$2s^2 2p^4$	$1D_2 - 1S_0$	2.87	
	229.2(4)	1.46 +5	Br XXIX	$2s^2 2p^3$	$4S_{3/2} - 2D_{5/2}$	3.03	
	229.55(13)	7.37 +5	Br XXXI	$2s^2 2p$	$2P_{1/2} - 2P_{3/2}$	3.41	
	247.2(6)	6.59 +5	Br XXX	$2s^2 2p^2$	$3P_2 - 1D_2$	3.24	
	253.98(16)	1.09 +6	Br XXVII	$2s^2 2p^5$	$2F_{3/2} - 2P_{1/2}$	2.70	
	268.2(4)	6.32 +5	Br XXXII	$2s 2p$	$3P_1 - 3P_2$	3.64	
	269.1(7)	9.10 +5	Br XXVIII	$2s^2 2p^4$	$3P_2 - 3P_1$	2.87	
	281.5(6)	9.66 +4	Br XXXII	$2s 2p$	$3P_2 - 1P_1$	3.64	
	289.6(8)	5.85 +5	Br XXX	$2s^2 2p^2$	$3P_0 - 3P_1$	3.24	
	295.0(7)	8.10 +5	Br XXIX	$2s^2 2p^3$	$4S_{3/2} - 2D_{3/2}$	3.03	
	305.4(8)	1.88 +5	Br XXIX	$2s^2 2p^3$	$2P_{1/2} - 2P_{3/2}$	3.03	
	442.2(1.4)	8.93 +3	Br XXIV	$3s 3p$	$3P_0 - 1P_1$	1.10	
	442.6(1.7)	1.29 +4	Br XXIX	$2s^2 2p^3$	$2D_{3/2} - 2P_{1/2}$	3.03	
	458.3(2.1)	9.72 +4	Br XXVIII	$2s^2 2p^4$	$3P_0 - 3P_1$	2.87	
	486.6(1.2)	4.81 +3	Br XXIV	$3s 3p$	$3P_1 - 1P_1$	1.10	
	514.4(1.5)	4.44 +3	Br XXI	$3s^2 3p^3$	$4S_{3/2} - 2P_{3/2}$	0.91	
Q	542.7(2.9)	2.94 +1	Br XXX	$2s^2 2p^2$	$1D_2 - 1S_0$	3.24	
	584.1(1.9)	3.51 +4	Br XXII	$3s^2 3p^2$	$3P_1 - 1S_0$	0.96	
	709.5(2.8)	9.37 +3	Br XXI	$3s^2 3p^3$	$4S_{3/2} - 2P_{1/2}$	0.91	
	725.9(2.7)	2.52 +3	Br XXIV	$3s 3p$	$3P_2 - 1P_1$	1.10	
	745.(3)	4.14 +4	Br XX	$3s^2 3p^4$	$3P_1 - 1S_0$	0.86	
	808.(4)	1.60 +4	Br XXI	$3s^2 3p^3$	$2D_{3/2} - 2P_{3/2}$	0.91	
	956.(5)	5.58 +3	Br XXII	$3s^2 3p^2$	$3P_1 - 1D_2$	0.96	
	975.(5)	5.64 +3	Br XX	$3s^2 3p^4$	$3P_2 - 1D_2$	0.86	
Q	1006.(5)	7.80 +1	Br XX	$3s^2 3p^4$	$1D_2 - 1S_0$	0.86	
	1010.(10)	2.73 +3	Br XXVIII	$2s^2 2p^4$	$3P_1 - 1D_2$	2.87	
	1024.(6)	3.84 +3	Br XXI	$3s^2 3p^3$	$2D_{5/2} - 2P_{3/2}$	0.91	
	1028.(9)	5.41 +3	Br XXIX	$2s^2 2p^3$	$2D_{3/2} - 2D_{5/2}$	3.03	
	1034.(6)	6.60 +2	Br XXI	$3s^2 3p^3$	$4S_{3/2} - 2D_{5/2}$	0.91	
	1178.1(1.0)	5.48 +3	Br XXIII	$3s^2 3p$	$2P_{1/2} - 2P_{3/2}$	1.01	
	1248.(8)	4.76 +3	Br XXII	$3s^2 3p^2$	$3P_2 - 1D_2$	0.96	

Table 32. Bromine: wavelengths and transition probabilities - Continued

Observed	Wavelength		A (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	Observed	Calculated						
	1279.	(16)	3.27 +3	Br XXX	$2s^2 2p^2$	$^3P_1 - ^3P_2$	3.24	
	1286.	(9)	7.65 +3	Br XXXII	$2s 2p$	$^3P_0 - ^3P_1$	3.64	
	1319.1	(1.0)	7.82 +3	Br XIX	$3s^2 3p^5$	$^2P_{3/2} - ^2P_{1/2}$	0.81	
	1416.	(10)	4.66 +3	Br XXI	$3s^2 3p^3$	$^4S_{3/2} - ^2D_{3/2}$	0.91	
	1422.	(10)	8.50 +2	Br XXI	$3s^2 3p^3$	$^2D_{3/2} - ^2P_{1/2}$	0.91	
	1476.	(3)	4.01 +3	Br XXIV	$3s 3p$	$^3F_1 - ^3P_2$	1.10	
	1476.	(10)	5.93 +3	Br XX	$3s^2 3p^4$	$^3P_2 - ^3P_1$	0.86	
Q	1502.	(12)	1.49 +1	Br XXII	$3s^2 3p^2$	$^1D_2 - ^1S_0$	0.96	
	1723.	(15)	3.04 +3	Br XXII	$3s^2 3p^2$	$^3P_0 - ^3P_1$	0.96	
	1871.	(15)	9.27 +2	Br XXI	$3s^2 3p^3$	$^2P_{1/2} - ^2P_{3/2}$	0.91	
	2871.	(30)	8.68 +1	Br XX	$3s^2 3p^4$	$^3P_1 - ^1D_2$	0.86	
	3825.	(40)	1.30 +2	Br XXI	$3s^2 3p^3$	$^2D_{3/2} - ^2D_{5/2}$	0.91	
	4087.	(40)	1.26 +2	Br XXII	$3s^2 3p^2$	$^3F_1 - ^3F_2$	0.96	
	4130.	(50)	1.74 +2	Br XX	$3s^2 3p^4$	$^3P_0 - ^3P_1$	0.86	
	4844.	(60)	1.51 +2	Br XXIV	$3s 3p$	$^3P_0 - ^3P_1$	1.10	

Table 33. Krypton: wavelengths and transition probabilities

Observed	Wavelength Calculated	λ (\AA)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	99.99(10)	9.37 +4	Kr XXX	$2s^2 2p^3$	$4S_{3/2} - 2P_{3/2}$	3.23	
	114.65(11)	1.13 +6	Kr XXXIII	$2s 2p$	$3P_0 - 1P_1$	3.87	
	126.80(13)	6.24 +5	Kr XXXIII	$2s 2p$	$3P_1 - 1P_1$	3.87	
	137.00(19)	4.42 +6	Kr XXXI	$2s^2 2p^2$	$3P_1 - 1S_0$	3.46	
	160.82(26)	1.52 +6	Kr XXX	$2s^2 2p^3$	$4S_{3/2} - 2P_{1/2}$	3.23	
	162.61(26)	2.93 +6	Kr XXX	$2s^2 2p^3$	$2D_{3/2} - 2P_{3/2}$	3.23	
	167.60(28)	5.59 +6	Kr XXIX	$2s^2 2p^4$	$3P_1 - 1S_0$	3.07	
	185.4(3)	1.07 +6	Kr XXXI	$2s^2 2p^2$	$3P_1 - 1D_2$	3.46	
	190.4(4)	9.82 +5	Kr XXIX	$2s^2 2p^4$	$3P_2 - 1D_2$	3.07	
	195.1(4)	6.40 +5	Kr XXX	$2s^2 2p^3$	$2D_{5/2} - 2P_{3/2}$	3.23	
Q	201.8(4)	3.87 +3	Kr XXIX	$2s^2 2p^4$	$1D_2 - 1S_0$	3.07	
	203.01(12)	1.06 +6	Kr XXXII	$2s^2 2p$	$2P_{1/2} - 2P_{3/2}$	3.63	
	205.1(4)	2.19 +5	Kr XXX	$2s^2 2p^3$	$4S_{3/2} - 2D_{5/2}$	3.23	
	218.4(5)	9.54 +5	Kr XXXI	$2s^2 2p^2$	$3P_2 - 1D_2$	3.46	
	223.95(15)	1.59 +6	Kr XXVIII	$2s^2 2p^5$	$2P_{3/2} - 2P_{1/2}$	2.90	
	235.1(4)	9.29 +5	Kr XXXIII	$2s 2p$	$3P_1 - 3P_2$	3.87	
	235.9(6)	1.34 +6	Kr XXIX	$2s^2 2p^4$	$3P_2 - 3P_1$	3.07	
	252.0(6)	8.78 +5	Kr XXXI	$2s^2 2p^2$	$3P_0 - 3P_1$	3.46	
	259.7(7)	1.21 +6	Kr XXX	$2s^2 2p^3$	$4S_{3/2} - 2D_{3/2}$	3.23	
	264.4(7)	2.86 +5	Kr XXX	$2s^2 2p^3$	$2P_{1/2} - 2P_{3/2}$	3.23	
	275.3(6)	1.14 +5	Kr XXXIII	$2s 2p$	$3P_2 - 1P_1$	3.87	
	381.8(1.4)	1.63 +5	Kr XXIX	$2s^2 2p^4$	$3P_0 - 3P_1$	3.07	
	411.8(1.2)	1.27 +4	Kr XXV	$3s 3p$	$3P_0 - 1P_1$	1.22	
	422.5(1.8)	1.25 +4	Kr XXX	$2s^2 2p^3$	$2D_{3/2} - 2P_{1/2}$	3.23	
	454.5(1.1)	6.75 +3	Kr XXV	$3s 3p$	$3P_1 - 1P_1$	1.22	
	462.(5)	5.04 +3	Kr XXII	$3s^2 3p^3$	$4S_{3/2} - 2P_{3/2}$	0.99	
Q	524.8(2.7)	3.02 +1	Kr XXXI	$2s^2 2p^2$	$1D_2 - 1S_0$	3.46	
	538.(5)	4.88 +4	Kr XXIII	$3s^2 3p^2$	$3P_1 - 1S_0$	1.05	
	654.(5)	1.37 +4	Kr XXII	$3s^2 3p^3$	$4S_{3/2} - 2P_{1/2}$	0.99	
	683.3(2.9)	5.87 +4	Kr XXI	$3s^2 3p^4$	$3P_1 - 1S_0$	0.94	
	705.7(2.5)	3.16 +3	Kr XXV	$3s 3p$	$3P_2 - 1P_1$	1.22	
	721.(3)	2.52 +4	Kr XXII	$3s^2 3p^3$	$2D_{3/2} - 2P_{3/2}$	0.99	
853.8(1.0)	854.(5)	8.43 +3	Kr XXIII	$3s^2 3p^2$	$3P_1 - 1D_2$	1.05	RPSKR
868.4(2)	872.(5)	8.35 +3	Kr XXI	$3s^2 3p^4$	$3P_2 - 1D_2$	0.94	RPSKR
Q	905.(5)	1.11 +2	Kr XXI	$3s^2 3p^4$	$1D_2 - 1S_0$	0.94	
912.0(3)	912.(5)	5.59 +3	Kr XXII	$3s^2 3p^3$	$2D_{5/2} - 2P_{3/2}$	0.99	RPSKR
	936.(5)	1.11 +3	Kr XXII	$3s^2 3p^3$	$4S_{3/2} - 2D_{5/2}$	0.99	
	977.(9)	6.14 +3	Kr XXX	$2s^2 2p^3$	$2D_{3/2} - 2D_{5/2}$	3.23	
	989.(10)	3.04 +4	Kr XXIX	$2s^2 2p^4$	$3P_1 - 1D_2$	3.07	
	1027.0(1.0)	8.27 +3	Kr XXIV	$3s^2 3p$	$2P_{1/2} - 2P_{3/2}$	1.10	
	1099.(7)	7.17 +3	Kr XXIII	$3s^2 3p^2$	$3P_2 - 1D_2$	1.05	

Table 22. Krpton wavelengths and transition probabilities - Continued

Observed	Wavelength		λ (\AA)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	Observed	Calculated						
1142.5(2)	1144.7(1.0)	1.20 +4	Kr XX	$3s^2 3p^5$	$2P_{3/2} - 2P_{1/2}$	0.89	RPSKR	
	1197.(9)	9.39 +3	Kr XXXIII	$2s 2p$	$3P_0 - 3P_1$	3.87		
	1228.(15)	3.57 +3	Kr XXXI	$2s^2 2p^2$	$3P_1 - 3P_2$	3.46		
1268.7(2)	1269.(9)	9.19 +3	Kr XXI	$3s^2 3p^4$	$3P_2 - 3P_1$	0.94	RPSKR	
1277.1(1.0)	1277.0(2.3)	6.16 +3	Kr XXV	$3s 3p$	$3P_1 - 3P_2$	1.22	RPSKR	
	1286.(9)	7.16 +3	Kr XXII	$3s^2 3p^3$	$4S_{3/2} - 2D_{3/2}$	0.99		
	1333.(9)	9.30 +2	Kr XXII	$3s^2 3p^3$	$2D_{3/2} - 2P_{1/2}$	0.99		
1461.8(2)	Q 1450.(12)	1.48 +1	Kr XXIII	$3s^2 3p^2$	$1D_2 - 1S_0$	1.05		
	1462.(10)	4.91 +3	Kr XXIII	$3s^2 3p^2$	$3P_0 - 3P_1$	1.05	RPSKR	
	1572.(10)	1.53 +3	Kr XXII	$3s^2 3p^3$	$2P_{1/2} - 2P_{3/2}$	0.99		
3840.9(3)	2788.(25)	1.02 +2	Kr XXI	$3s^2 3p^4$	$3P_1 - 1D_2$	0.94		
	3134.(30)	3.81 +2	Kr XXI	$3s^2 3p^4$	$3P_0 - 3P_1$	0.94		
	3446.(30)	1.72 +2	Kr XXII	$3s^2 3p^3$	$2D_{3/2} - 2D_{5/2}$	0.99		
	3832.(40)	1.46 +2	Kr XXIII	$3s^2 3p^2$	$3P_1 - 3P_2$	1.05	RPSKR	
	4376.(50)	2.04 +2	Kr XXV	$3s 3p$	$3P_0 - 3P_1$	1.22		

Table 34. Rubidium: wavelengths and transition probabilities

Observed	Wavelength Calculated	A (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	198.18(16)	2.29 +6	Rb XXIX	$2s^2 2p^5$	$2P_{3/2} - 2P_{1/2}$	3.10	
	383.4(1.0)	1.80 +4	Rb XXVI	$3s 3p$	$3P_0 - 1P_1$	1.30	
	416.2(1.2)	5.51 +3	Rb XXIII	$3s^2 3p^3$	$4S_{3/2} - 2P_{3/2}$	1.07	
	424.3(9)	9.39 +3	Rb XXVI	$3s 3p$	$3P_1 - 1P_1$	1.30	
	494.6(1.7)	6.76 +4	Rb XXIV	$3s^2 3p^2$	$3P_1 - 1S_0$	1.13	
	603.6(2.5)	1.93 +4	Rb XXIII	$3s^2 3p^3$	$4S_{3/2} - 2P_{1/2}$	1.07	
	625.4(2.6)	8.27 +4	Rb XXII	$3s^2 3p^4$	$3P_1 - 1S_0$	1.02	
	648.2(2.8)	3.67 +4	Rb XXIII	$3s^2 3p^3$	$2D_{3/2} - 2P_{3/2}$	1.07	
	687.0(2.4)	3.91 +3	Rb XXVI	$3s 3p$	$3P_2 - 1P_1$	1.30	
	764.(4)	1.25 +4	Rb XXIV	$3s^2 3p^2$	$3P_1 - 1D_2$	1.13	
	781.(4)	1.22 +4	Rb XXII	$3s^2 3p^4$	$3P_2 - 1D_2$	1.02	
Q	813.(5)	1.60 +2	Rb XXII	$3s^2 3p^4$	$1D_2 - 1S_0$	1.02	
	817.(5)	7.95 +3	Rb XXIII	$3s^2 3p^3$	$2D_{5/2} - 2P_{3/2}$	1.07	
	849.(5)	1.80 +3	Rb XXIII	$3s^2 3p^3$	$4S_{3/2} - 2D_{5/2}$	1.07	
	899.2(9)	1.23 +4	Rb XXV	$3s^2 3p$	$2P_{1/2} - 2P_{3/2}$	1.19	
	969.(6)	1.07 +4	Rb XXIV	$3s^2 3p^2$	$3P_2 - 1D_2$	1.13	
	998.1(9)	1.80 +4	Rb XXI	$3s^2 3p^5$	$2P_{3/2} - 2P_{1/2}$	0.97	
	1098.(7)	1.40 +4	Rb XXII	$3s^2 3p^4$	$3P_2 - 3P_1$	1.02	
	1109.4(1.7)	9.32 +3	Rb XXVI	$3s 3p$	$3P_1 - 3P_2$	1.30	
	1161.(7)	1.08 +4	Rb XXIII	$3s^2 3p^3$	$4S_{3/2} - 2D_{3/2}$	1.07	
	1250.(8)	7.75 +3	Rb XXIV	$3s^2 3p^2$	$3P_0 - 3P_1$	1.13	
	1257.(8)	9.83 +2	Rb XXIII	$3s^2 3p^3$	$2D_{3/2} - 2P_{1/2}$	1.07	
	1341.(8)	2.42 +3	Rb XXIII	$3s^2 3p^3$	$2P_{1/2} - 2P_{3/2}$	1.07	
Q	1403.(10)	1.48 +1	Rb XXIV	$3s^2 3p^2$	$1D_2 - 1S_0$	1.13	
	2442.(20)	7.71 +2	Rb XXII	$3s^2 3p^4$	$3P_0 - 3P_1$	1.02	
	2710.(25)	1.18 +2	Rb XXII	$3s^2 3p^4$	$3P_1 - 1D_2$	1.02	
	3152.(30)	2.17 +2	Rb XXIII	$3s^2 3p^3$	$2D_{3/2} - 2D_{5/2}$	1.07	
	3611.(40)	1.67 +2	Rb XXIV	$3s^2 3p^2$	$3P_1 - 3P_2$	1.13	
	3975.(40)	2.70 +2	Rb XXVI	$3s 3p$	$3P_0 - 3P_1$	1.30	

Table 35. Strontium: wavelengths and transition probabilities

Observed	Wavelength		A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	Observed	Calculated						
		175.99(15)	3.27 +6	Sr XXX	2s ² 2p ⁵	2P _{3/2} - 2P _{1/2}	3.31	
		356.9(9)	2.52 +4	Sr XXVII	3s 3p	3P ₀ - 1P ₁	1.40	
		371.9(1.0)	6.00 +3	Sr XXIV	3s ² 3p ³	4S _{3/2} - 2P _{3/2}	1.16	
		395.8(8)	1.30 +4	Sr XXVII	3s 3p	3P ₁ - 1P ₁	1.40	
		455.0(1.5)	9.30 +4	Sr XXV	3s ² 3p ²	3P ₁ - 1S ₀	1.22	
		552.8(2.3)	2.81 +4	Sr XXIV	3s ² 3p ³	4S _{3/2} - 2P _{1/2}	1.16	
		571.8(2.4)	1.16 +5	Sr XXIII	3s ² 3p ⁴	3P ₁ - 1S ₀	1.10	
		580.9(2.4)	5.39 +4	Sr XXIV	3s ² 3p ³	2D _{3/2} - 2P _{3/2}	1.16	
		669.7(2.3)	4.77 +3	Sr XXVII	3s 3p	3P ₂ - 1P ₁	1.40	
		684.(3)	1.84 +4	Sr XXV	3s ² 3p ²	3P ₁ - 1D ₂	1.22	
		700.(3)	1.78 +4	Sr XXIII	3s ² 3p ⁴	3P ₂ - 1D ₂	1.10	
		726.(4)	1.15 +4	Sr XXIV	3s ² 3p ³	2D _{5/2} - 2P _{3/2}	1.16	
Q		730.(4)	2.32 +2	Sr XXIII	3s ² 3p ⁴	1D ₂ - 1S ₀	1.10	
		762.(4)	2.91 +3	Sr XXIV	3s ² 3p ³	4S _{3/2} - 2D _{5/2}	1.16	
		790.6(8)	1.81 +4	Sr XXVI	3s ² 3p	2P _{1/2} - 2P _{3/2}	1.28	
		855.(5)	1.57 +4	Sr XXV	3s ² 3p ²	3P ₂ - 1D ₂	1.22	
		874.1(8)	2.69 +4	Sr XXII	3s ² 3p ⁵	2P _{3/2} - 2P _{1/2}	1.05	
		954.(6)	2.11 +4	Sr XXIII	3s ² 3p ⁴	3P ₂ - 3P ₁	1.10	
		967.5(1.3)	1.39 +4	Sr XXVII	3s 3p	3P ₁ - 3P ₂	1.40	
		1034.(7)	1.66 +4	Sr XXIV	3s ² 3p ³	4S _{3/2} - 2D _{3/2}	1.16	
		1074.(7)	1.21 +4	Sr XXV	3s ² 3p ²	3P ₀ - 3P ₁	1.22	
		1137.(8)	3.90 +3	Sr XXIV	3s ² 3p ³	2P _{1/2} - 2P _{3/2}	1.16	
		1188.(8)	1.02 +3	Sr XXIV	3s ² 3p ³	2D _{3/2} - 2P _{1/2}	1.16	
Q		1359.(10)	1.47 +1	Sr XXV	3s ² 3p ²	1D ₂ - 1S ₀	1.22	
		1945.(15)	1.47 +3	Sr XXIII	3s ² 3p ⁴	3P ₀ - 3P ₁	1.10	
		2636.(25)	1.36 +2	Sr XXIII	3s ² 3p ⁴	3P ₁ - 1D ₂	1.10	
		2898.(30)	2.69 +2	Sr XXIV	3s ² 3p ³	2D _{3/2} - 2D _{5/2}	1.16	
		3418.(40)	1.89 +2	Sr XXV	3s ² 3p ²	3P ₁ - 3P ₂	1.22	
		3630.(30)	3.52 +2	Sr XXVII	3s 3p	3P ₀ - 3P ₁	1.40	

Table 36. Yttrium: wavelengths and transition probabilities

Observed	Wavelength Calculated	A (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	156.78(12)	4.63 +6	Y XXXI	$2s^2 2p^5$	$2P_{3/2} - 2P_{1/2}$	3.52	
	331.9(8)	3.52 +4	Y XXVIII	$3s 3p$	$3P_0 - 1P_1$	1.50	
	333.6(9)	6.31 +3	Y XXV	$3s^2 3p^3$	$4S_{3/2} - 2P_{3/2}$	1.24	
	368.6(7)	1.79 +4	Y XXVIII	$3s 3p$	$3P_1 - 1P_1$	1.50	
	418.6(1.4)	1.26 +5	Y XXVI	$3s^2 3p^2$	$3P_1 - 1S_0$	1.32	
	506.7(2.1)	3.96 +4	Y XXV	$3s^2 3p^3$	$4S_{3/2} - 2P_{1/2}$	1.24	
	522.4(2.2)	1.60 +5	Y XXIV	$3s^2 3p^4$	$3P_1 - 1S_0$	1.18	
	523.7(2.2)	1.62 +4	Y XXV	$3s^2 3p^3$	$2D_{3/2} - 2P_{3/2}$	1.24	
	614.(3)	8.92 +3	Y XXVI	$3s^2 3p^2$	$3P_1 - 1D_2$	1.32	
	629.(3)	2.55 +4	Y XXIV	$3s^2 3p^4$	$3F_2 - 1D_2$	1.18	
	650.(3)	4.03 +4	Y XXV	$3s^2 3p^3$	$2D_{5/2} - 2P_{3/2}$	1.24	
	653.6(2.2)	3.68 +4	Y XXVIII	$3s 3p$	$3P_2 - 1P_1$	1.50	
	Q 656.(4)	3.40 +2	Y XXIV	$3s^2 3p^4$	$1D_2 - 1S_0$	1.18	
	686.(5)	9.24 +3	Y XXV	$3s^2 3p^3$	$4S_{3/2} - 2D_{5/2}$	1.24	
698.3(2)	697.9(7)	2.60 +4	Y XXVII	$3s^2 3p$	$2P_{1/2} - 2P_{3/2}$	1.37	RPSKR
	756.(5)	2.26 +4	Y XXVI	$3s^2 3p^2$	$3P_2 - 1D_2$	1.32	
769.1(4)	768.8(7)	9.67 +3	Y XXIII	$3s^2 3p^5$	$2P_{3/2} - 2P_{1/2}$	1.12	RPSKR
833.1(2)	833.(5)	2.07 +4	Y XXIV	$3s^2 3p^4$	$3F_2 - 3P_1$	1.18	RPSKR
	845.6(1.0)	1.64 +4	Y XXVIII	$3s 3p$	$3P_1 - 3P_2$	1.50	
914.7(1.0)	919.(6)	1.15 +4	Y XXV	$3s^2 3p^3$	$4S_{3/2} - 2D_{3/2}$	1.24	RPSKR
927.7(3)	929.(6)	1.80 +4	Y XXVI	$3s^2 3p^2$	$3F_0 - 3P_1$	1.32	RPSKR
	977.(7)	5.87 +3	Y XXV	$3s^2 3p^3$	$2P_{1/2} - 2P_{3/2}$	1.24	
	1129.(8)	2.70 +4	Y XXV	$3s^2 3p^3$	$2D_{3/2} - 2P_{1/2}$	1.24	
	Q 1317.(10)	6.95 +2	Y XXVI	$3s^2 3p^2$	$1D_2 - 1S_0$	1.32	
1572.9(1.0)	1576.(12)	1.92 +3	Y XXIV	$3s^2 3p^4$	$3F_0 - 3P_1$	1.18	RPSKR
	2565.(30)	3.52 +1	Y XXIV	$3s^2 3p^4$	$3P_1 - 1D_2$	1.18	
2717.8(3)	2700.(30)	7.87 +0	Y XXV	$3s^2 3p^3$	$2D_{3/2} - 2D_{5/2}$	1.24	RPSKR
3254.8(1.0)	3250.(40)	2.44 +2	Y XXVI	$3s^2 3p^2$	$3P_1 - 3P_2$	1.32	RPSKR
	3330.(30)	4.52 +2	Y XXVIII	$3s 3p$	$3F_0 - 3P_1$	1.50	

Table 37. Zirconium: wavelengths and transition probabilities

	Wavelength		A (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	Observed	Calculated						
		140.09(10)	6.48 +6	Zr XXXII	$2s^2 2p^5$	$2P_{3/2} - 2P_{1/2}$	3.74	
		299.4(8)	6.58 +3	Zr XXVI	$3s^2 3p^3$	$4S_{3/2} - 2P_{3/2}$	1.32	
		308.6(7)	4.88 +4	Zr XXIX	$3s 3p$	$3P_0 - 1P_1$	1.60	
		343.1(6)	2.45 +4	Zr XXIX	$3s 3p$	$3P_1 - 1P_1$	1.60	
		385.2(1.3)	1.72 +5	Zr XXVII	$3s^2 3p^2$	$3P_1 - 1S_0$	1.41	
	463.2(2)	463.9(1.9)	5.54 +4	Zr XXVI	$3s^2 3p^3$	$4S_{3/2} - 2P_{1/2}$	1.32	DHST
	474.1(2)	473.2(2.0)	1.09 +5	Zr XXVI	$3s^2 3p^3$	$2D_{3/2} - 2P_{3/2}$	1.32	DHST
T	477.1(5)	477.0(2.0)	2.21 +5	Zr XXV	$3s^2 3p^4$	$3P_1 - 1S_0$	1.26	H
	551.5(3)	551.1(2.6)	3.83 +4	Zr XXVII	$3s^2 3p^2$	$3P_1 - 1D_2$	1.41	DH
	564.9(3)	565.4(2.7)	3.63 +4	Zr XXV	$3s^2 3p^4$	$3P_2 - 1D_2$	1.26	DHSC
	582.3(2)	582.(3)	2.29 +4	Zr XXVI	$3s^2 3p^3$	$2D_{5/2} - 2P_{3/2}$	1.32	DHST
	Q 590.(3)		5.00 +2	Zr XXV	$3s^2 3p^4$	$1D_2 - 1S_0$	1.26	
	616.0(2)	616.(3)	6.97 +3	Zr XXVI	$3s^2 3p^3$	$4S_{3/2} - 2D_{5/2}$	1.32	DHST
	618.5(3)	618.5(7)	3.78 +4	Zr XXVIII	$3s^2 3p$	$2P_{1/2} - 2P_{3/2}$	1.47	DHSC
		638.5(2.0)	6.88 +3	Zr XXIX	$3s 3p$	$3P_2 - 1P_1$	1.60	
	670.8(3)	670.(4)	3.31 +4	Zr XXVII	$3s^2 3p^2$	$3P_2 - 1D_2$	1.41	DH
	679.1(3)	679.5(7)	5.73 +4	Zr XXIV	$3s^2 3p^5$	$2P_{3/2} - 2P_{1/2}$	1.20	DHSC
	731.8(2)	731.(5)	4.58 +4	Zr XXV	$3s^2 3p^4$	$3P_2 - 3P_1$	1.26	DHSC
	741.5(3)	741.5(4)	3.04 +4	Zr XXIX	$3s 3p$	$3P_1 - 3P_2$	1.60	DHSC
	807.1(3)	807.(5)	2.77 +4	Zr XXVII	$3s^2 3p^2$	$3P_0 - 3P_1$	1.41	DHSC
	812.1(2)	815.(5)	3.73 +4	Zr XXVI	$3s^2 3p^3$	$4S_{3/2} - 2D_{3/2}$	1.32	DHST
	846.2(2)	844.(5)	9.25 +3	Zr XXVI	$3s^2 3p^3$	$2P_{1/2} - 2P_{3/2}$	1.32	DHST
		1077.(8)	1.02 +3	Zr XXVI	$3s^2 3p^3$	$2D_{3/2} - 2P_{1/2}$	1.32	
	Q 1279.(10)		1.47 +1	Zr XXVII	$3s^2 3p^2$	$1D_2 - 1S_0$	1.41	
		1296.(10)	4.59 +3	Zr XXV	$3s^2 3p^4$	$3P_0 - 3P_1$	1.26	
T	2476.	2497.(30)	1.76 +2	Zr XXV	$3s^2 3p^4$	$3P_1 - 1D_2$	1.26	DHSC
	2549.8(2)	2529.(30)	3.80 +2	Zr XXVI	$3s^2 3p^3$	$2D_{3/2} - 2D_{5/2}$	1.32	DHST
		3067.(30)	5.73 +2	Zr XXIX	$3s 3p$	$3P_0 - 3P_1$	1.60	
	3101.1(3)	3094.(40)	2.37 +2	Zr XXVII	$3s^2 3p^2$	$3P_1 - 3P_2$	1.41	H

Table 38. Niobium: wavelengths and transition probabilities

Observed	Wavelength Calculated	λ (\AA)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	125.54(8)	9.00 +6	Nb XXXVIII	$2s^2 2p^5$	$2P_{3/2} - 2P_{1/2}$	3.96	
	268.9(7)	6.66 +3	Nb XXVII	$3s^2 3p^3$	$4S_{3/2} - 2P_{3/2}$	1.41	
	286.8(6)	6.70 +4	Nb XXX	$3s 3p$	$3P_0 - 1P_1$	1.70	
	319.0(5)	3.33 +4	Nb XXX	$3s 3p$	$3P_1 - 1P_1$	1.70	
	354.(5)	2.32 +5	Nb XXVIII	$3s^2 3p^2$	$3P_1 - 1S_0$	1.50	
	424.4(1.6)	7.69 +4	Nb XXVII	$3s^2 3p^3$	$4S_{3/2} - 2P_{1/2}$	1.41	
	428.7(1.7)	1.51 +5	Nb XXVII	$3s^2 3p^3$	$2D_{3/2} - 2P_{3/2}$	1.41	
	435.5(1.8)	3.03 +3	Nb XXVI	$3s^2 3p^4$	$3P_1 - 1S_0$	1.34	
	495.8(2.3)	5.43 +4	Nb XXVIII	$3s^2 3p^2$	$3P_1 - 1D_2$	1.50	
	509.0(2.4)	5.13 +4	Nb XXVI	$3s^2 3p^4$	$3P_2 - 1D_2$	1.34	
	522.5(2.5)	3.21 +4	Nb XXVII	$3s^2 3p^3$	$2D_{5/2} - 2P_{3/2}$	1.41	
Q	530.(3)	7.37 +2	Nb XXVI	$3s^2 3p^4$	$1D_2 - 1S_0$	1.34	
	550.5(6)	5.38 +4	Nb XXIX	$3s^2 3p$	$2P_{1/2} - 2P_{3/2}$	1.56	
	554.2(2.7)	1.05 +4	Nb XXVII	$3s^2 3p^3$	$4S_{3/2} - 2D_{5/2}$	1.41	
	596.(3)	4.70 +4	Nb XXVIII	$3s^2 3p^2$	$3P_2 - 1D_2$	1.50	
	601.6(6)	8.23 +4	Nb XXV	$3s^2 3p^5$	$2P_{3/2} - 2P_{1/2}$	1.28	
	623.6(2.0)	8.15 +3	Nb XXX	$3s 3p$	$3P_2 - 1P_1$	1.70	
	644.(4)	6.64 +4	Nb XXVI	$3s^2 3p^4$	$3P_2 - 3P_1$	1.34	
	653.1(6)	4.42 +4	Nb XXX	$3s 3p$	$3P_1 - 3P_2$	1.70	
	705.(5)	4.11 +4	Nb XXVIII	$3s^2 3p^2$	$3P_0 - 3P_1$	1.50	
	722.(5)	5.50 +4	Nb XXVII	$3s^2 3p^3$	$4S_{3/2} - 2D_{3/2}$	1.41	
	734.(5)	1.39 +4	Nb XXVII	$3s^2 3p^3$	$2P_{1/2} - 2P_{3/2}$	1.41	
	1030.(8)	1.01 +3	Nb XXVII	$3s^2 3p^3$	$2D_{3/2} - 2P_{1/2}$	1.41	
	1080.(8)	7.66 +3	Nb XXVI	$3s^2 3p^4$	$3P_0 - 3P_1$	1.34	
Q	1243.(10)	1.47 +1	Nb XXVIII	$3s^2 3p^2$	$1D_2 - 1S_0$	1.50	
	2386.(30)	4.39 +2	Nb XXVII	$3s^2 3p^3$	$2D_{3/2} - 2D_{5/2}$	1.41	
	2433.(30)	1.99 +2	Nb XXVI	$3s^2 3p^4$	$3P_1 - 1D_2$	1.34	
	2839.(25)	7.16 +2	Nb XXX	$3s 3p$	$3P_0 - 3P_1$	1.70	
	2958.(40)	2.63 +2	Nb XXVIII	$3s^2 3p^2$	$3P_1 - 3P_2$	1.50	

Table 1. Observed and calculated wavelengths and transition probabilities

	Wavelength		A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (obs. λ)
	Observed	Calculated						
		112.80(6)	1.24 +7	Mo XXXIV	2s ² 2p ⁵	2P _{3/2} - 2P _{1/2}	4.19	
		241.8(6)	6.65 +3	Mo XXVIII	3s ² 3p ³	4S _{3/2} - 2P _{3/2}	1.49	
		266.6(4)	9.14 +4	Mo XXXI	3s 3p	3P ₀ - 1P ₁	1.80	
		296.6(4)	4.50 +4	Mo XXXI	3s 3p	3P ₁ - 1P ₁	1.80	
T	325.3(3)	326.2(1.0)	3.10 +5	Mo XXIX	3s ² 3p ²	3P ₁ - 1S ₀	1.59	DHSC
	387.7(3)	388.2(1.5)	1.05 +5	Mo XXVIII	3s ² 3p ³	4S _{3/2} - 2P _{1/2}	1.49	DHST
	389.9(2)	389.1(1.5)	2.10 +5	Mo XXVIII	3s ² 3p ³	2D _{3/2} - 2P _{3/2}	1.49	DHST
	397.2(3)	397.6(1.6)	4.13 +5	Mo XXVII	3s ² 3p ⁴	3P ₁ - 1S ₀	1.43	H
	446.9(2)	446.8(2.0)	7.59 +4	Mo XXIX	3s ² 3p ²	3P ₁ - 1D ₂	1.59	H
	458.6(2)	459.0(2.1)	7.18 +4	Mo XXVII	3s ² 3p ⁴	3P ₂ - 1D ₂	1.43	DHSC
	470.0(2)	469.8(2.2)	4.42 +4	Mo XXVIII	3s ² 3p ³	2D _{5/2} - 2P _{3/2}	1.49	DHST
	Q 478.(2)		1.08 +3	Mo XXVII	3s ² 3p ⁴	1D ₂ - 1S ₀	1.43	
	490.1(3)	490.1(5)	7.60 +4	Mo XXX	3s ² 3p	2P _{1/2} - 2P _{3/2}	1.66	DHSC
	498.2(2)	498.5(2.5)	1.55 +4	Mo XXVIII	3s ² 3p ³	4S _{3/2} - 2D _{5/2}	1.49	DHST
	530.3(3)	530.3(2.8)	6.68 +4	Mo XXIX	3s ² 3p ²	3P ₂ - 1D ₂	1.59	H
	534.9(3)	534.9(5)	1.17 +5	Mo XXVI	3s ² 3p ⁵	2P _{3/2} - 2P _{1/2}	1.37	DHSC
	569.8(1)	569.(3)	9.50 +4	Mo XXVII	3s ² 3p ⁴	3P ₂ - 3P ₁	1.43	DHSC
	577.5(3)	577.5(4)	6.33 +4	Mo XXXI	3s 3p	3P ₁ - 3P ₂	1.80	DHSC
T	609.8(3)	609.6(1.5)	9.56 +3	Mo XXXI	3s 3p	3P ₂ - 1P ₁	1.80	DHSC
	618.5(3)	618.(4)	6.03 +4	Mo XXIX	3s ² 3p ²	3P ₀ - 3P ₁	1.59	DHSC
	637.1(2)	639.(4)	8.04 +4	Mo XXVIII	3s ² 3p ³	4S _{3/2} - 2D _{3/2}	1.49	DHST
	643.0(5)	642.(4)	2.04 +4	Mo XXVIII	3s ² 3p ³	2P _{1/2} - 2P _{3/2}	1.49	DHST
		910.(8)	1.24 +4	Mo XXVII	3s ² 3p ⁴	3P ₀ - 3P ₁	1.43	
		989.(8)	9.74 +2	Mo XXVIII	3s ² 3p ³	2D _{3/2} - 2P _{1/2}	1.49	
	Q 1209.(14)		1.47 +1	Mo XXIX	3s ² 3p ²	1D ₂ - 1S ₀	1.59	
	2285.4(1)	2264.(30)	5.01 +2	Mo XXVIII	3s ² 3p ³	2D _{3/2} - 2D _{5/2}	1.49	DHSC
	2350.8(3)	2371.(30)	2.23 +2	Mo XXVII	3s ² 3p ⁴	3P ₁ - 1D ₂	1.43	H
		2640.(25)	8.82 +2	Mo XXXI	3s 3p	3P ₀ - 3P ₁	1.80	
	2841.1(2)	2834.(40)	2.91 +2	Mo XXIX	3s ² 3p ²	3P ₁ - 3P ₂	1.49	DHSC

Table 40. Wavelengths and transition probabilities ordered by wavelength

Observed	Wavelength Calculated	λ (\AA)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	99.99(10)	9.37 +4	Kr XXX	$2s^2 2p^3$	$4S_{3/2} - 2P_{3/2}$	3.23	
	112.07(11)	9.08 +4	Br XXIX	$2s^2 2p^3$	$4S_{3/2} - 2P_{3/2}$	3.03	
	112.80(6)	1.24 +7	Mo XXXIV	$2s^2 2p^5$	$2P_{3/2} - 2P_{1/2}$	4.19	
	114.65(11)	1.26 +6	Kr XXXIII	$2s 2p$	$3P_0 - 1P_1$	3.87	
	124.10(12)	9.02 +5	Br XXXII	$2s 2p$	$3P_0 - 1P_1$	3.64	
	125.54(8)	9.00 +6	Nb XXXIII	$2s^2 2p^5$	$2P_{3/2} - 2P_{1/2}$	3.96	
	125.75(11)	1.02 +5	Se XXVIII	$2s^2 2p^3$	$4S_{3/2} - 2P_{3/2}$	2.83	
	126.80(13)	6.24 +5	Kr XXXIII	$2s 2p$	$3P_1 - 1P_1$	3.87	
	134.29(14)	6.41 +5	Se XXXI	$2s 2p$	$3P_0 - 1P_1$	3.42	
	137.00(19)	4.42 +6	Kr XXXI	$2s^2 2p^2$	$3P_1 - 1S_0$	3.46	
	137.37(15)	4.51 +5	Br XXXII	$2s 2p$	$3P_1 - 1P_1$	3.64	
	140.09(10)	6.48 +6	Zr XXXII	$2s^2 2p^5$	$2P_{3/2} - 2P_{1/2}$	3.74	
	141.19(11)	9.89 +4	As XXVII	$2s^2 2p^3$	$4S_{3/2} - 2P_{3/2}$	2.64	
	145.25(14)	4.52 +5	As XXX	$2s 2p$	$3P_0 - 1P_1$	3.20	
	148.67(17)	3.24 +5	Se XXXI	$2s 2p$	$3P_1 - 1P_1$	3.42	
	149.90(22)	3.24 +6	Br XXX	$2s^2 2p^2$	$3P_1 - 1S_0$	3.24	
	156.78(12)	4.63 +6	Y XXXI	$2s^2 2p^5$	$2P_{3/2} - 2P_{1/2}$	3.52	
	157.03(14)	3.16 +5	Ge XXIX	$2s 2p$	$3P_0 - 1P_1$	3.00	
	158.58(12)	8.86 +4	Ge XXVI	$2s^2 2p^3$	$4S_{3/2} - 2P_{3/2}$	2.46	
	160.74(17)	2.31 +5	As XXX	$2s 2p$	$3P_1 - 1P_1$	3.20	
	160.82(26)	1.52 +6	Kr XXX	$2s^2 2p^3$	$4S_{3/2} - 2P_{1/2}$	3.23	
	162.61(26)	2.93 +6	Kr XXX	$2s^2 2p^3$	$2D_{3/2} - 2P_{3/2}$	3.23	
	164.08(27)	2.37 +6	Se XXIX	$2s^2 2p^2$	$3P_1 - 1S_0$	3.03	
	167.60(28)	5.59 +6	Kr XXIX	$2s^2 2p^4$	$3P_1 - 1S_0$	3.07	
	169.66(13)	2.19 +5	Ga XXVIII	$2s 2p$	$3P_0 - 1P_1$	2.79	
	173.59(17)	1.64 +5	Ge XXIX	$2s 2p$	$3P_1 - 1P_1$	3.00	
	175.99(15)	3.27 +6	Sr XXX	$2s^2 2p^5$	$2P_{3/2} - 2P_{1/2}$	3.31	
	177.03(27)	1.09 +6	Br XXIX	$2s^2 2p^3$	$4S_{3/2} - 2P_{1/2}$	3.03	
	178.06(13)	7.58 +4	Ga XXV	$2s^2 2p^3$	$4S_{3/2} - 2P_{3/2}$	2.28	
	179.63(27)	1.71 +6	As XXVIII	$2s^2 2p^2$	$3P_1 - 1S_0$	2.83	
	180.71(28)	2.07 +6	Br XXIX	$2s^2 2p^3$	$2D_{3/2} - 2P_{3/2}$	3.03	
	183.18(11)	1.50 +5	Zn XXVII	$2s 2p$	$3P_0 - 1P_1$	2.60	
	184.9(3)	4.02 +6	Br XXVIII	$2s^2 2p^4$	$3P_1 - 1S_0$	2.87	
	185.4(3)	1.07 +6	Kr XXXI	$2s^2 2p^2$	$3P_1 - 1D_2$	3.46	
	187.22(16)	1.15 +5	Ga XXVIII	$2s 2p$	$3P_1 - 1P_1$	2.79	
	190.4(4)	9.82 +5	Kr XXIX	$2s^2 2p^4$	$3P_2 - 1D_2$	3.07	
	194.75(27)	7.71 +5	Se XXVIII	$2s^2 2p^3$	$4S_{3/2} - 2P_{1/2}$	2.83	
	195.1(4)	6.40 +5	Kr XXX	$2s^2 2p^3$	$2D_{5/2} - 2P_{3/2}$	3.23	
	196.65(27)	1.23 +6	Ge XXVII	$2s^2 2p^2$	$3P_1 - 1S_0$	2.64	
	197.66(09)	1.02 +5	Cu XXVI	$2s 2p$	$3P_0 - 1P_1$	2.41	
	198.18(16)	2.29 +6	Rb XXIX	$2s^2 2p^5$	$2P_{3/2} - 2P_{1/2}$	3.10	
	199.73(14)	6.31 +4	Zn XXIV	$2s^2 2p^3$	$4S_{3/2} - 2P_{3/2}$	2.10	

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	201.31(29)	1.44 +6	Se XXVIII	2s ² 2p ³	² D _{3/2} - ² F _{3/2}	2.83	
	201.65(14)	8.03 +4	Zn XXVII	2s 2p	³ P ₁ - ¹ P ₁	2.60	
Q	201.8(4)	3.87 +3	Kr XXIX	2s ² 2p ⁴	¹ D ₂ - ¹ S ₀	3.07	
	203.01(12)	1.06 +6	Kr XXXII	2s ² 2p	² F _{1/2} - ² F _{3/2}	3.63	
	204.0(4)	2.88 +6	Se XXVII	2s ² 2p ⁴	³ P ₁ - ¹ S ₀	2.68	
	205.1(4)	2.19 +5	Kr XXX	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	3.23	
	207.1(4)	7.42 +5	Br XXX	2s ² 2p ²	³ F ₁ - ¹ D ₂	3.24	
	212.4(4)	6.87 +5	Br XXVIII	2s ² 2p ⁴	³ F ₂ - ¹ D ₂	2.87	
	212.81(16)	6.91 +4	Ni XXV	2s 2p	³ P ₀ - ¹ P ₁	2.30	
	213.99(26)	5.42 +5	As XXVII	2s ² 2p ³	⁴ S _{3/2} - ² F _{1/2}	2.64	
	215.25(26)	8.79 +5	Ga XXVI	2s ² 2p ²	³ F ₁ - ¹ S ₀	2.45	
	216.89(11)	5.55 +4	Cu XXVI	2s 2p	³ F ₁ - ¹ P ₁	2.41	
	218.4(5)	9.54 +5	Kr XXXI	2s ² 2p ²	³ P ₂ - ¹ D ₂	3.46	
	219.3(4)	4.50 +5	Br XXIX	2s ² 2p ³	² D _{5/2} - ² F _{3/2}	3.03	
	223.66(14)	5.48 +4	Cu XXIII	2s ² 2p ³	⁴ S _{3/2} - ² F _{3/2}	1.94	
	223.95(15)	1.59 +6	Kr XXVIII	2s ² 2p ⁵	² F _{3/2} - ² F _{1/2}	2.90	
	224.83(29)	9.95 +5	As XXVII	2s ² 2p ³	² D _{3/2} - ² F _{3/2}	2.64	
	225.0(4)	2.04 +6	As XXVI	2s ² 2p ⁴	³ F ₁ - ¹ S ₀	2.49	
Q	226.4(5)	2.54 +3	Br XXVIII	2s ² 2p ⁴	¹ D ₂ - ¹ S ₀	2.87	
	229.2(4)	1.46 +5	Br XXIX	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	3.03	
	229.40(15)	4.59 +4	Co XXIV	2s 2p	³ F ₀ - ¹ F ₁	2.12	
	229.55(13)	7.37 +5	Br XXXI	2s ² 2p	² F _{1/2} - ² F _{3/2}	3.41	
	231.8(5)	5.10 +5	Se XXIX	2s ² 2p ²	³ F ₁ - ¹ D ₂	3.03	
	232.89(11)	3.79 +4	Ni XXV	2s 2p	³ F ₁ - ¹ P ₁	2.30	
	234.74(27)	3.76 +5	Ge XXVI	2s ² 2p ³	⁴ S _{3/2} - ² F _{1/2}	2.46	
	235.1(4)	9.29 +5	Kr XXXIII	2s 2p	³ F ₁ - ³ F ₂	3.87	
	235.54(24)	6.23 +5	Zn XXV	2s ² 2p ²	³ F ₁ - ¹ S ₀	2.27	
	235.9(6)	1.34 +6	Kr XXIX	2s ² 2p ⁴	³ F ₂ - ³ F ₁	3.07	
	237.4(6)	4.76 +5	Se XXVII	2s ² 2p ⁴	³ F ₂ - ¹ D ₂	2.68	
	241.8(6)	6.65 +3	Mo XXVIII	3s ² 3p ³	⁴ S _{3/2} - ² F _{3/2}	1.49	
	247.0(4)	7.72 +5	Se XXVIII	2s ² 2p ³	² D _{5/2} - ² F _{3/2}	2.83	
	247.12(14)	3.01 +4	Fe XXIII	2s 2p	³ P ₀ - ¹ P ₁	1.96	
	247.2(6)	6.59 +5	Br XXX	2s ² 2p ²	³ F ₂ - ¹ D ₂	3.24	
	247.9(4)	1.44 +6	Ge XXV	2s ² 2p ⁴	³ F ₁ - ¹ S ₀	2.31	
	249.80(18)	2.57 +4	Co XXIV	2s 2p	³ F ₁ - ¹ P ₁	2.12	
	249.94(19)	4.60 +4	Ni XXII	2s ² 2p ³	⁴ S _{3/2} - ² F _{3/2}	1.89	
	251.8(3)	6.76 +5	Ge XXVI	2s ² 2p ³	² D _{3/2} - ² F _{3/2}	2.46	
	252.0(6)	8.78 +5	Kr XXXI	2s ² 2p ²	³ P ₀ - ³ F ₁	3.46	
	253.98(16)	1.09 +6	Br XXVII	2s ² 2p ⁵	² F _{3/2} - ² F _{1/2}	2.70	
O	254.2(6)	1.65 +3	Se XXVII	2s ² 2p ⁴	¹ D ₂ - ¹ S ₀	2.68	
	256.2(5)	9.50 +4	Se XXVIII	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	2.83	
	256.91(28)	2.59 +5	Ga XXV	2s ² 2p ³	⁴ S _{3/2} - ² F _{1/2}	2.28	

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	257.61(19)	4.38 +5	Cu XXIV	2s ² 2p ²	³ P ₁ - ¹ S ₀	2.09	
	259.7(7)	1.21 +6	Kr XXX	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	3.23	
	259.8(6)	3.47 +5	As XXVIII	2s ² 2p ²	³ P ₁ - ¹ D ₂	2.83	
	260.50(14)	5.04 +5	Se XXX	2s ² 2p	² P _{1/2} - ² P _{3/2}	3.20	
	264.4(7)	2.86 +5	Kr XXX	2s ² 2p ³	² P _{1/2} - ² P _{3/2}	3.23	
	265.5(6)	3.27 +5	As XXVI	2s ² 2p ⁴	³ P ₂ - ¹ D ₂	2.49	
	266.37(28)	1.94 +4	Mn XXII	2s 2p	³ P ₀ - ¹ P ₁	1.79	
	266.6(4)	9.14 +4	Mo XXXI	3s 3p	³ P ₀ - ¹ P ₁	1.80	
	267.59(12)	1.72 +4	Fe XXIII	2s 2p	³ P ₁ - ¹ P ₁	1.96	
	260.2(4)	6.32 +5	Br XXXII	2s 2p	³ P ₁ - ³ P ₂	3.64	
	268.9(7)	6.66 +3	Nb XXVII	3s ² 3p ³	⁴ S _{3/2} - ² P _{3/2}	1.41	
	269.1(7)	9.10 +5	Br XXVIII	2s ² 2p ⁴	³ P ₂ - ³ P ₁	2.87	
	272.9(4)	1.01 +6	Ga XXIV	2s ² 2p ⁴	³ P ₁ - ¹ S ₀	2.14	
	275.3(6)	1.14 +5	Kr XXXIII	2s 2p	³ P ₂ - ¹ P ₁	3.87	
	278.55(17)	3.72 +4	Co XXI	2s ² 2p ³	⁴ S _{3/2} - ² P _{3/2}	1.74	
	278.8(4)	5.24 +5	As XXVII	2s ² 2p ³	² D _{5/2} - ² P _{3/2}	2.64	
	280.37(28)	1.76 +5	Zn XXIV	2s ² 2p ³	⁴ S _{3/2} - ² P _{1/2}	2.10	
	280.4(8)	4.51 +5	Se XXIX	2s ² 2p ²	³ P ₂ - ¹ D ₂	3.03	
	281.5(6)	9.66 +4	Br XXXII	2s 2p	³ P ₂ - ¹ P ₁	3.64	
	282.4(3)	3.02 +5	Ni XXIII	2s ² 2p ²	³ P ₁ - ¹ S ₀	2.01	
	283.1(3)	4.52 +5	Ga XXV	2s ² 2p ³	² D _{3/2} - ² P _{3/2}	2.28	
Q	286.0(7)	1.07 +3	As XXVI	2s ² 2p ⁴	¹ D ₂ - ¹ S ₀	2.49	
	286.1(5)	6.10 +4	As XXVII	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	2.64	
	286.51(17)	1.24 +4	Cr XXI	2s 2p	³ P ₀ - ¹ P ₁	1.63	
	286.70(25)	1.14 +4	Mn XXII	2s 2p	³ P ₁ - ¹ P ₁	1.79	
	286.8(6)	6.70 +4	Nb XXX	3s 3p	³ P ₀ - ¹ P ₁	1.70	
	288.0(6)	8.13 +4	Se XXXI	2s 2p	³ P ₂ - ¹ P ₁	3.42	
289.1(3)	289.16(17)	7.39 +5	Se XXVI	2s ² 2p ⁵	² P _{3/2} - ² P _{1/2}	2.52	H
	289.6(8)	5.05 +5	Br XXX	2s ² 2p ²	³ F ₀ ³ F ₁	3.24	
	291.5(6)	2.33 +5	Ge XXVII	2s ² 2p ²	³ P ₁ - ¹ D ₂	2.64	
	294.8(6)	6.77 +4	As XXX	2s 2p	³ P ₂ - ¹ P ₁	3.20	
	295.0(7)	8.10 +5	Br XXIX	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	3.03	
	296.6(4)	4.50 +4	Mo XXXI	3s 3p	³ P ₁ - ¹ P ₁	1.80	
	296.78(18)	3.41 +5	As XXIX	2s ² 2p	² P _{1/2} - ² P _{3/2}	2.99	
297.5(3)	297.4(6)	2.22 +5	Ge XXV	2s ² 2p ⁴	³ P ₂ - ¹ D ₂	2.31	H
	299.4(8)	6.58 +3	Zr XXVI	3s ² 3p ³	⁴ S _{3/2} - ² P _{3/2}	1.32	
	299.8(4)	7.03 +5	Zn XXIII	2s ² 2p ⁴	³ P ₁ - ¹ S ₀	1.97	
	301.9(5)	5.56 +4	Ge XXIX	2s 2p	³ P ₂ - ¹ P ₁	3.00	
	304.96(26)	1.18 +5	Cu XXIII	2s ² 2p ³	⁴ S _{3/2} - ² P _{1/2}	1.94	
	305.4(8)	1.88 +5	Br XXIX	2s ² 2p ³	² P _{1/2} - ² P _{3/2}	3.03	
	306.80(5)	7.42 +3	Cr XXI	2s 2p	³ P ₁ - ¹ P ₁	1.63	
	307.3(5)	4.52 +4	Se XXXI	2s 2p	³ P ₁ - ³ P ₂	3.42	

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength Calculated	A (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	307.89(27)	2.09 +5	Co XXII	$2s^2 2p^2$	$3P_1 - 1S_0$	1.85	
	308.26(21)	7.77 +3	V XX	$2s 2p$	$3P_0 - 1P_1$	1.49	
	308.3(9)	3.37 +5	Se XXVII	$2s^2 2p^4$	$3P_2 - 3P_1$	2.68	
	308.6(7)	4.88 +4	Zr XXIX	$3s 3p$	$3P_0 - 1P_1$	1.60	
	309.4(4)	4.52 +4	Ga XXVIII	$2s 2p$	$3P_2 - 1P_1$	2.79	
309.26(3)	309.6(3)	2.91 +4	Fe XX	$2s^2 2p^3$	$4S_{3/2} - 2P_{3/2}$	1.58	SBST
	315.2(5)	3.49 +5	Ge XXVI	$2s^2 2p^3$	$2D_{5/2} - 2P_{3/2}$	2.46	
	317.4(3)	3.62 +4	Zn XXVII	$2s 2p$	$3P_2 - 1P_1$	2.60	
	319.0(5)	3.33 +4	Nb XXX	$3s 3p$	$3P_1 - 1P_1$	1.70	
	319.0(9)	3.05 +5	As XXVIII	$2s^2 2p^2$	$3P_2 - 1D_2$	2.83	
319.1(3)	319.1(5)	3.83 +4	Ge XXVI	$2s^2 2p^3$	$4S_{3/2} - 2D_{5/2}$	2.46	H
	319.4(4)	2.96 +5	Zn XXIV	$2s^2 2p^3$	$2D_{3/2} - 2P_{3/2}$	2.10	
	Q 321.8(7)	7.02 +2	Ge XXV	$2s^2 2p^4$	$1D_2 - 1S_0$	2.31	
T 325.3(3)	326.2(1.0)	3.10 +5	Mo XXIX	$3s^2 3p^2$	$3P_1 - 1S_0$	1.59	DHSC
	326.00(24)	2.85 +4	Cu XXVI	$2s 2p$	$3P_2 - 1P_1$	2.41	
	327.5(6)	1.55 +5	Ga XXVI	$2s^2 2p^2$	$3P_1 - 1D_2$	2.45	
	327.98(24)	4.75 +3	V XX	$2s 2p$	$3P_1 - 1P_1$	1.49	
	328.6(3)	4.85 +5	Cu XXII	$2s^2 2p^4$	$3P_1 - 1S_0$	1.67	
	330.58(22)	4.95 +5	As XXV	$2s^2 2p^5$	$2P_{3/2} - 2P_{1/2}$	2.34	
	330.6(4)	7.80 +4	Ni XXII	$2s^2 2p^3$	$4S_{3/2} - 2P_{1/2}$	1.89	
	331.68(3)	4.79 +3	Ti XIX	$2s 2p$	$3P_0 - 1P_1$	1.35	
	331.9(8)	3.52 +4	Y XXVIII	$3s 3p$	$3P_0 - 1P_1$	1.50	
	333.4(6)	1.49 +5	Ga XXIV	$2s^2 2p^4$	$3P_2 - 1D_2$	2.14	
	333.6(9)	6.31 +3	Y XXV	$3s^2 3p^3$	$4S_{3/2} - 2P_{3/2}$	1.24	
	334.7(1.1)	3.83 +5	Se XXIX	$2s^2 2p^2$	$3P_0 - 3P_1$	3.03	
	334.9(4)	2.21 +4	Ni XXV	$2s 2p$	$3P_2 - 1P_1$	2.30	
	335.0(8)	5.40 +5	Se XXVIII	$2s^2 2p^3$	$4S_{3/2} - 2D_{3/2}$	2.83	
	335.5(3)	1.43 +5	Fe XXI	$2s^2 2p^2$	$3P_1 - 1S_0$	1.69	
339.5(3)	339.51(17)	2.28 +5	Ge XXVIII	$2s^2 2p$	$2P_{1/2} - 2P_{3/2}$	2.79	H
	342.78(26)	2.19 +4	Mn XIX	$2s^2 2p^3$	$4S_{3/2} - 2P_{3/2}$	1.44	
	343.1(6)	2.45 +4	Zr XXIX	$3s 3p$	$3P_1 - 1P_1$	1.60	
	345.0(3)	1.68 +4	Co XXIV	$2s 2p$	$3P_2 - 1P_1$	2.12	
	350.78(4)	2.99 +3	Ti XIX	$2s 2p$	$3P_1 - 1P_1$	1.35	
	353.5(5)	2.82 +5	As XXX	$2s 2p$	$3P_1 - 3P_2$	3.20	
	354.(5)	2.32 +5	Nb XXVIII	$3s^2 3p^2$	$3P_1 - 1S_0$	1.50	
	354.9(1.1)	4.07 +5	As XXVI	$2s^2 2p^4$	$3P_2 - 3P_1$	2.49	
	354.9(9)	1.21 +5	Se XXVIII	$2s^2 2p^3$	$2P_{1/2} - 2P_{3/2}$	2.83	
	355.0(5)	2.34 +4	Ga XXV	$2s^2 2p^3$	$4S_{3/2} - 2D_{5/2}$	2.28	
	355.80(22)	1.26 +4	Fe XXIII	$2s 2p$	$3P_2 - 1P_1$	1.96	
	356.8(3)	5.10 +4	Co XXI	$2s^2 2p^3$	$4S_{3/2} - 2P_{1/2}$	1.74	
	356.84(7)	2.90 +3	Sc XVIII	$2s 2p$	$3P_0 - 1P_1$	1.21	
	356.9(9)	2.52 +4	Sr XXVII	$3s 3p$	$3P_0 - 1P_1$	1.40	

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength Calculated	A (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	357.2(5)	2.28 +5	Ga XXV	$2s^2 2p^3$	$2D_{5/2} - 2F_{3/2}$	2.28	
	359.1(5)	3.31 +5	Ni XXI	$2s^2 2p^4$	$3P_1 - 1S_0$	1.76	
	362.0(4)	1.90 +5	Cu XXIII	$2s^2 2p^3$	$2D_{3/2} - 2P_{3/2}$	1.94	
Q	362.4(7)	4.65 +2	Ga XXIV	$2s^2 2p^4$	$1D_2 - 1S_0$	2.14	
	363.4(9)	2.04 +5	Ge XXVII	$2s^2 2p^2$	$3P_2 - 1D_2$	2.64	
	365.6(5)	9.65 +4	Mn XX	$2s^2 2p^2$	$3P_1 - 1S_0$	1.54	
	368.2(6)	1.01 +5	Zn XXV	$2s^2 2p^2$	$3P_1 - 1D_2$	2.27	
	368.4(5)	9.16 +3	Mn XXII	$2s 2p$	$3P_2 - 1P_1$	1.79	
	368.6(7)	1.79 +4	Y XXVIII	$3s 3p$	$3P_1 - 1P_1$	1.50	
	371.9(1.0)	6.00 +3	Sr XXIV	$3s^2 3p^3$	$4S_{3/2} - 2P_{3/2}$	1.16	
	374.1(6)	9.91 +4	Zn XXIII	$2s^2 2p^4$	$3P_2 - 1D_2$	1.97	
	375.12(7)	1.85 +3	Sc XVIII	$2s 2p$	$3P_1 - 1P_1$	1.21	
378.0(3)	378.1(3)	1.61 +4	Cr XVIII	$2s^2 2p^3$	$4S_{3/2} - 2P_{3/2}$	1.30	DH
379.5(1)	379.59(22)	3.27 +5	Ge XXIV	$2s^2 2p^5$	$2P_{3/2} - 2P_{1/2}$	2.16	H
	379.6(8)	3.56 +5	As XXVII	$2s^2 2p^3$	$4S_{3/2} - 2D_{3/2}$	2.64	
	381.6(3)	6.56 +3	Cr XXI	$2s 2p$	$3P_2 - 1P_1$	1.63	
	381.8(1.4)	1.63 +5	Kr XXIX	$2s^2 2p^4$	$3P_0 - 3P_1$	3.07	
	383.4(1.0)	1.80 +4	Rb XXVI	$3s 3p$	$3P_0 - 1P_1$	1.30	
	384.13(8)	1.72 +3	Ca XVII	$2s 2p$	$3P_0 - 1P_1$	1.16	
	384.8(4)	3.27 +4	Fe XX	$2s^2 2p^3$	$4S_{3/2} - 2P_{1/2}$	1.58	
	385.2(1.3)	1.72 +5	Zr XXVII	$3s^2 3p^2$	$3P_1 - 1S_0$	1.41	
387.7(3)	388.2(1.5)	1.05 +5	Mo XXVIII	$3s^2 3p^3$	$4S_{3/2} - 2P_{1/2}$	1.49	DHST
	388.9(1.3)	2.47 +5	As XXVIII	$2s^2 2p^2$	$3P_0 - 3P_1$	2.83	
389.9(2)	389.1(1.5)	2.10 +5	Mo XXVIII	$3s^2 3p^3$	$2D_{3/2} - 2P_{3/2}$	1.49	DHST
	390.12(23)	1.50 +5	Ga XXVII	$2s^2 2p$	$2P_{1/2} - 2P_{3/2}$	2.59	
	390.9(4)	2.17 +5	Co XX	$2s^2 2p^4$	$3P_1 - 1S_0$	1.60	
	393.7(6)	1.38 +4	Zn XXIV	$2s^2 2p^3$	$4S_{3/2} - 2D_{5/2}$	2.10	
	395.8(8)	1.30 +4	Sr XXVII	$3s 3p$	$3P_1 - 1P_1$	1.40	
	396.0(4)	4.57 +3	V XX	$2s 2p$	$3P_2 - 1P_1$	1.49	
397.2(3)	397.6(1.6)	4.13 +5	Mo XXVII	$3s^2 3p^4$	$3P_1 - 1S_0$	1.43	H
398.4(3)	398.42(16)	6.38 +4	Cr XIX	$2s^2 2p^2$	$3P_1 - 1S_0$	1.40	HSCS
	401.35(9)	1.12 +3	Ca XVII	$2s 2p$	$3P_1 - 1P_1$	1.16	
	405.4(6)	6.79 +4	Zn XXIV	$2s^2 2p^3$	$2D_{5/2} - 2P_{3/2}$	2.10	
Q	407.8(7)	3.12 +2	Zn XXIII	$2s^2 2p^4$	$1D_2 - 1S_0$	1.97	
408.7(3)	408.5(6)	1.84 +5	Ge XXIX	$2s 2p$	$3P_1 - 3P_2$	3.00	H
410.7(3)	410.6(1.2)	2.66 +5	Ge XXV	$2s^2 2p^4$	$3P_2 - 3P_1$	2.31	HSCS
	411.8(1.2)	1.27 +4	Kr XXV	$3s 3p$	$3P_0 - 1P_1$	1.22	
	412.3(5)	1.20 +5	Ni XXII	$2s^2 2p^3$	$2D_{3/2} - 2P_{3/2}$	1.89	
	412.47(5)	3.11 +3	Ti XIX	$2s 2p$	$3P_2 - 1P_1$	1.35	
	413.0(4)	2.08 +4	Mn XIX	$2s^2 2p^3$	$4S_{3/2} - 2P_{1/2}$	1.44	
414.1(3)	414.0(5)	6.53 +4	Cu XXIV	$2s^2 2p^2$	$3P_1 - 1D_2$	2.09	HSCS
	414.5(4)	9.84 +2	K XVI	$2s 2p$	$3P_0 - 1P_1$	0.97	

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

	Wavelength		A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	Observed	Calculated						
		414.6(1.0)	1.35 +5	Ga XXVI	2s ² 2p ²	³ P ₂ - ¹ D ₂	2.45	
		415.0(1.0)	7.69 +4	As XXVII	2s ² 2p ³	² P _{1/2} - ² P _{3/2}	2.64	
		415.80(5)	1.13 +4	V XVII	2s ² 2p ³	⁴ S _{3/2} - ² P _{3/2}	1.17	
		416.2(1.2)	5.51 +3	Rb XXIII	3s ² 3p ³	⁴ S _{3/2} - ² P _{3/2}	1.07	
		418.6(1.4)	1.26 +5	Y XXVI	3s ² 3p ²	³ P ₁ - ¹ S ₀	1.32	
	420.0(3)	419.8(5)	6.52 +4	Cu XXII	2s ² 2p ⁴	³ P ₂ - ¹ D ₂	1.67	HSCS
		422.5(1.8)	1.25 +4	Kr XXX	2s ² 2p ³	² D _{3/2} - ² P _{1/2}	3.23	
		424.4(1.6)	7.69 +4	Nb XXVII	3s ² 3p ³	⁴ S _{3/2} - ² P _{1/2}	1.41	
	424.26(5)	424.27(7)	1.50 +5	Fe XIX	2s ² 2p ⁴	³ P ₁ - ¹ S ₀	1.47	W
		424.3(9)	9.39 +3	Rb XXVI	3s 3p	³ P ₁ - ¹ P ₁	1.30	
	427.9(3)	428.2(9)	2.33 +5	Ge XXVI	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	2.46	HSCS
		428.7(1.7)	1.51 +5	Nb XXVII	3s ² 3p ³	² D _{3/2} - ² P _{3/2}	1.41	
		430.5(4)	6.54 +2	K XVI	2s 2p	³ P ₁ - ¹ P ₁	0.97	
		430.66(9)	2.06 +3	Sc XVIII	2s 2p	³ P ₂ - ¹ P ₁	1.21	
T	434.2(2)	432.82(19)	4.19 +4	V XVIII	2s ² 2p ²	³ P ₁ - ¹ S ₀	1.26	FEM
	434.8(3)	434.7(5)	7.98 +3	Cu XXIII	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	1.94	HSCS
		435.5(1.8)	3.03 +3	Nb XXVI	3s ² 3p ⁴	³ P ₁ - ¹ S ₀	1.34	
		437.95(29)	2.13 +5	Ga XXIII	2s ² 2p ⁵	² P _{3/2} - ² P _{1/2}	1.99	
		442.2(1.4)	8.93 +3	Br XXIV	3s 3p	³ P ₀ - ¹ P ₁	1.10	
	442.1(3)	442.3(4)	1.31 +4	Cr XVIII	2s ² 2p ³	⁴ S _{3/2} - ² P _{1/2}	1.30	DH
		442.6(1.7)	1.29 +4	Br XXIX	2s ² 2p ³	² D _{3/2} - ² P _{1/2}	3.03	
	446.9(2)	446.8(2.0)	7.59 +4	Mo XXIX	3s ² 3p ²	³ P ₁ - ¹ D ₂	1.59	H
		447.33(14)	5.55 +2	Ar XV	2s 2p	³ P ₀ - ¹ P ₁	0.855	
		450.4(3)	9.78 +4	Zn XXVI	2s ² 2p	² P _{1/2} - ² P _{3/2}	2.40	
		451.12(11)	1.33 +3	Ca XVII	2s 2p	³ P ₂ - ¹ P ₁	1.16	
		454.5(1.1)	6.75 +3	Kr XXV	3s 3p	³ P ₁ - ¹ P ₁	1.22	
	454.8(3)	454.7(1.5)	1.57 +5	Ge XXVII	2s ² 2p ²	³ P ₀ - ³ P ₁	2.64	HSCS
		455.0(1.5)	9.30 +4	Sr XXV	3s ² 3p ²	³ P ₁ - ¹ S ₀	1.22	
	456.1(3)	456.10(5)	7.72 +3	Ti XVI	2s ² 2p ³	⁴ S _{3/2} - ² P _{3/2}	1.04	H
		457.8(8)	9.94 +4	Mn XVIII	2s ² 2p ⁴	³ P ₁ - ¹ S ₀	1.32	
		458.3(2.1)	9.72 +4	Br XXVIII	2s ² 2p ⁴	³ P ₀ - ³ P ₁	2.87	
	Q	458.3(6)	2.10 +2	Cu XXII	2s ² 2p ⁴	¹ D ₂ - ¹ S ₀	1.67	
	458.6(2)	459.0(2.1)	7.18 +4	Mo XXVII	3s ² 3p ⁴	³ P ₂ - ¹ D ₂	1.43	DHSC
		460.7(6)	4.53 +4	Cu XXIII	2s ² 2p ³	² D _{5/2} - ² P _{3/2}	1.94	
		462.(5)	5.04 +3	Kr XXII	3s ² 3p ³	⁴ S _{3/2} - ² P _{3/2}	0.99	
		462.19(15)	3.75 +2	Ar XV	2s 2p	³ P ₁ - ¹ P ₁	0.855	
	463.2(2)	463.9(1.9)	5.54 +4	Zr XXVI	3s ² 3p ³	⁴ S _{3/2} - ² P _{1/2}	1.32	DHST
		465.2(1.5)	1.32 +4	Se XXVIII	2s ² 2p ³	² D _{3/2} - ² P _{1/2}	2.83	
	465.4(3)	465.40(17)	4.15 +4	Ni XXIII	2s ² 2p ²	³ P ₁ - ¹ D ₂	2.01	HSCS
	470.0(2)	469.8(2.2)	4.42 +4	Mo XXVIII	3s ² 3p ³	² D _{5/2} - ² P _{3/2}	1.49	DHST
	470.4(3)	470.54(11)	2.68 +4	Ti XVII	2s ² 2p ²	³ P ₁ - ¹ S ₀	1.13	H
	471.15(5)	471.14(6)	4.24 +4	Ni XXI	2s ² 2p ⁴	³ P ₂ - ¹ D ₂	1.76	W

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

	Wavelength Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
		471.8(6)	7.39 +4	Co XXI	2s ² 2p ³	² D _{3/2} - ² P _{3/2}	1.74	
		472.99(6)	8.10 +3	V XVII	2s ² 2p ³	⁴ S _{3/2} - ² P _{1/2}	1.17	
474.1(2)		473.2(2.0)	1.09 +5	Zr XXVI	3s ² 3p ³	² D _{3/2} - ² P _{3/2}	1.32	DHST
		473.2(1.0)	8.88 +4	Zn XXV	2s ² 2p ²	³ P ₂ - ¹ D ₂	2.27	
		474.1(6)	1.19 +5	Ga XXVIII	2s 2p	³ P ₁ - ³ P ₂	2.79	
		474.6(5)	8.19 +2	K XVI	2s 2p	³ P ₂ - ¹ P ₁	0.97	
		474.8(1.3)	6.20 +3	Se XXIII	3s 3p	³ P ₀ - ¹ P ₁	1.00	
T 477.1(5)		477.0(2.0)	2.21 +5	Zr XXV	3s ² 3p ⁴	³ P ₁ - ¹ S ₀	1.26	H
		477.6(1.3)	1.72 +5	Ga XXIV	2s ² 2p ⁴	³ P ₂ - ³ P ₁	2.14	
477.6(3)		477.6(3)	4.48 +3	Ni XXII	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	1.89	HSCS
	Q	478.(2)	1.08 +3	Mo XXVII	3s ² 3p ⁴	¹ D ₂ - ¹ S ₀	1.43	
		479.9(1.0)	1.52 +5	Ga XXV	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	2.28	
		483.99(17)	3.02 +2	Cl XIV	2s 2p	³ P ₀ - ¹ P ₁	0.750	
		486.6(1.2)	4.81 +3	Br XXIV	3s 3p	³ P ₁ - ¹ P ₁	1.10	
		488.80(18)	4.78 +4	Ge XXVI	2s ² 2p ³	² P _{1/2} - ² P _{3/2}	2.46	
490.1(3)		490.1(5)	7.60 +4	Mo XXX	3s ² 3p	² P _{1/2} - ² P _{3/2}	1.66	DHSC
		490.6(1.4)	1.32 +4	As XXVII	2s ² 2p ³	² D _{3/2} - ² P _{1/2}	2.64	
493.8(3)		493.79(24)	6.42 +4	Cr XVII	2s ² 2p ⁴	³ P ₁ - ¹ S ₀	1.19	HSCS
		494.6(1.7)	6.76 +4	Rb XXIV	3s ² 3p ²	³ P ₁ - ¹ S ₀	1.13	
		495.8(2.3)	5.43 +4	Nb XXVIII	3s ² 3p ²	³ P ₁ - ¹ D ₂	1.50	
		497.59(17)	2.08 +2	Cl XIV	2s 2p	³ P ₁ - ¹ P ₁	0.750	
498.2(2)		498.5(2.5)	1.55 +4	Mo XXVIII	3s ² 3p ³	⁴ S _{3/2} - ² D _{5/2}	1.49	DHST
		498.88(6)	5.09 +3	Sc XV	2s ² 2p ³	⁴ S _{3/2} - ² P _{3/2}	0.93	
		501.15(18)	4.93 +2	Ar XV	2s 2p	³ P ₂ - ¹ P ₁	0.855	
505.9(3)		505.82(6)	4.94 +3	Ti XVI	2s ² 2p ³	⁴ S _{3/2} - ² P _{1/2}	1.04	H
		506.7(2.1)	3.96 +4	Y XXV	3s ² 3p ³	⁴ S _{3/2} - ² P _{1/2}	1.24	
		507.9(4)	1.37 +5	Zn XXII	2s ² 2p ⁵	² P _{3/2} - ² P _{1/2}	1.83	
		509.0(2.4)	5.13 +4	Nb XXVI	3s ² 3p ⁴	³ P ₂ - ¹ D ₂	1.34	
		510.0(1.5)	4.26 +3	As XXII	3s 3p	³ P ₀ - ¹ P ₁	0.90	
511.2(5)		510.83(13)	1.68 +4	Sc XVI	2s ² 2p ²	³ P ₁ - ¹ S ₀	1.01	H
		514.4(1.5)	4.44 +3	Br XXI	3s ² 3p ³	⁴ S _{3/2} - ² P _{3/2}	0.91	
	Q	514.0(8)	1.44 +2	Ni XXI	2s ² 2p ⁴	¹ D ₂ - ¹ S ₀	1.76	
		519.6(1.3)	1.30 +4	Ge XXVI	2s ² 2p ³	² D _{3/2} - ² P _{1/2}	2.46	
		520.6(1.1)	3.40 +3	Se XXIII	3s 3p	³ P ₁ - ¹ P ₁	1.00	
		522.5(2.5)	3.21 +4	Nb XXVII	3s ² 3p ³	² D _{5/2} - ² P _{3/2}	1.41	
		522.4(2.2)	1.60 +5	Y XXIV	3s ² 3p ⁴	³ P ₁ - ¹ S ₀	1.18	
		522.1(6)	2.43 +3	Co XXI	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	1.74	
522.8(3)		522.66(27)	6.26 +4	Cu XXV	2s ² 2p	² P _{1/2} - ² P _{3/2}	2.22	HSCS
		523.3(8)	2.58 +4	Co XXII	2s ² 2p ²	³ P ₁ - ¹ D ₂	1.85	
		523.7(2.2)	1.62 +4	Y XXV	3s ² 3p ³	² D _{3/2} - ² P _{3/2}	1.24	
		524.3(9)	2.99 +4	Ni XXII	2s ² 2p ³	² D _{5/2} - ² P _{3/2}	1.89	
	Q	524.8(2.7)	3.02 +1	Kr XXXI	2s ² 2p ²	¹ D ₂ - ¹ S ₀	3.46	

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

	Wavelength		A (s^{-1})	Spectrum	Config.	Classification	I. E. (keV)	Ref. (Obs. λ)
	Observed	Calculated						
		525.21(6)	1.58 +2	S XIII	2s 2p	$^3P_0 - ^1P_1$	0.652	
		528.3(6)	2.73 +4	Co XX	$2s^2 2p^4$	$^3P_2 - ^1D_2$	1.60	
529.9(2)		529.75(15)	4.09 +4	V XVI	$2s^2 2p^4$	$^3P_1 - ^1S_0$	1.06	FBM
	Q	530.(3)	7.37 +2	Nb XXVI	$3s^2 3p^4$	$^1D_2 - ^1S_0$	1.34	
530.3(3)		530.3(2.8)	6.68 +4	Mo XXIX	$3s^2 3p^2$	$^3P_2 - ^1D_2$	1.59	H
		531.69(20)	2.85 +2	Cl XIV	2s 2p	$^3P_2 - ^1P_1$	0.750	
		533.0(1.0)	9.91 +4	Zn XXIV	$2s^2 2p^3$	$^4S_{3/2} - ^2D_{3/2}$	2.10	
534.9(3)		534.9(5)	1.17 +5	Mo XXVI	$3s^2 3p^5$	$^2P_{3/2} - ^2P_{1/2}$	1.37	DHSC
		535.1(1.6)	9.76 +4	Ga XXVI	$2s^2 2p^2$	$^3P_0 - ^3P_1$	2.45	
		537.29(6)	1.10 +2	S XIII	2s 2p	$^3P_1 - ^1P_1$	0.652	
		538.(5)	4.88 +4	Kr XXIII	$3s^2 3p^2$	$^3P_1 - ^1S_0$	1.05	
540.0(3)		539.8(8)	5.78 +4	Cu XXIV	$2s^2 2p^2$	$^3P_2 - ^1D_2$	2.09	HSCS
		541.01(7)	2.96 +3	Sc XV	$2s^2 2p^3$	$^4S_{3/2} - ^2P_{1/2}$	0.93	
541.35(5)		541.42(12)	4.49 +4	Fe XX	$2s^2 2p^3$	$^2D_{3/2} - ^2P_{3/2}$	1.58	W
	Q	542.7(2.9)	2.94 +1	Br XXX	$2s^2 2p^2$	$^1D_2 - ^1S_0$	3.24	
		545.38(13)	3.23 +3	Ca XIV	$2s^2 2p^3$	$^4S_{3/2} - ^2P_{3/2}$	0.82	
		547.9(8)	2.89 +3	Ge XXI	3s 3p	$^3P_0 - ^1P_1$	0.80	
		550.5(6)	5.38 +4	Nb XXIX	$3s^2 3p$	$^2P_{1/2} - ^2P_{3/2}$	1.56	
551.5(3)		551.1(2.6)	3.83 +4	Zr XXVII	$3s^2 3p^2$	$^3P_1 - ^1D_2$	1.41	DH
		552.9(1.3)	1.25 +4	Ga XXV	$2s^2 2p^3$	$^2D_{3/2} - ^2P_{1/2}$	2.28	
		552.9(6)	7.57 +4	Zn XXVII	2s 2p	$^3P_1 - ^3P_2$	2.60	
		552.8(2.3)	2.81 +4	Sr XXIV	$3s^2 3p^3$	$^4S_{3/2} - ^2P_{1/2}$	1.16	
		554.2(2.7)	1.05 +4	Nb XXVII	$3s^2 3p^3$	$^4S_{3/2} - ^2D_{5/2}$	1.41	
		555.21(15)	1.03 +4	Ca XV	$2s^2 2p^2$	$^3P_1 - ^1S_0$	0.89	
		556.9(1.3)	2.38 +3	As XXII	3s 3p	$^3P_1 - ^1P_1$	0.90	
		557.(3)	5.60 +4	Se XXVII	$2s^2 2p^4$	$^3P_0 - ^3P_1$	2.68	
		558.7(1.3)	1.09 +5	Zn XXIII	$2s^2 2p^4$	$^3P_2 - ^3P_1$	1.97	
	Q	562.(3)	2.88 +1	Se XXIX	$2s^2 2p^2$	$^1D_2 - ^1S_0$	3.03	
564.9(3)		565.4(2.7)	3.63 +4	Zr XXV	$3s^2 3p^4$	$^3P_2 - ^1D_2$	1.26	DHSC
		566.96(7)	1.57 +2	S XIII	2s 2p	$^3P_2 - ^1P_1$	0.652	
		567.41(16)	2.55 +4	Ti XV	$2s^2 2p^4$	$^3P_1 - ^1S_0$	0.94	
567.76(5)		568.9(1.0)	1.27 +3	Fe XX	$2s^2 2p^3$	$^4S_{3/2} - ^2D_{5/2}$	1.58	W
569.8(1)		569.(3)	9.50 +4	Mo XXVII	$3s^2 3p^4$	$^3P_2 - ^3P_1$	1.43	DHSC
		571.87(7)	9.46 +1	P XII	2s 2p	$^3P_0 - ^1P_1$	0.561	
T 569.2(5)		572.0(1.6)	3.77 +3	Se XX	$3s^2 3p^3$	$^4S_{3/2} - ^2P_{3/2}$	0.83	H
		571.8(2.4)	1.16 +5	Sr XXIII	$3s^2 3p^4$	$^3P_1 - ^1S_0$	1.10	
	Q	574.9(9)	1.01 +2	Co XX	$2s^2 2p^4$	$^1D_2 - ^1S_0$	1.60	
577.5(3)		577.5(4)	6.33 +4	Mo XXXI	3s 3p	$^3P_1 - ^3P_2$	1.80	DHSC
		580.05(14)	1.73 +3	Ca XIV	$2s^2 2p^3$	$^4S_{3/2} - ^2P_{1/2}$	0.82	
		580.1(1.4)	2.91 +4	Ga XXV	$2s^2 2p^3$	$^2P_{1/2} - ^2P_{3/2}$	2.28	
		580.9(2.4)	5.39 +4	Sr XXIV	$3s^2 3p^3$	$^2D_{3/2} - ^2P_{3/2}$	1.16	
582.3(2)		582.(3)	2.29 +4	Zr XXVI	$3s^2 3p^3$	$^2D_{5/2} - ^2P_{3/2}$	1.32	DHST

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength		A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	Observed	Calculated						
	Q	582.2(2.9)	2.81 +1	As XXVIII	2s ² 2p ²	1D ₂ - 1S ₀	2.83	
		582.57(5)	6.76 +1	P XII	2s 2p	3P ₁ - 1P ₁	0.561	
		584.1(1.9)	3.51 +4	Br XXII	3s ² 3p ²	3P ₁ - 1S ₀	0.96	
585.0(3)		585.3(1.0)	6.40 +4	Cu XXIII	2s ² 2p ³	4S _{3/2} - 2D _{3/2}	1.94	HSCS
585.8(3)		585.79(17)	1.59 +4	Fe XXI	2s ² 2p ²	3P ₁ - 1D ₂	1.69	HSCS
		588.6(2.0)	1.93 +3	Ga XX	3s 3p	3P ₀ - 1P ₁	0.70	
	Q	590.(3)	5.00 +2	Zr XXV	3s ² 3p ⁴	1D ₂ - 1S ₀	1.26	
		591.6(1.2)	1.17 +4	Zn XXIV	2s ² 2p ³	2D _{3/2} - 2P _{1/2}	2.10	
592.3(3)		592.2(4)	8.62 +4	Cu XXI	2s ² 2p ⁵	2P _{3/2} - 2P _{1/2}	1.54	HSCS
592.234(6)		592.235(7)	1.73 +4	Fe XIX	2s ² 2p ⁴	3P ₂ - 1D ₂	1.47	PSS
		594.6(4)	1.98 +3	K XIII	2s ² 2p ³	4S _{3/2} - 2P _{3/2}	0.71	
		595.6(7)	1.64 +3	Ge XXI	3s 3p	3P ₁ - 1P ₁	0.80	
		596.(3)	4.70 +4	Nb XXVIII	3s ² 3p ²	3P ₂ - 1D ₂	1.50	
		597.1(1.0)	1.95 +4	Co XXI	2s ² 2p ³	2D _{5/2} - 2P _{3/2}	1.74	
		601.6(6)	8.23 +4	Nb XXV	3s ² 3p ⁵	2P _{3/2} - 2P _{1/2}	1.28	
		603.58(20)	6.10 +3	K XIV	2s ² 2p ²	3P ₁ - 1S ₀	0.79	
		603.6(2.5)	1.93 +4	Rb XXIII	3s ² 3p ³	4S _{3/2} - 2P _{1/2}	1.07	
	Q	604.2(2.6)	2.75 +1	Ge XXVII	2s ² 2p ²	1D ₂ - 1S ₀	2.64	
606.5(5)		606.77(15)	1.55 +4	Sc XIV	2s ² 2p ⁴	3P ₁ - 1S ₀	0.83	H
		607.95(8)	1.01 +2	P XII	2s 2p	3P ₂ - 1P ₁	0.561	
T 609.8(3)		609.6(1.5)	9.56 +3	Mo XXXI	3s 3p	3P ₂ - 1P ₁	1.80	DHSC
609.9(3)		609.9(3)	3.94 +4	Ni XXIV	2s ² 2p	2P _{1/2} - 2P _{3/2}	2.13	HSCS
		614.(3)	8.92 +3	Y XXVI	3s ² 3p ²	3P ₁ - 1D ₂	1.32	
614.8(3)		614.8(3)	3.71 +4	Ni XXIII	2s ² 2p ²	3P ₂ - 1D ₂	2.01	HSCS
		615.6(8)	6.50 +2	Mn XIX	2s ² 2p ³	4S _{3/2} - 2D _{5/2}	1.44	
616.0(2)		616.(3)	6.97 +3	Zr XXVI	3s ² 3p ³	4S _{3/2} - 2D _{5/2}	1.32	DHST
618.5(3)		618.(4)	6.03 +4	Mo XXIX	3s ² 3p ²	3P ₀ - 3P ₁	1.59	DHSC
618.5(3)		618.5(7)	3.78 +4	Zr XXVIII	3s ² 3p	2P _{1/2} - 2P _{3/2}	1.47	DHSC
		622.1(4)	9.91 +2	K XIII	2s ² 2p ³	4S _{3/2} - 2P _{1/2}	0.71	
		623.6(2.0)	8.15 +3	Nb XXX	3s 3p	3P ₂ - 1P ₁	1.70	
		625.4(2.6)	8.27 +4	Rb XXII	3s ² 3p ⁴	3P ₁ - 1S ₀	1.02	
		625.2(1.1)	2.66 +4	Mn XIX	2s ² 2p ³	2D _{3/2} - 2P _{3/2}	1.44	
		625.48(6)	3.75 +1	Si XI	2s 2p	3P ₀ - 1P ₁	0.476	
	Q	628.0(2.2)	2.69 +1	Ga XXVI	2s ² 2p ²	1D ₂ - 1S ₀	2.45	
		629.(3)	2.55 +4	Y XXIV	3s ² 3p ⁴	3P ₂ - 1D ₂	1.18	
		632.2(2.3)	1.28 +3	Zn XIX	3s 3p	3P ₀ - 1P ₁	0.70	
		634.0(1.7)	5.95 +4	Zn XXV	2s ² 2p ²	3P ₀ - 3P ₁	2.27	
		634.78(6)	2.68 +1	Si XI	2s 2p	3P ₁ - 1P ₁	0.476	
634.8(3)		634.8(3)	4.11 +4	Ni XXII	2s ² 2p ³	4S _{3/2} - 2D _{3/2}	1.89	HSCS
T 639.6(3)		634.5(2.0)	2.49 +4	Se XXI	3s ² 3p ²	3P ₁ - 1S ₀	0.88	DHSC
		634.8(1.8)	3.11 +3	As XIX	3s ² 3p ³	4S _{3/2} - 2P _{3/2}	0.76	
		636.7(1.2)	1.05 +4	Cu XXIII	2s ² 2p ³	2D _{3/2} - 2P _{1/2}	1.94	

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength Calculated	A (s^{-1})	Spectrum	Config.	Classification	I.E. (KeV)	Ref. (Obs. λ)
	636.7(1.6)	1.12 +3	Ga XX	3s 3p	$^3P_1 - ^1P_1$	0.70	
	638.5(2.0)	6.88 +3	Zr XXIX	3s 3p	$^3P_2 - ^1P_1$	1.60	
637.1(2)	639.(4)	8.04 +4	Mo XXVIII	$3s^2 3p^3$	$^4S_{3/2} - ^2D_{3/2}$	1.49	DHST
	Q 639.84(16)	7.33 +1	Fe XIX	$2s^2 2p^4$	$^1D_2 - ^1S_0$	1.47	
643.0(5)	642.(4)	2.04 +4	Mo XXVIII	$3s^2 3p^3$	$^2P_{1/2} - ^2P_{3/2}$	1.49	DHST
	644.(4)	6.64 +4	Nb XXVI	$3s^2 3p^4$	$^3P_2 - ^3P_1$	1.34	
648.0(3)	648.0(6)	4.74 +4	Cu XXVI	2s 2p	$^3P_1 - ^3P_2$	2.41	HSCS
	648.71(21)	9.17 +3	Ca XIII	$2s^2 2p^4$	$^3P_1 - ^1S_0$	0.73	
	648.93(27)	1.17 +3	Ar XII	$2s^2 2p^3$	$^4S_{3/2} - ^2P_{3/2}$	0.618	
	648.8(2.8)	3.67 +4	Rb XXIII	$3s^2 3p^3$	$^2D_{3/2} - ^2P_{3/2}$	1.07	
	650.(3)	4.03 +4	Y XXV	$3s^2 3p^3$	$^2D_{5/2} - ^2P_{3/2}$	1.24	
	653.1(6)	4.42 +4	Nb XXX	3s 3p	$^3P_1 - ^3P_2$	1.70	
	653.6(2.2)	3.68 +4	Y XXVIII	3s 3p	$^3P_2 - ^1P_1$	1.50	
	Q 653.8(1.8)	2.61 +1	Zn XXV	$2s^2 2p^2$	$^1D_2 - ^1S_0$	2.27	
	654.(5)	1.37 +4	Kr XXII	$3s^2 3p^3$	$^4S_{3/2} - ^2P_{1/2}$	0.99	
	655.0(1.2)	9.56 +3	Mn XX	$2s^2 2p^2$	$^3P_1 - ^1D_2$	1.54	
	Q 656.(4)	3.40 +2	Y XXIV	$3s^2 3p^4$	$^1D_2 - ^1S_0$	1.18	
	656.34(6)	4.05 +1	Si XI	2s 2p	$^3P_2 - ^1P_1$	0.476	
	656.73(28)	3.51 +3	Ar XIII	$2s^2 2p^2$	$^3P_1 - ^1S_0$	0.686	
657.7(3)	657.7(1.2)	6.78 +4	Cu XXII	$2s^2 2p^4$	$^3P_2 - ^3P_1$	1.67	
663.1(3)	663.1(9)	3.22 +2	Cr XVIII	$2s^2 2p^3$	$^4S_{3/2} - ^2D_{5/2}$	1.30	DH
	664.0(1.4)	1.08 +4	Mn XVIII	$2s^2 2p^4$	$^3P_2 - ^1D_2$	1.32	
	669.7(2.3)	4.77 +3	Sr XXVII	3s 3p	$^3P_2 - ^1P_1$	1.40	
	669.97(29)	5.49 +2	Ar XII	$2s^2 2p^3$	$^4S_{3/2} - ^2P_{1/2}$	0.618	
670.8(3)	670.(4)	3.31 +4	Zr XXVII	$3s^2 3p^2$	$^3P_2 - ^1D_2$	1.41	DH
	679.1(1.8)	8.36 +2	Cu XVIII	3s 3p	$^3P_0 - ^1P_1$	0.60	
679.3(3)	679.39(20)	1.27 +4	Fe XX	$2s^2 2p^3$	$^2D_{5/2} - ^2P_{3/2}$	1.58	H
679.1(3)	679.5(7)	5.73 +4	Zr XXIV	$3s^2 3p^5$	$^2P_{3/2} - ^2P_{1/2}$	1.20	DHSC
	680.1(1.0)	2.62 +4	Co XXI	$2s^2 2p^3$	$^4S_{3/2} - ^2D_{3/2}$	1.74	
	680.2(1.9)	7.56 +2	Zn XIX	3s 3p	$^3P_1 - ^1P_1$	0.70	
	Q 681.9(1.3)	2.53 +1	Cu XXIV	$2s^2 2p^2$	$^1D_2 - ^1S_0$	2.09	
	683.3(2.0)	5.87 +4	Kr XXI	$3s^2 3p^4$	$^3P_1 - ^1S_0$	0.94	
	684.(3)	1.84 +4	Sr XXV	$3s^2 3p^2$	$^3P_1 - ^1D_2$	1.22	
	686.(5)	9.24 +3	Y XXV	$3s^2 3p^3$	$^4S_{3/2} - ^2D_{5/2}$	1.24	
	687.0(2.4)	3.91 +3	Rb XXVI	3s 3p	$^3P_2 - ^1P_1$	1.30	
	688.(4)	3.10 +4	As XXVI	$2s^2 2p^4$	$^3P_0 - ^3P_1$	2.49	
	688.03(17)	1.67 +1	Al X	2s 2p	$^3P_0 - ^1P_1$	0.399	
	689.0(2.1)	1.75 +4	As XX	$3s^2 3p^2$	$^3P_1 - ^1S_0$	0.81	
	689.8(1.5)	9.11 +3	Ni XXII	$2s^2 2p^3$	$^2D_{3/2} - ^2P_{1/2}$	1.89	
	694.13(25)	5.27 +3	K XII	$2s^2 2p^4$	$^3P_1 - ^1S_0$	0.63	
	694.4(1.7)	1.73 +4	Zn XXIV	$2s^2 2p^3$	$^2P_{1/2} - ^2P_{3/2}$	2.10	
694.64(3)	694.64(3)	5.34 +4	Ni XX	$2s^2 2p^5$	$^2P_{3/2} - ^2P_{1/2}$	1.65	PSS

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	695.93(18)	1.21 +1	Al X	2s 2p	³ P ₁ - ¹ P ₁	0.399	
	696.5(1.4)	2.38 +4	Co XXII	2s ² 2p ²	³ P ₂ - ¹ D ₂	1.85	
698.3(2)	697.9(7)	2.60 +4	Y XXVII	3s ² 3p	² P _{1/2} - ² P _{3/2}	1.37	RPSKR
	700.(3)	1.78 +4	Sr XXIII	3s ² 3p ⁴	³ P ₂ - ¹ D ₂	1.10	
703.6(2)	703.1(1.9)	2.47 +3	Ge XVIII	3s ² 3p ³	⁴ S _{3/2} - ² P _{3/2}	0.69	DHST
	705.(5)	4.11 +4	Nb XXVIII	3s ² 3p ²	³ P ₀ - ³ P ₁	1.50	
	705.7(2.5)	3.16 +3	Kr XXV	3s 3p	³ P ₂ - ¹ P ₁	1.22	
Q	707.2(2.1)	5.53 +1	Mn XVIII	2s ² 2p ⁴	¹ D ₂ - ¹ S ₀	1.32	
	708.6(5)	6.54 +2	Cl XI	2s ² 2p ³	⁴ S _{3/2} - ² P _{3/2}	0.529	
	709.5(2.8)	9.37 +3	Br XXI	3s ² 3p ³	⁴ S _{3/2} - ² P _{1/2}	0.91	
	712.96(14)	1.53 +2	V XVII	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	1.17	
	713.98(18)	1.87 +1	Al X	2s 2p	³ P ₂ - ¹ P ₁	0.399	
	716.1(5)	1.95 +3	Cl XII	2s ² 2p ²	³ P ₁ - ¹ S ₀	0.592	
	717.9(1.5)	2.42 +4	Co XXIII	2s ² 2p	² P _{1/2} - ² P _{3/2}	1.96	
Q	718.1(2.1)	2.37 +1	Ni XXIII	2s ² 2p ²	¹ D ₂ - ¹ S ₀	2.01	
	721.(3)	2.52 +4	Kr XXII	3s ² 3p ³	² D _{3/2} - ² P _{3/2}	0.99	
	722.(5)	5.50 +4	Nb XXVII	3s ² 3p ³	⁴ S _{3/2} - ² D _{3/2}	1.41	
722.1(3)	722.56(16)	1.56 +4	Cr XVIII	2s ² 2p ³	² D _{3/2} - ² P _{3/2}	1.30	DH
	723.2(1.6)	1.64 +4	Fe XX	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	1.58	
	724.4(5)	2.94 +2	Cl XI	2s ² 2p ³	⁴ S _{3/2} - ² P _{1/2}	0.529	
	725.9(2.7)	2.52 +3	Br XXIV	3s 3p	³ P ₂ - ¹ P ₁	1.10	
	726.(4)	1.15 +4	Sr XXIV	3s ² 3p ³	² D _{5/2} - ² P _{3/2}	1.16	
	726.4(2.1)	5.04 +2	Cu XVIII	3s 3p	³ P ₁ - ¹ P ₁	0.60	
Q	730.(4)	2.32 +2	Sr XXIII	3s ² 3p ⁴	¹ D ₂ - ¹ S ₀	1.10	
	730.35(16)	5.37 +2	Ni XVII	3s 3p	³ P ₀ - ¹ P ₁	0.57	
731.8(2)	731.(5)	4.58 +4	Zr XXV	3s ² 3p ⁴	³ P ₂ - ³ P ₁	1.26	DHSC
731.1(3)	731.07(8)	5.62 +3	Cr XIX	2s ² 2p ²	³ P ₁ - ¹ D ₂	1.40	HSCS
	734.(5)	1.39 +4	Nb XXVII	3s ² 3p ³	² P _{1/2} - ² P _{3/2}	1.41	
740.75(3)	740.75(3)	6.67 +3	Cr XVII	2s ² 2p ⁴	³ P ₂ - ¹ D ₂	1.19	PSS
741.5(3)	741.5(4)	3.04 +4	Zr XXIX	3s 3p	³ P ₁ - ³ P ₂	1.60	DHSC
	745.(3)	4.14 +4	Br XX	3s ² 3p ⁴	³ P ₁ - ¹ S ₀	0.86	
	746.0(4)	2.91 +3	Ar XI	2s ² 2p ⁴	³ P ₁ - ¹ S ₀	0.539	
	747.7(2.2)	1.99 +3	Se XXIII	3s 3p	³ P ₂ - ¹ P ₁	1.00	
Q	747.9(1.6)	2.36 +1	Co XXII	2s ² 2p ²	¹ D ₂ - ¹ S ₀	1.85	
746.9(3)	747.7(2.1)	1.22 +4	Ge XIX	3s ² 3p ²	³ P ₁ - ¹ S ₀	0.73	H
	750.6(1.6)	7.57 +3	Co XXI	2s ² 2p ³	² D _{3/2} - ² P _{1/2}	1.74	
	756.(5)	2.26 +4	Y XXVI	3s ² 3p ²	³ P ₂ - ¹ D ₂	1.32	
756.9(3)	757.0(1.6)	3.55 +4	Cu XXIV	2s ² 2p ²	³ P ₀ - ³ P ₁	2.09	HSCS
	758.9(1.3)	1.02 +4	Mn XIX	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	1.44	
	762.(4)	2.91 +3	Sr XXIV	3s ² 3p ³	⁴ S _{3/2} - ² D _{5/2}	1.16	
	762.29(20)	6.92 +0	Mg IX	2s 2p	³ P ₀ - ¹ P ₁	0.328	
	764.(4)	1.25 +4	Rb XXIV	3s ² 3p ²	³ P ₁ - ¹ D ₂	1.13	

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

	Wavelength		A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	Observed	Calculated						
		764.6(1.8)	2.87 +4	Ni XXV	2s 2p	³ P ₁ - ³ P ₂	2.30	
		764.99(15)	7.16 +1*	Ti XVI	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	1.04	
T	766.6(2)	767.(3)	6.36 +3	Se XX	3s ² 3p ³	⁴ S _{3/2} - ² P _{1/2}	0.83	DHST
	769.1(4)	768.8(7)	9.67 +3	Y XXIII	3s ² 3p ⁵	² F _{3/2} - ² F _{1/2}	1.12	RPSKR
		768.90(20)	5.05 +0	Mg IX	2s 2p	³ P ₁ - ¹ P ₁	0.328	
		771.6(2.4)	1.54 +3	As XXII	3s 3p	³ P ₂ - ¹ P ₁	0.90	
		773.5(1.7)	8.13 +3	Mn XIX	2s ² 2p ³	² D _{5/2} - ² P _{3/2}	1.44	
		776.37(3)	3.48 +2	S X	2s ² 2p ³	⁴ S _{3/2} - ² F _{3/2}	0.447	
		776.9(2.0)	1.91 +3	Ga XVII	3s ² 3p ³	⁴ S _{3/2} - ² P _{3/2}	0.62	
		777.06(19)	3.30 +2	Ni XVII	3s 3p	³ P ₁ - ¹ P ₁	0.57	
	779.5(3)	779.48(12)	4.14 +4	Ni XXI	2s ² 2p ⁴	³ P ₂ - ³ P ₁	1.76	HSCS
		781.(4)	1.22 +4	Rb XXII	3s ² 3p ⁴	³ P ₂ - ¹ D ₂	1.02	
	Q	781.9(6)	4.19 +1	Cr XVII	2s ² 2p ⁴	¹ D ₂ - ¹ S ₀	1.19	
		782.96(17)	1.04 +3	S XI	2s ² 2p ²	³ P ₁ - ¹ S ₀	0.505	
		783.72(21)	7.95 +0	Mg IX	2s 2p	³ P ₂ - ¹ P ₁	0.328	
	Q	785.3(1.9)	2.27 +1	Fe XXI	2s ² 2p ²	¹ D ₂ - ¹ S ₀	1.69	
	786.1(3)	786.1(3)	1.51 +4	Fe XXI	2s ² 2p ²	³ P ₂ - ¹ D ₂	1.69	HSCS
		786.2(1.3)	3.42 +2	Co XVI	3s 3p	³ P ₀ - ¹ P ₁	0.51	
		787.56(3)	1.50 +2	S X	2s ² 2p ³	⁴ S _{3/2} - ² P _{1/2}	0.447	
		790.6(8)	1.81 +4	Sr XXVI	3s ² 3p	² P _{1/2} - ² F _{3/2}	1.28	
	793.3(3)	793.3(1.3)	6.12 +3	Cr XVIII	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	1.30	HSCS
		797.7(1.3)	1.17 +3	Ge XXI	3s 3p	³ P ₂ - ¹ P ₁	0.80	
		804.0(3)	1.55 +3	Cl X	2s ² 2p ⁴	³ P ₁ - ¹ S ₀	0.456	
	807.1(3)	807.(5)	2.77 +4	Zr XXVII	3s ² 3p ²	³ P ₀ - ³ P ₁	1.41	DHSC
		808.(4)	1.68 +4	Br XXI	3s ² 3p ³	² D _{3/2} - ² F _{3/2}	0.91	
	813.1(3)	811.1(2.1)	8.40 +3	Ga XVIII	3s ² 3p ²	³ P ₁ - ¹ S ₀	0.66	RPSKR
T	810.3(3)	811.(3)	2.89 +4	Se XIX	3s ² 3p ⁴	³ P ₁ - ¹ S ₀	0.79	H
	Q	813.(5)	1.60 +2	Rb XXII	3s ² 3p ⁴	¹ D ₂ - ¹ S ₀	1.02	
		813.3(4)	3.33 +3	V XVIII	2s ² 2p ²	³ P ₁ - ¹ D ₂	1.26	
	812.1(2)	815.(5)	3.73 +4	Zr XXVI	3s ² 3p ³	⁴ S _{3/2} - ² D _{3/2}	1.32	DHST
		817.(5)	7.95 +3	Rb XXIII	3s ² 3p ³	² D _{5/2} - ² P _{3/2}	1.07	
		819.9(1.3)	3.25 +4	Co XIX	2s ² 2p ⁵	² F _{3/2} - ² F _{1/2}	1.49	
		819.94(17)	3.20 +1*	Sc XV	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	0.93	
		822.2(3)	6.01 +3	Fe XX	2s ² 2p ³	² D _{3/2} - ² P _{1/2}	1.58	
		825.7(2.7)	8.75 +2	Ga XX	3s 3p	³ P ₂ - ¹ P ₁	0.70	
		826.2(3)	4.05 +3	V XVI	2s ² 2p ⁴	³ P ₂ - ¹ D ₂	1.06	
		826.92(19)	3.57 +3	V XVII	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	1.17	
	Q	827.7(2.5)	2.16 +1	Mn XX	2s ² 2p ²	¹ D ₂ - ¹ S ₀	1.54	
		828.(3)	4.24 +3	As XIX	3s ² 3p ³	⁴ S _{3/2} - ² P _{1/2}	0.76	
		831.9(1.4)	2.14 +2	Co XVI	3s 3p	³ P ₁ - ¹ P ₁	0.51	
	833.1(2)	833.(5)	2.07 +4	Y XXIV	3s ² 3p ⁴	³ P ₂ - ³ P ₁	1.18	RPSKR
		836.33(20)	9.04 +3	V XVII	2s ² 2p ³	² D _{3/2} - ² P _{3/2}	1.17	

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

	Wavelength		A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	Observed	Calculated						
		839.0(2.0)	1.00 +4	Cu XXIII	2s ² 2p ³	2P _{1/2} - 2P _{3/2}	1.94	
846.2(2)		844.(5)	9.25 +3	Zr XXVI	3s ² 3p ³	2P _{1/2} - 2P _{3/2}	1.32	DHST
845.55(1)		845.5(3)	1.48 +4	Fe XXII	2s ² 2p	2P _{1/2} - 2P _{3/2}	1.80	SH(82)
		845.6(1.0)	1.64 +4	Y XXVIII	3s 3p	3P ₁ - 3P ₂	1.50	
		847.43(20)	2.09 +2	Fe XV	3s 3p	3P ₀ - 1P ₁	0.46	
		849.(5)	1.80 +3	Rb XXIII	3s ² 3p ³	4S _{3/2} - 2D _{5/2}	1.07	
		852.31(5)	2.62 +0	Na VIII	2s 2p	3P ₀ - 1P ₁	0.264	
		853.61(15)	1.74 +2	P IX	2s ² 2p ³	4S _{3/2} - 2P _{3/2}	0.372	
853.8(1.0)		854.(5)	8.43 +3	Kr XXIII	3s ² 3p ²	3P ₁ - 1D ₂	1.05	RPSKR
		855.(5)	1.57 +4	Sr XXV	3s ² 3p ²	3P ₂ - 1D ₂	1.22	
		856.6(2.9)	6.43 +2	Zn XIX	3s 3p	3P ₂ - 1P ₁	0.70	
		856.6(1.9)	1.42 +3	Zn XVI	3s ² 3p ³	4S _{3/2} - 2P _{3/2}	0.55	
	Q	857.1(5)	3.33 +1	V XVI	2s ² 2p ⁴	1D ₂ - 1S ₀	1.06	
		857.66(5)	1.92 +0	Na VIII	2s 2p	3P ₁ - 1P ₁	0.264	
		860.08(21)	5.24 +2	P X	2s ² 2p ²	3P ₁ - 1S ₀	0.424	
		861.26(15)	7.34 +1	P IX	2s ² 2p ³	4S _{3/2} - 2P _{1/2}	0.372	
861.8(1)		861.85(19)	2.00 +3	Ti XVI	2s ² 2p ³	4S _{3/2} - 2D _{3/2}	1.04	H
T 859.9(3)		864.(5)	1.64 +4	Ge XXV	2s ² 2p ⁴	3P ₀ - 3P ₁	2.31	H
		869.64(5)	3.08 +0	Na VIII	2s 2p	3P ₂ - 1P ₁	0.264	
		871.73(16)	7.91 +2	S IX	2s ² 2p ⁴	3P ₁ - 1S ₀	0.379	
868.4(2)		872.(5)	8.35 +3	Kr XXI	3s ² 3p ⁴	3P ₂ - 1D ₂	0.94	RPSKR
		874.1(8)	2.69 +4	Sr XXII	3s ² 3p ⁵	2P _{3/2} - 2P _{1/2}	1.05	
	Q	875.6(8)	2.03 +1	Cr XIX	2s ² 2p ²	1D ₂ - 1S ₀	1.40	
		879.96(23)	5.14 +3	Cr XVIII	2s ² 2p ³	2D _{5/2} - 2P _{3/2}	1.30	
		879.4(2.0)	5.69 +3	Zn XVII	3s ² 3p ²	3P ₁ - 1S ₀	0.59	
		880.2(2.2)	9.51 +3	Mn XX	2s ² 2p ²	3P ₂ - 1D ₂	1.54	
		880.9(3)	1.35 +1*	Ca XIV	2s ² 2p ³	4S _{3/2} - 2D _{5/2}	0.82	
		881.(3)	2.00 +4	As XVIII	3s ² 3p ⁴	3P ₁ - 1S ₀	0.71	
T 890.2(2)		890.(3)	2.80 +3	Ge XVIII	3s ² 3p ³	4S _{3/2} - 2P _{1/2}	0.69	DHST
		890.4(3.2)	4.63 +2	Cu XVIII	3s 3p	3P ₂ - 1P ₁	0.60	
		890.84(17)	1.34 +2	Fe XV	3s 3p	3P ₁ - 1P ₁	0.46	
		899.2(9)	1.23 +4	Rb XXV	3s ² 3p	2P _{1/2} - 2P _{3/2}	1.19	
899.8(5)		899.28(20)	1.07 +3	Sc XV	2s ² 2p ³	4S _{3/2} - 2D _{3/2}	0.93	H
T 899.7(3)		900.9(4)	1.84 +3	Ti XVII	2s ² 2p ²	3P ₁ - 1D ₂	1.13	H
	Q	905.(5)	1.11 +2	Kr XXI	3s ² 3p ⁴	1D ₂ - 1S ₀	0.94	
		905.1(2.3)	1.74 +4	Co XXIV	2s 2p	3P ₁ - 3P ₂	2.12	
		906.3(2.3)	4.54 +3	Mn XIX	2s ² 2p ³	2D _{3/2} - 2P _{1/2}	1.44	
T 908.8(2)		908.(4)	1.10 +4	Se XX	3s ² 3p ³	2D _{3/2} - 2P _{3/2}	0.83	DHST
		910.(8)	1.24 +4	Mo XXVII	3s ² 3p ⁴	3P ₀ - 3P ₁	1.43	
911.0(3)		911.00(25)	2.07 +4	Ni XXIII	2s ² 2p ²	3P ₀ - 3P ₁	2.01	HSCS
912.0(3)		912.(5)	5.59 +3	Kr XXII	3s ² 3p ³	2D _{5/2} - 2P _{3/2}	0.99	RPSKR
		914.8(8)	1.26 +2	Mn XIV	3s 3p	3P ₀ - 1P ₁	0.40	

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
914.7(1.0)	919.(6)	1.15 +4	Y XXV	3s ² 3p ³	4S _{3/2} - 2D _{3/2}	1.24	RPSKR
919.73(8)	919.71(9)	2.42 +3	Ti XV	2s ² 2p ⁴	3P ₂ - 1D ₂	0.94	PSS
	Q 925.2(1.0)	1.93 +1	V XVIII	2s ² 2p ²	1D ₂ - 1S ₀	1.26	
	928.76(27)	3.26 +2	Ni XVII	3s 3p	3P ₂ - 1P ₁	0.57	
927.7(3)	929.(6)	1.80 +4	Y XXVI	3s ² 3p ²	3P ₀ - 3P ₁	1.32	RPSKR
	930.9(1.9)	2.47 +4	Co XX	2s ² 2p ⁴	3P ₂ - 3P ₁	1.60	
	936.(5)	1.11 +3	Kr XXII	3s ² 3p ³	4S _{3/2} - 2D _{5/2}	0.99	
	Q 936.3(4)	2.72 +1	Ti XV	2s ² 2p ⁴	1D ₂ - 1S ₀	0.94	
944.6(2)	942.4(1.8)	1.03 +3	Cu XV	3s ² 3p ³	4S _{3/2} - 2P _{3/2}	0.48	DHST
	944.38(4)	8.14 +1	Si VIII	2s ² 2p ³	4S _{3/2} - 2P _{3/2}	0.304	
	944.6(4)	5.35 +2	Ca XIV	2s ² 2p ³	4S _{3/2} - 2D _{3/2}	0.82	
	945.1(9)	5.58 +0*	K XIII	2s ² 2p ³	4S _{3/2} - 2D _{5/2}	0.71	
	949.24(4)	3.37 +1	Si VIII	2s ² 2p ³	4S _{3/2} - 2P _{1/2}	0.304	
	950.08(23)	2.51 +2	Si IX	2s ² 2p ²	3P ₁ - 1S ₀	0.351	
	952.1(3)	3.82 +2	P VIII	2s ² 2p ⁴	3P ₁ - 1S ₀	0.310	
952.8(3)	953.3(1.8)	3.81 +3	Cu XVI	3s ² 3p ²	3P ₁ - 1S ₀	0.52	DHSC
	954.(6)	2.11 +4	Sr XXIII	3s ² 3p ⁴	3P ₂ - 3P ₁	1.10	
T 952.9(3)	954.(3)	1.37 +4	Ge XVII	3s ² 3p ⁴	3P ₁ - 1S ₀	0.64	DHSC
	955.9(2.8)	1.82 +3	Ga XVII	3s ² 3p ³	4S _{3/2} - 2P _{1/2}	0.62	
	956.(5)	5.58 +3	Br XXII	3s ² 3p ²	3P ₁ - 1D ₂	0.96	
	956.7(9)	8.21 +1	Mn XIV	3s 3p	3P ₁ - 1P ₁	0.40	
	964.20(19)	8.85 -1	Ne VII	2s 2p	3P ₀ - 1P ₁	0.207	
	967.5(1.3)	1.39 +4	Sr XXVII	3s 3p	3P ₁ - 3P ₂	1.40	
	968.45(19)	6.54 -1	Ne VII	2s 2p	3P ₁ - 1P ₁	0.207	
968.9(3)	968.80(20)	5.16 +3	Ti XVI	2s ² 2p ³	2D _{3/2} - 2P _{3/2}	1.04	H
	969.(6)	1.07 +4	Rb XXIV	3s ² 3p ²	3P ₂ - 1D ₂	1.13	
	972.7(1.9)	2.26 +2	Co XVI	3s 3p	3P ₂ - 1P ₁	0.51	
974.86(2)	974.858(19)	1.93 +4	Fe XVIII	2s ² 2p ⁵	2P _{3/2} - 2P _{1/2}	1.36	PSS
	975.(5)	5.64 +3	Br XX	3s ² 3p ⁴	3P ₂ - 1D ₂	0.86	
	977.(7)	5.87 +3	Y XXV	3s ² 3p ³	2P _{1/2} - 2P _{3/2}	1.24	
	977.(9)	6.14 +3	Kr XXX	2s ² 2p ³	2D _{3/2} - 2D _{5/2}	3.23	
	977.86(20)	1.06 +0	Ne VII	2s 2p	3P ₂ - 1P ₁	0.207	
979.0(3)	979.06(14)	5.93 +3	Cr XIX	2s ² 2p ²	3P ₂ - 1D ₂	1.40	HSCS
	Q 985.0(7)	1.77 +1	Ti XVII	2s ² 2p ²	1D ₂ - 1S ₀	1.13	
	986.5(1.0)	7.59 +1	Cr XIII	3s 3p	3P ₀ - 1P ₁	0.35	
	989.(10)	3.04 +4	Kr XXIX	2s ² 2p ⁴	3P ₁ - 1D ₂	3.07	
	989.(8)	9.74 +2	Mo XXVIII	3s ² 3p ³	2D _{3/2} - 2P _{1/2}	1.49	
	993.6(1.0)	2.54 +2	K XIII	2s ² 2p ³	4S _{3/2} - 2D _{3/2}	0.71	
	996.0(5)	1.02 +3	Sc XVI	2s ² 2p ²	3P ₁ - 1D ₂	1.01	
	997.61(28)	3.23 +3	V XVII	2s ² 2p ³	2D _{5/2} - 2P _{3/2}	1.17	
	998.1(9)	1.80 +4	Rb XXI	3s ² 3p ⁵	2P _{3/2} - 2P _{1/2}	0.97	
	999.6(3)	3.33 +3	Cr XVIII	2s ² 2p ³	2D _{3/2} - 2P _{1/2}	1.30	

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	Q 1006.(5)	7.80 +1	Br XX	3s ² 3p ⁴	¹ D ₂ - ¹ S ₀	0.86	
	1006.4(3.0)	8.79 +3	Mn XXI	2s ² 2p	² P _{1/2} - ² P _{3/2}	1.64	
	1010.(10)	2.73 +3	Br XXVIII	2s ² 2p ⁴	³ P ₁ - ¹ D ₂	2.87	
	Q 1018.4(6)	2.28 +1	Sc XIV	2s ² 2p ⁴	¹ D ₂ - ¹ S ₀	0.83	
	1018.6(7)	2.17 +0*	Ar XII	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	0.618	
	1019.4(3)	1.50 +2	Fe XV	3s 3p	³ P ₂ - ¹ P ₁	0.46	
	1022.6(4)	1.41 +3	Sc XIV	2s ² 2p ⁴	³ P ₂ - ¹ D ₂	0.83	
	1024.(6)	3.84 +3	Br XXI	3s ² 3p ³	² D _{5/2} - ² P _{3/2}	0.91	
	1024.6(2.7)	1.17 +3	Zn XVI	3s ² 3p ³	⁴ S _{3/2} - ² P _{1/2}	0.55	
	1025.(5)	5.61 +3	Ni XXII	2s ² 2p ³	² P _{1/2} - ² P _{3/2}	1.89	
	1025.(4)	7.06 +3	As XIX	3s ² 3p ³	² D _{3/2} - ² P _{3/2}	0.76	
	1027.0(1.0)	8.27 +3	Kr XXIV	3s ² 3p	² P _{1/2} - ² P _{3/2}	1.10	
	1028.(9)	5.41 +3	Br XXIX	2s ² 2p ³	² D _{3/2} - ² D _{5/2}	3.03	
	1028.49(10)	5.03 +1	Cr XIII	3s 3p	³ P ₁ - ¹ P ₁	0.35	
	1030.(8)	1.01 +3	Nb XXVII	3s ² 3p ³	² D _{3/2} - ² P _{1/2}	1.41	
	1030.(3)	9.22 +3	Ga XVI	3s ² 3p ⁴	³ P ₁ - ¹ S ₀	0.58	
	1032.(11)	2.44 +3	Se XXVII	2s ² 2p ⁴	³ P ₁ - ¹ D ₂	2.68	
	1033.2(5)	2.50 +3	Ni XV	3s ² 3p ²	³ P ₁ - ¹ S ₀	0.46	
	1034.(7)	1.66 +4	Sr XXIV	3s ² 3p ³	⁴ S _{3/2} - ² D _{3/2}	1.16	
	1034.(6)	6.60 +2	Br XXI	3s ² 3p ³	⁴ S _{3/2} - ² D _{5/2}	0.91	
	1034.9(5)	7.17 +2	Ni XIV	3s ² 3p ³	⁴ S _{3/2} - ² P _{3/2}	0.43	
	Q 1048.7(8)	1.65 +1	Sc XVI	2s ² 2p ²	¹ D ₂ - ¹ S ₀	1.01	
	1049.2(3)	1.73 +2	Si VII	2s ² 2p ⁴	³ P ₁ - ¹ S ₀	0.247	
	1054.08(3)	3.51 +1	Al VII	2s ² 2p ³	⁴ S _{3/2} - ² P _{3/2}	0.241	
	1054.9(8)	1.11 +2	Ar XII	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	0.618	
	1055.(9)	2.17 +3	As XXVI	2s ² 2p ⁴	³ P ₁ - ¹ D ₂	2.49	
	1057.05(3)	1.44 +1	Al VII	2s ² 2p ³	⁴ S _{3/2} - ² P _{1/2}	0.241	
	1058.0(7)	1.12 +2	Al VIII	2s ² 2p ²	³ P ₁ - ¹ S ₀	0.285	
	1070.(6)	3.65 +3	Se XXI	3s ² 3p ²	³ P ₁ - ¹ D ₂	0.88	
	1072.2(1.6)	4.22 +1	V XII	3s 3p	³ P ₀ - ¹ P ₁	0.31	
	1073.8(1.2)	9.75 +1	Mn XIV	3s 3p	³ P ₂ - ¹ P ₁	0.40	
	1074.(7)	1.21 +4	Sr XXV	3s ² 3p ²	³ P ₀ - ³ P ₁	1.22	
	1077.(8)	1.02 +3	Zr XXVI	3s ² 3p ³	² D _{3/2} - ² P _{1/2}	1.32	
1078.2(1.4)	1078.5(6)	3.67 +3	V XVIII	2s ² 2p ²	³ P ₂ - ¹ D ₂	1.26	FBM
	1079.20(8)	1.90 +3	Ge XXV	2s ² 2p ⁴	³ P ₁ - ¹ D ₂	2.31	
1079.3(3)	1079.3(5)	1.02 +4	Fe XXIII	2s 2p	³ P ₁ - ³ P ₂	1.96	HSCS
	1080.(8)	7.66 +3	Nb XXVI	3s ² 3p ⁴	³ P ₀ - ³ P ₁	1.34	
	1089.(8)	4.68 +3	Se XXVIII	2s ² 2p ³	² D _{3/2} - ² D _{5/2}	2.83	
	1090.(6)	3.77 +3	Se XIX	3s ² 3p ⁴	³ P ₂ - ¹ D ₂	0.79	
	1097.1(2.4)	7.45 +2	Cu XV	3s ² 3p ³	⁴ S _{3/2} - ² P _{1/2}	0.48	
	1098.(7)	1.40 +4	Rb XXII	3s ² 3p ⁴	³ P ₂ - ³ P ₁	1.02	
	1098.4(1)	5.51 +2	Ca XV	2s ² 2p ²	³ P ₁ - ¹ D ₂	0.89	

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength Calculated	A (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	1099.(7)	7.17 +3	Kr XXIII	$3s^2 3p^2$	$3P_2 - 1D_2$	1.05	
	1100.3(1.2)	8.08 -1*	Cl XI	$2s^2 2p^3$	$4S_{3/2} - 2D_{5/2}$	0.520	
	1102.2(2.7)	1.12 +4	Co XXII	$2s^2 2p^2$	$3P_0 - 3P_1$	1.85	
	1105.(7)	1.66 +3	Ga XXIV	$2s^2 2p^4$	$3P_1 - 1D_2$	2.14	
	1105.1(3)	2.35 +3	V XVII	$2s^2 2p^3$	$2D_{3/2} - 2P_{1/2}$	1.17	
Q	1106.1(8)	1.96 +1	Ca XIII	$2s^2 2p^4$	$1D_2 - 1S_0$	0.73	
	1108.(7)	8.11 +3	Ga XXIV	$2s^2 2p^4$	$3P_0 - 3P_1$	2.14	
	1108.13(7)	2.56 -1	F VI	$2s 2p$	$3P_0 - 1P_1$	0.157	
	1108.9(1.7)	2.85 +1	V XII	$3s 3p$	$3P_1 - 1P_1$	0.31	
	1109.(3)	6.13 +3	Zn XV	$3s^2 3p^4$	$3P_1 - 1S_0$	0.51	
	1109.4(1.7)	9.32 +3	Rb XXVI	$3s 3p$	$3P_1 - 3P_2$	1.30	
	1111.33(7)	1.90 -1	F VI	$2s 2p$	$3P_1 - 1P_1$	0.157	
Q	1111.(6)	5.56 +1	Se XIX	$3s^2 3p^4$	$1D_2 - 1S_0$	0.79	
1118.060(10)	1118.055(25)	1.45 +4	Fe XIX	$2s^2 2p^4$	$3P_2 - 3P_1$	1.47	PSS
	1118.49(7)	3.11 -1	F VI	$2s 2p$	$3P_2 - 1P_1$	0.157	
	1120.45(27)	2.90 +3	Sc XV	$2s^2 2p^3$	$2D_{3/2} - 2F_{3/2}$	0.93	
Q	1122.7(6)	1.50 +1	Ca XV	$2s^2 2p^2$	$1D_2 - 1S_0$	0.89	
	1123.0(9)	1.60 +3	Co XIV	$3s^2 3p^2$	$3P_1 - 1S_0$	0.41	
	1125.5(1.3)	4.51 +1	Cl XI	$2s^2 2p^3$	$4S_{3/2} - 2D_{3/2}$	0.529	
	1129.(8)	2.70 +4	Y XXV	$3s^2 3p^3$	$2D_{3/2} - 2P_{1/2}$	1.24	
1129.2(4)	1129.6(3)	1.99 +3	Ti XVI	$2s^2 2p^3$	$2D_{5/2} - 2F_{3/2}$	1.04	FBM
	1132.(5)	1.42 +3	Zn XXIII	$2s^2 2p^4$	$3P_1 - 1D_2$	1.97	
T	1133.68	8.06 +2	Ca XIII	$2s^2 2p^4$	$3P_2 - 1D_2$	0.73	CFD
	1134.17(26)	4.85 +2	Co XIII	$3s^2 3p^3$	$4S_{3/2} - 2P_{3/2}$	0.38	
	1135.8(1.3)	6.25 +1	Cr XIII	$3s 3p$	$3P_2 - 1P_1$	0.35	
	1137.(6)	3.88 +2*	Se XX	$3s^2 3p^3$	$4S_{3/2} - 2D_{5/2}$	0.83	
	1137.(8)	3.90 +3	Sr XXIV	$3s^2 3p^3$	$2P_{1/2} - 2P_{3/2}$	1.16	
1142.5(2)	1144.7(1.0)	1.20 +4	Kr XX	$3s^2 3p^5$	$2P_{3/2} - 2P_{1/2}$	0.89	RPSKR
	1151.(6)	2.62 +3	Se XX	$3s^2 3p^3$	$2D_{5/2} - 2P_{3/2}$	0.83	
	1161.(4)	1.21 +3	Cu XXII	$2s^2 2p^4$	$3P_1 - 1D_2$	1.67	
	1161.(5)	4.32 +3	Ge XVIII	$3s^2 3p^3$	$2D_{3/2} - 2P_{3/2}$	0.69	
	1161.(7)	1.08 +4	Rb XXIII	$3s^2 3p^3$	$4S_{3/2} - 2D_{3/2}$	1.07	
	1162.(8)	3.96 +3	As XXVII	$2s^2 2p^3$	$2D_{3/2} - 2D_{5/2}$	2.64	
	1165.69(19)	2.46 +1	Ti XI	$3s 3p$	$3P_0 - 1P_1$	0.27	
	1169.85(14)	7.29 +1	Al VI	$2s^2 2p^4$	$3P_1 - 1S_0$	0.154	
	1170.(7)	1.12 +4	Mn XVII	$2s^2 2p^5$	$2P_{3/2} - 2P_{1/2}$	1.24	
1174.72(5)	1174.720(7)	4.66 +2	Ni XIV	$3s^2 3p^3$	$4S_{3/2} - 2P_{1/2}$	0.43	SBT
	1177.4(7)	2.25 +3	Ti XVII	$2s^2 2p^2$	$3P_2 - 1D_2$	1.13	
	1178.1(1.0)	5.48 +3	Br XXIII	$3s^2 3p$	$2P_{1/2} - 2P_{3/2}$	1.01	
	1188.(8)	1.02 +3	Sr XXIV	$3s^2 3p^3$	$2D_{3/2} - 2P_{1/2}$	1.16	
1189.82(1)	1189.82(16)	4.58 +1	Mg VII	$2s^2 2p^2$	$3P_1 - 1S_0$	0.225	SBT
1190.07(1)	1190.074(20)	1.37 +1	Mg VI	$2s^2 2p^3$	$4S_{3/2} - 2P_{3/2}$	0.187	SBT

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength Calculated	A (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	1191.3(2.8)	4.01 +3	Cu XIV	$3s^2 3p^4$	$^3P_1 - ^1S_0$	0.44	
1191.1(4)	1191.0(3)	1.01 +3	Ni XXI	$2s^2 2p^4$	$^3P_1 - ^1D_2$	1.76	FBM
1191.62(1)	1191.611(20)	5.62 +0	Mg VI	$2s^2 2p^3$	$^4S_{3/2} - ^2P_{1/2}$	0.187	SBT
1196.24(1)	1196.245(14)	2.87 -1*	S X	$2s^2 2p^3$	$^4S_{3/2} - ^2D_{5/2}$	0.447	SBT
	1197.(9)	9.39 +3	Kr XXXIII	$2s 2p$	$^3P_0 - ^3P_1$	3.87	
1195.3(2)	1199.(5)	2.34 +3	As XX	$3s^2 3p^2$	$^3P_1 - ^1D_2$	0.81	RPSKR
	Q 1199.5(9)	1.71 +1	K XII	$2s^2 2p^4$	$^1D_2 - ^1S_0$	0.63	
	1201.63(20)	1.68 +1	Ti XI	$3s 3p$	$^3P_1 - ^1P_1$	0.27	
	1204.5(2.1)	3.72 +1	V XII	$3s 3p$	$^3P_2 - ^1P_1$	0.31	
	Q 1204.8(9)	1.36 +1	K XIV	$2s^2 2p^2$	$^1D_2 - ^1S_0$	0.79	
1205.9(3)	1205.9(3)	5.11 +3	Cr XX	$2s^2 2p$	$^2P_{1/2} - ^2P_{3/2}$	1.50	HSCS
	Q 1209.(14)	1.47 +1	Mo XXIX	$3s^2 3p^2$	$^1D_2 - ^1S_0$	1.59	
	1209.5(7)	2.91 +2	K XIV	$2s^2 2p^2$	$^3P_1 - ^1D_2$	0.79	
1212.96(1)	1212.970(15)	1.64 +1	S X	$2s^2 2p^3$	$^4S_{3/2} - ^2D_{3/2}$	0.447	SBT
1216.43(1)	1216.46(15)	1.01 +3	Fe XIII	$3s^2 3p^2$	$^3P_1 - ^1S_0$	0.36	SBT
	1219.(6)	2.49 +3	As XVIII	$3s^2 3p^4$	$^3P_2 - ^1D_2$	0.71	
	1221.(4)	8.38 +2	Co XX	$2s^2 2p^4$	$^3P_1 - ^1D_2$	1.60	
1224.1(4)	1224.4(3)	1.60 +3	Ti XVI	$2s^2 2p^3$	$^2D_{3/2} - ^2P_{1/2}$	1.04	FBM
	1228.(15)	3.57 +3	Kr XXXI	$2s^2 2p^2$	$^3P_1 - ^3P_2$	3.46	
	Q 1238.(6)	4.04 +1	As XVIII	$3s^2 3p^4$	$^1D_2 - ^1S_0$	0.71	
1242.00(1)	1242.00(8)	3.17 +2	Fe XII	$3s^2 3p^3$	$^4S_{3/2} - ^2P_{3/2}$	0.33	SBT
	Q 1243.(10)	1.47 +1	Nb XXVIII	$3s^2 3p^2$	$^1D_2 - ^1S_0$	1.50	
	1246.(6)	2.180+2*	As XIX	$3s^2 3p^3$	$^4S_{3/2} - ^2D_{5/2}$	0.76	
	1248.(8)	4.76 +3	Br XXII	$3s^2 3p^2$	$^3P_2 - ^1D_2$	0.96	
	1250.(8)	7.75 +3	Rb XXIV	$3s^2 3p^2$	$^3P_0 - ^3P_1$	1.13	
	1252.(8)	3.28 +3	Ge XXVI	$2s^2 2p^3$	$^2D_{3/2} - ^2D_{5/2}$	2.46	
	1255.4(8)	4.49 +2	K XII	$2s^2 2p^4$	$^3P_2 - ^1D_2$	0.63	
	1257.(8)	9.83 +2	Rb XXIII	$3s^2 3p^3$	$^2D_{3/2} - ^2P_{1/2}$	1.07	
	1258.5(3)	2.87 +2	Co XIII	$3s^2 3p^3$	$^4S_{3/2} - ^2P_{1/2}$	0.38	
	1259.27(4)	6.72 +2	Fe XIX	$2s^2 2p^4$	$^3P_1 - ^1D_2$	1.47	
1268.7(2)	1269.(9)	9.19 +3	Kr XXI	$3s^2 3p^4$	$^3P_2 - ^3P_1$	0.94	RPSKR
	1270.(5)	3.02 +3	Co XXI	$2s^2 2p^3$	$^2P_{1/2} - ^2P_{3/2}$	1.74	
	1274.0(3)	1.21 +3	Sc XV	$2s^2 2p^3$	$^2D_{5/2} - ^2P_{3/2}$	0.93	
	1276.0(7)	1.31 +1	Sc X	$3s 3p$	$^3P_0 - ^1P_1$	0.23	
	1276.6(8)	1.36 +3	Sc XVI	$2s^2 2p^2$	$^3P_2 - ^1D_2$	1.01	
1277.1(1.0)	1277.0(2.3)	6.16 +3	Kr XXV	$3s 3p$	$^3P_1 - ^3P_2$	1.22	RPSKR
1277.23(1)	1277.231(18)	2.57 +3	Ni XIII	$3s^2 3p^4$	$^3P_1 - ^1S_0$	0.38	SBT
	Q 1279.(10)	1.47 +1	Zr XXVII	$3s^2 3p^2$	$^1D_2 - ^1S_0$	1.41	
	1279.(16)	3.27 +3	Br XXX	$2s^2 2p^2$	$^3P_1 - ^3P_2$	3.24	
	1286.(9)	7.16 +3	Kr XXII	$3s^2 3p^3$	$^4S_{3/2} - ^2D_{3/2}$	0.99	
	1286.(9)	7.65 +3	Br XXXII	$2s 2p$	$^3P_0 - ^3P_1$	3.64	
	1289.09(24)	2.27 +1	Ti XI	$3s 3p$	$^3P_2 - ^1P_1$	0.27	

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength Calculated	A (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	1290.5(4)	1.62 +3	Ca XIV	$2s^2 2p^3$	$2D_{3/2} - 2P_{3/2}$	0.82	
	1293.(4)	5.94 +3	Mn XXII	$2s 2p$	$3P_1 - 3P_2$	1.79	
1292.4(2)	1294.(6)	1.77 +3	As XIX	$3s^2 3p^3$	$2D_{5/2} - 2P_{3/2}$	0.76	RPSKR
	1296.(10)	4.59 +3	Zr XXV	$3s^2 3p^4$	$3P_0 - 3P_1$	1.26	
Q	1296.8(1.2)	1.23 +1	Ar XIII	$2s^2 2p^2$	$1D_2 - 1S_0$	0.686	
	1298.(6)	5.30 +2	Mn XVIII	$2s^2 2p^4$	$3P_1 - 1D_2$	1.32	
	1301.148(12)	6.10 -2	O V	$2s 2p$	$3P_0 - 1P_1$	0.114	
	1303.456(12)	4.57 -2	O V	$2s 2p$	$3P_1 - 1P_1$	0.114	
Q	1304.9(1.2)	1.49 +1	Ar XI	$2s^2 2p^4$	$1D_2 - 1S_0$	0.539	
	1307.51(5)	9.90 -2*	P IX	$2s^2 2p^3$	$4S_{3/2} - 2D_{5/2}$	0.372	
	1308.688(12)	7.49 -2	O V	$2s 2p$	$3P_2 - 1P_1$	0.114	
	1309.6(7)	9.11 +0	Sc X	$3s 3p$	$3P_1 - 1P_1$	0.23	
Q	1317.(10)	6.95 +2	Y XXVI	$3s^2 3p^2$	$1D_2 - 1S_0$	1.32	
1317.65(3)	1318.06(5)	5.46 +0	P IX	$2s^2 2p^3$	$4S_{3/2} - 2D_{3/2}$	0.372	ST
1319.1(3)	1319.(5)	2.76 +3	Ga XVII	$3s^2 3p^3$	$2D_{3/2} - 2P_{3/2}$	0.62	RPSKR
	1319.1(1.0)	7.82 +3	Br XIX	$3s^2 3p^5$	$2P_{3/2} - 2P_{1/2}$	0.81	
1322.23(4)	1322.(6)	6.20 +2	Mn XII	$3s^2 3p^2$	$3P_1 - 1S_0$	0.31	ST
1324.44(1)	1324.58(8)	2.79 +1	Mg V	$2s^2 2p^4$	$3P_1 - 1S_0$	0.141	SBT
T	1331.52(1)	1.50 +2	Ar XIII	$2s^2 2p^2$	$3P_1 - 1D_2$	0.686	SBT
	1333.(9)	9.30 +2	Kr XXII	$3s^2 3p^3$	$2D_{3/2} - 2P_{1/2}$	0.99	
	1335.(18)	2.97 +3	Se XXIX	$2s^2 2p^2$	$3P_1 - 3P_2$	3.03	
1340.7(4)	1340.09(20)	4.09 +2	Cr XVII	$2s^2 2p^4$	$3P_1 - 1D_2$	1.19	FBM
	1341.(8)	2.42 +3	Rb XXIII	$3s^2 3p^3$	$2P_{1/2} - 2P_{3/2}$	1.07	
	1343.(6)	1.48 +3	Ge XIX	$3s^2 3p^2$	$3P_1 - 1D_2$	0.73	
1349.40(1)	1349.36(9)	1.73 +2	Fe XII	$3s^2 3p^3$	$4S_{3/2} - 2P_{1/2}$	0.33	SBT
1354.08(5)	1354.10(9)	6.49 +3	Fe XXI	$2s^2 2p^2$	$3P_0 - 3P_1$	1.69	SBT
	1356.6(4)	1.69 +1	Na VI	$2s^2 2p^2$	$3P_1 - 1S_0$	0.172	
	1357.9(1.0)	3.58 +3	Se XXII	$3s^2 3p$	$2P_{1/2} - 2P_{3/2}$	0.93	
	1358.0(4)	1.05 +3	Sc XV	$2s^2 2p^3$	$2D_{3/2} - 2P_{1/2}$	0.93	
Q	1359.(10)	1.47 +1	Sr XXV	$3s^2 3p^2$	$1D_2 - 1S_0$	1.22	
	1359.(4)	8.17 +3	Mn XVIII	$2s^2 2p^4$	$3P_2 - 3P_1$	1.32	
1359.57(2)	1359.58(9)	2.00 +2	Mn XI	$3s^2 3p^3$	$4S_{3/2} - 2P_{3/2}$	0.29	SBT
	1360.(6)	1.18 +2*	Ge XVIII	$3s^2 3p^3$	$4S_{3/2} - 2D_{5/2}$	0.69	
	1364.(6)	1.63 +3	Ge XVII	$3s^2 3p^4$	$3P_2 - 1D_2$	0.63	
	1365.(8)	2.62 +3	Ga XXV	$2s^2 2p^3$	$2D_{3/2} - 2D_{5/2}$	2.28	
	1365.1(6)	4.74 +0	Na V	$2s^2 2p^3$	$4S_{3/2} - 2P_{3/2}$	0.138	
	1365.8(6)	1.96 +0	Na V	$2s^2 2p^3$	$4S_{3/2} - 2P_{1/2}$	0.138	
Q	1368.(7)	2.99 +1	Ge XVII	$3s^2 3p^4$	$1D_2 - 1S_0$	0.64	
	1368.7(5)	1.62 +3	Co XII	$3s^2 3p^4$	$3P_1 - 1S_0$	0.34	
T	1375.95(3)	8.10 +2	Ca XV	$2s^2 2p^2$	$3P_2 - 1D_2$	0.89	SBT
	1386.9(1.0)	3.07 +2	V XVI	$2s^2 2p^4$	$3P_1 - 1D_2$	1.06	
	1387.8(8)	1.28 +1	Sc X	$3s 3p$	$3P_2 - 1P_1$	0.23	

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	1388.(10)	6.14 +3	Se XXXI	2s 2p	³ P ₀ - ³ P ₁	3.42	
1392.12(1)	1392.1(1.0)	2.41 +2	Ar XI	2s ² 2p ⁴	³ P ₂ - ¹ D ₂	0.539	SBT
	1400.(17)	2.68 +3	As XXVIII	2s ² 2p ²	³ P ₁ - ³ P ₂	2.83	
	Q 1400.8(2.8)	1.11 +1	Cl XII	2s ² 2p ²	¹ D ₂ - ¹ S ₀	0.592	
	1402.4(2.0)	6.68 +0	Ca IX	3s 3p	³ P ₀ - ¹ P ₁	0.19	
	Q 1403.(10)	1.48 +1	Rb XXIV	3s ² 3p ²	¹ D ₂ - ¹ S ₀	1.13	
1410.60(2)	1410.62(4)	6.39 +3	Cr XVI	2s ² 2p ⁵	² F _{3/2} - ² F _{1/2}	1.10	PSS
	1416.(10)	4.66 +3	Br XXI	3s ² 3p ³	⁴ S _{3/2} - ² D _{3/2}	0.91	
	1416.(8)	3.13 +3	Se XXI	3s ² 3p ²	³ P ₂ - ¹ D ₂	0.88	
	Q 1420.6(1.4)	1.32 +1	Cl X	2s ² 2p ⁴	¹ D ₂ - ¹ S ₀	0.456	
	1422.(10)	8.50 +2	Br XXI	3s ² 3p ³	² D _{3/2} - ² F _{1/2}	0.91	
	1431.8(4)	7.25 +2	Ca XIV	2s ² 2p ³	² D _{5/2} - ² F _{3/2}	0.82	
	1432.5(2.1)	4.70 +0	Ca IX	3s 3p	³ F ₁ - ¹ F ₁	0.19	
1440.2(8)	1440.05(22)	2.23 +2	Ti XV	2s ² 2p ⁴	³ P ₁ - ¹ D ₂	0.94	FBM
1440.50(1)	1440.497(10)	3.42 -2*	Si VIII	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	0.304	SBT
1440.01(2)	1440.8(2.1)	3.68 +2	Cr XI	3s ² 3p ²	³ P ₁ - ¹ S ₀	0.27	SBT
1445.75(1)	1445.753(10)	1.70 +0	Si VIII	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	0.304	SBT
	Q 1450.(12)	1.48 +1	Kr XXIII	3s ² 3p ²	¹ D ₂ - ¹ S ₀	1.05	
1450.49(5)	1450.43(10)	1.02 +2	Mn XI	3s ² 3p ³	⁴ S _{3/2} - ² F _{1/2}	0.29	SBT
	1456.(7)	1.18 +3	Ge XVIII	3s ² 3p ³	² D _{5/2} - ² F _{3/2}	0.69	
1457.6(9)	1458.(4)	2.89 +3	V XIX	2s ² 2p	² F _{1/2} - ² F _{3/2}	1.36	FBM
	1459.(9)	3.73 +3	Zn XXIII	2s ² 2p ⁴	³ P ₀ - ³ P ₁	1.97	
1461.8(2)	1462.(10)	4.91 +3	Kr XXIII	3s ² 3p ²	³ P ₀ - ³ P ₁	1.05	RPSKR
	1464.9(2.2)	7.49 +1	Cl XII	2s ² 2p ²	³ P ₁ - ¹ D ₂	0.592	
1467.06(1)	1467.4(1.1)	9.90 +2	Fe XI	3s ² 3p ⁴	³ P ₁ - ¹ S ₀	0.29	SBT
1473.7(1)	1474.(15)	2.39 +3	Ge XXVII	2s ² 2p ²	³ P ₁ - ³ P ₂	2.64	H
	1476.(3)	4.01 +3	Br XXIV	3s 3p	³ P ₁ - ³ P ₂	1.10	
	1476.(10)	5.93 +3	Br XX	3s ² 3p ⁴	³ P ₂ - ³ P ₁	0.86	
	1477.4(9)	4.71 +2	K XIV	2s ² 2p ²	³ P ₂ - ¹ D ₂	0.79	
	1478.(6)	6.390+1*	Ga XVII	3s ² 3p ³	⁴ S _{3/2} - ² D _{5/2}	0.62	
	1480.8(5)	8.84 +2	K XIII	2s ² 2p ³	² D _{3/2} - ² F _{3/2}	0.71	
1489.04(3)	1489.05(16)	1.21 +2	Cr X	3s ² 3p ³	⁴ S _{3/2} - ² F _{3/2}	0.24	SBT
	1501.2(9)	1.56 +2	Sc XIV	2s ² 2p ⁴	³ P ₁ - ¹ D ₂	0.83	
	Q 1502.(12)	1.49 +1	Br XXII	3s ² 3p ²	¹ D ₂ - ¹ S ₀	0.96	
	1502.2(2.3)	6.80 +0	Ca IX	3s 3p	³ P ₂ - ¹ P ₁	0.19	
1503.7(3)	1503.(6)	9.15 +2	Ga XVIII	3s ² 3p ²	³ P ₁ - ¹ D ₂	0.66	RPSKR
	1503.1(5)	6.66 +2	Ca XIV	2s ² 2p ³	² D _{3/2} - ² F _{1/2}	0.82	
1507.5(1.0)	1504.(5)	1.68 +3	Zn XVI	3s ² 3p ³	² D _{3/2} - ² F _{3/2}	0.55	RPSKR
	Q 1506.(7)	2.28 +1	Ga XVI	3s ² 3p ⁴	¹ D ₂ - ¹ S ₀	0.58	
	1507.(10)	4.85 +3	As XXX	2s 2p	³ P ₀ - ³ P ₁	3.20	
	1507.(8)	2.02 +3	Zn XXIV	2s ² 2p ³	² D _{3/2} - ² D _{5/2}	2.10	
	Q 1520.2(7)	1.00 +1	S XI	2s ² 2p ²	¹ D ₂ - ¹ S ₀	0.505	

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength		A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	Observed	Calculated						
		1524.(9)	7.51 +2	Se XX	3s ² 3p ³	2D _{3/2} - 2P _{1/2}	0.83	
		1526.(6)	1.05 +3	Ga XVI	3s ² 3p ⁴	3P ₂ - 1D ₂	0.58	
1527.8(3)		1527.8(1.0)	5.03 +3	Se XVIII	3s ² 3p ⁵	2P _{3/2} - 2P _{1/2}	0.74	DHSC
		1529.29(5)	9.48 +0	Na IV	2s ² 2p ⁴	3P ₁ - 1S ₀	0.099	
		1542.7(1.2)	1.25 +2	Cl X	2s ² 2p ⁴	3P ₂ - 1D ₂	0.456	
1545.9(2)		1545.(9)	3.01 +3	Se XX	3s ² 3p ³	4S _{3/2} - 2D _{3/2}	0.83	DHST
	Q	1552.7(4)	1.17 +1	S IX	2s ² 2p ⁴	1D ₂ - 1S ₀	0.379	
		1554.(5)	3.23 +0	K VIII	3s 3p	3P ₀ - 1P ₁	0.15	
	Q	1558.(10)	1.49 +1	Se XXI	3s ² 3p ²	1D ₂ - 1S ₀	0.88	
		1559.(14)	2.11 +3	Ga XXVI	2s ² 2p ²	3P ₁ - 3P ₂	2.45	
1564.30(2)		1564.09(17)	5.89 +1	Cr X	3s ² 3p ³	4S _{3/2} - 2P _{1/2}	0.24	SBT
1566.4(1)		1565.(5)	3.38 +3	Cr XXI	2s 2p	3P ₁ - 3P ₂	1.63	Su
		1568.7(1.0)	1.05 +2	Ca XIII	2s ² 2p ⁴	3P ₁ - 1D ₂	0.73	
		1572.(10)	1.53 +3	Kr XXII	3s ² 3p ³	2P _{1/2} - 2P _{3/2}	0.99	
		1573.04(18)	2.11 +2	V X	3s ² 3p ²	3P ₁ - 1S ₀	0.23	
1573.2(5)		1573.2(1.0)	2.30 +3	As XXI	3s ² 3p	2P _{1/2} - 2P _{3/2}	0.85	RKSPR
		1574.2(7)	5.90 +2	Mn X	3s ² 3p ⁴	3P ₁ - 1S ₀	0.25	
1574.82(5)		1574.60(13)	5.50 +0	Ne V	2s ² 2p ²	3P ₁ - 1S ₀	0.126	ST
		1575.183(4)	1.09 -2	N IV	2s 2p	3P ₀ - 1P ₁	0.077	
1572.9(1.0)		1576.(12)	1.92 +3	Y XXIV	3s ² 3p ⁴	3P ₀ - 3P ₁	1.18	RPSKR
		1576.750(4)	8.33 -3	N IV	2s 2p	3P ₁ - 1P ₁	0.077	
		1580.338(4)	1.35 -2	N IV	2s 2p	3P ₂ - 1P ₁	0.077	
		1581.(5)	2.30 +0	K VIII	3s 3p	3P ₁ - 1P ₁	0.15	
T 1582.56(1)		1584.3(1.6)	2.66 +2	Ar XIII	2s ² 2p ²	3P ₂ - 1D ₂	0.686	SBT
		1585.5(1.1)	1.59 +3	Fe XX	2s ² 2p ³	2P _{1/2} - 2P _{3/2}	1.58	
1601.5		1600.0(5)	1.41 +0	Ne IV	2s ² 2p ³	4S _{3/2} - 2P _{3/2}	0.097	SBT
1601.7		1600.1(5)	5.90 -1	Ne IV	2s ² 2p ³	4S _{3/2} - 2P _{1/2}	0.097	SBT
		1602.(6)	3.32 +1*	Zn XVI	3s ² 3p ³	4S _{3/2} - 2D _{5/2}	0.55	
		1603.3(5)	4.23 +2	K XIII	2s ² 2p ³	2D _{5/2} - 2P _{3/2}	0.71	
		1603.36(8)	1.22 -2*	Al VII	2s ² 2p ³	4S _{3/2} - 2D _{5/2}	0.241	
1604.80(4)		1604.80(5)	4.26 -1*	Al VII	2s ² 2p ³	4S _{3/2} - 2D _{3/2}	0.241	ST
T 1600.3(2)		1606.(10)	2.03 +3	As XX	3s ² 3p ²	3P ₂ - 1D ₂	0.81	RPSKR
1614.51(3)		1614.5(7)	3.62 +1	S XI	2s ² 2p ²	3P ₁ - 1D ₂	0.505	SBT
	Q	1619.(11)	1.49 +0	As XX	3s ² 3p ²	1D ₂ - 1S ₀	0.81	
		1633.3(5)	7.05 +1	V IX	3s ² 3p ³	4S _{3/2} - 2P _{3/2}	0.21	
		1638.(7)	7.79 +2	Ga XVII	3s ² 3p ³	2D _{5/2} - 2P _{3/2}	0.62	
		1642.(10)	6.39 +2	As XIX	3s ² 3p ³	2D _{3/2} - 2P _{1/2}	0.76	
		1643.(5)	3.43 +0	K VIII	3s 3p	3P ₂ - 1P ₁	0.15	
		1646.(9)	3.76 +3	Ge XXIX	2s 2p	3P ₀ - 3P ₁	3.00	
		1647.4(1.2)	6.84 +1	K XII	2s ² 2p ⁴	3P ₁ - 1D ₂	0.63	
	Q	1651.(7)	1.78 +1	Zn XV	3s ² 3p ⁴	1D ₂ - 1S ₀	0.51	
1656.3(3)		1656.29(27)	4.58 +3	Cr XVII	2s ² 2p ⁴	3P ₂ - 3P ₁	1.19	HSCS

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength Calculated	A (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	1659.(12)	1.84 +3	Zn XXV	$2s^2 2p^2$	$3P_1 - 3P_2$	2.27	
	Q 1659.2(8)	8.99 +0	P X	$2s^2 2p^2$	$1D_2 - 1S_0$	0.424	
	1664.0(6)	4.07 +2	K XIII	$2s^2 2p^3$	$2D_{3/2} - 2P_{1/2}$	0.71	
1660.4(2)	1668.(10)	1.93 +3	As XIX	$3s^2 3p^3$	$4S_{3/2} - 2D_{3/2}$	0.76	RPSKR
	1678.(6)	3.46 +3	Mn XX	$2s^2 2p^2$	$3P_0 - 3P_1$	1.54	
1676.9(2)	1680.(7)	5.56 +2	Zn XVII	$3s^2 3p^2$	$3P_1 - 1D_2$	0.59	RPSKR
	1686.3(1.8)	4.76 +2	Ar XII	$2s^2 2p^3$	$2D_{3/2} - 2P_{3/2}$	0.618	
	Q 1687.(9)	1.48 +1	Ge XIX	$3s^2 3p^2$	$1D_2 - 1S_0$	0.73	
1691.0(3)	1690.(8)	1.49 +3	Cu XXIII	$2s^2 2p^3$	$2D_{3/2} - 2D_{5/2}$	1.94	H
	1693.9(6)	3.40 +2	Cr IX	$3s^2 3p^4$	$3P_1 - 1S_0$	0.21	
	1694.1(6)	3.28 +1	V IX	$3s^2 3p^3$	$4S_{3/2} - 2P_{1/2}$	0.21	
	1698.0(2.9)	1.46 +2	Cl XII	$2s^2 2p^2$	$3P_2 - 1D_2$	0.592	
1702.8(2)	1706.(7)	6.67 +2	Zn XV	$3s^2 3p^4$	$3P_2 - 1D_2$	0.51	RPSKR
	Q 1708.5(1.0)	1.03 +1	P VIII	$2s^2 2p^4$	$1D_2 - 1S_0$	0.310	
1714.1(3)	1714.1(4)	2.58 +3	Se XXIII	$3s 3p$	$3P_1 - 3P_2$	1.00	DHSC
1715.44(1)	1715.41(12)	6.18 +1	S IX	$2s^2 2p^4$	$3P_2 - 1D_2$	0.379	SBT
	1718.(5)	1.01 +3	Cu XV	$3s^2 3p^3$	$2D_{3/2} - 2P_{3/2}$	0.48	
1719.4(1.7)	1721.4(1.5)	3.52 +3	V XV	$2s^2 2p^5$	$2P_{3/2} - 2P_{1/2}$	0.98	FBM
	1723.(15)	3.04 +3	Br XXII	$3s^2 3p^2$	$3P_0 - 3P_1$	0.96	
	1724.7(4)	1.17 +2	Ti IX	$3s^2 3p^2$	$3P_1 - 1S_0$	0.19	
1727.7(3)	1726.(12)	3.76 +3	Se XIX	$3s^2 3p^4$	$3P_2 - 3P_1$	0.79	DHSC
	1731.(5)	1.68 +1*	Cu XV	$3s^2 3p^3$	$4S_{3/2} - 2D_{5/2}$	0.48	
	1737.3(1.5)	1.46 +0	Ar VII	$3s 3p$	$3P_0 - 1P_1$	0.124	
	1741.9(2.1)	4.21 +1	Ar XI	$2s^2 2p^4$	$3P_1 - 1D_2$	0.539	
	Q 1762.(9)	9.73 +0	Ga XVIII	$3s^2 3p^2$	$1D_2 - 1S_0$	0.66	
	1762.0(1.6)	1.05 +0	Ar VII	$3s 3p$	$3P_1 - 1P_1$	0.124	
1776.0(3)	1777.(9)	1.57 +3	Cu XXIV	$2s^2 2p^2$	$3P_1 - 3P_2$	2.09	HSCS
1778.1(1)	1778.09(10)	1.59 +3	Ti XVIII	$2s^2 2p$	$2P_{1/2} - 2P_{3/2}$	1.22	SFH
T 1778.8(2)	1779.(10)	5.22 +2	Ge XVIII	$3s^2 3p^3$	$2D_{3/2} - 2P_{1/2}$	0.69	DHST
1777.2(3)	1779.8(1.0)	3.18 +3	As XVII	$3s^2 3p^5$	$2P_{3/2} - 2P_{1/2}$	0.67	RPSKR
T 1782.0(2)	1783.(10)	1.22 +3	Ge XVIII	$3s^2 3p^3$	$4S_{3/2} - 2D_{3/2}$	0.69	DHST
	1785.8(9)	1.68 +1	P X	$2s^2 2p^2$	$3P_1 - 1D_2$	0.424	
	1787.9(2.0)	2.40 +2	Ar XII	$2s^2 2p^3$	$2D_{5/2} - 2P_{3/2}$	0.618	
	1797.5(6)	3.90 +1	Ti VIII	$3s^2 3p^3$	$4S_{3/2} - 2P_{3/2}$	0.17	
	Q 1805.(7)	1.42 +1	Cu XIV	$3s^2 3p^4$	$1D_2 - 1S_0$	0.44	
1805.94(1)	1805.94(7)	2.75 -2*	Mg VI	$2s^2 2p^3$	$4S_{3/2} - 2D_{3/2}$	0.187	SBT
	1806.49(17)	4.58 -3*	Mg VI	$2s^2 2p^3$	$4S_{3/2} - 2D_{5/2}$	0.187	
	1808.(9)	2.86 +3	Ga XXVIII	$2s 2p$	$3P_0 - 3P_1$	2.79	
	1814.63(5)	2.76 +0	Ne III	$2s^2 2p^4$	$3P_1 - 1S_0$	0.064	
	1815.8(1.7)	1.60 +0	Ar VII	$3s 3p$	$3P_2 - 1P_1$	0.124	
1810.4(3)	1816.(10)	1.31 +3	Ge XIX	$3s^2 3p^2$	$3P_2 - 1D_2$	0.73	H
	Q 1822.4(8)	8.01 +0	Si IX	$2s^2 2p^2$	$1D_2 - 1S_0$	0.351	

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength Calculated	A (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
1826.21(2)	1826.2(9)	7.69 +1	S XI	$2s^2 2p^2$	$3P_2 - 1D_2$	0.505	SBT
	1830.39(24)	1.89 +2	V VIII	$3s^2 3p^4$	$3P_1 - 1S_0$	0.17	
1832.7(3)	1832.2(1.0)	1.46 +3	Ge XX	$3s^2 3p$	$2P_{1/2} - 2P_{3/2}$	0.77	DHSC
	1836.2(2.2)	2.41 +2	Ar XII	$2s^2 2p^3$	$2D_{3/2} - 2P_{1/2}$	0.618	
	1842.(8)	5.15 +2	Zn XVI	$3s^2 3p^3$	$2D_{5/2} - 2P_{3/2}$	0.55	
	1845.4(7)	1.75 +1	Ti VIII	$3s^2 3p^3$	$4S_{3/2} - 2P_{1/2}$	0.17	
	Q 1846.(9)	1.46 +1	Zn XVII	$3s^2 3p^2$	$1D_2 - 1S_0$	0.59	
	1852.4(1.8)	2.54 +1	Cl X	$2s^2 2p^4$	$3P_1 - 1D_2$	0.456	
1866.75(1)	1866.751(17)	8.27 +0*	Ni XIV	$3s^2 3p^3$	$4S_{3/2} - 2D_{5/2}$	0.43	SBT
	1871.(15)	9.27 +2	Br XXI	$3s^2 3p^3$	$2P_{1/2} - 2P_{3/2}$	0.91	
1872.0(3)	1874.(6)	3.32 +2	Cu XVI	$3s^2 3p^2$	$3P_1 - 1D_2$	0.52	H
	1875.73(7)	1.51 +0	F IV	$2s^2 2p^2$	$3P_1 - 1S_0$	0.087	
	1890.(10)	7.64 +2	Ga XVII	$3s^2 3p^3$	$4S_{3/2} - 2D_{3/2}$	0.62	
	Q 1895.0(9)	9.01 +0	Si VII	$2s^2 2p^4$	$1D_2 - 1S_0$	0.247	
	1901.41(26)	6.12 +1	Sc VIII	$3s^2 3p^2$	$3P_1 - 1S_0$	0.16	
	1906.(7)	4.18 +2	Cu XIV	$3s^2 3p^4$	$3P_2 - 1D_2$	0.44	
	1908.(5)	1.86 +3	V XX	$2s 2p$	$3P_1 - 3P_2$	1.49	
	1913.1(8)	2.49 +2	Cl XI	$2s^2 2p^3$	$2D_{3/2} - 2P_{3/2}$	0.529	
	1913.7(9)	2.90 +1	P VIII	$2s^2 2p^4$	$3P_2 - 1D_2$	0.310	
1917.3(2)	1914.98(21)	1.32 +3	Ni XXIII	$2s^2 2p^2$	$3P_1 - 3P_2$	2.01	H
1928.7(3)	1929.(6)	1.03 +3	Ni XXII	$2s^2 2p^3$	$2D_{3/2} - 2D_{5/2}$	1.89	H
	1934.(10)	4.11 +2	Ga XVII	$3s^2 3p^3$	$2D_{3/2} - 2P_{1/2}$	0.62	
	1939.435(11)	3.52 -1	F III	$2s^2 2p^3$	$4S_{3/2} - 2P_{3/2}$	0.063	
	1939.465(11)	1.44 -1	F III	$2s^2 2p^3$	$4S_{3/2} - 2P_{1/2}$	0.063	
	Q 1940.(7)	1.39 +1	Cu XVI	$3s^2 3p^2$	$1D_2 - 1S_0$	0.52	
	1945.(15)	1.47 +3	Sr XXIII	$3s^2 3p^4$	$3P_0 - 3P_1$	1.10	
	1966.1(1.9)	5.97 +2	Ni XIV	$3s^2 3p^3$	$2D_{3/2} - 2P_{3/2}$	0.43	
	1967.(4)	6.14 -1	Cl VI	$3s 3p$	$3P_0 - 1P_1$	0.097	
	Q 1968.38(4)	1.16 +1	Ni XIII	$3s^2 3p^4$	$1D_2 - 1S_0$	0.38	
	1974.5(1.1)	3.86 +1	P X	$2s^2 2p^2$	$3P_2 - 1D_2$	0.424	
1984.88(2)	1984.88(3)	7.40 +0	Si IX	$2s^2 2p^2$	$3P_1 - 1D_2$	0.351	SBT
	1985.(11)	1.55 +3	Cu XXII	$2s^2 2p^4$	$3P_0 - 3P_1$	1.67	
	1987.7(6)	1.36 +1	S IX	$2s^2 2p^4$	$3P_1 - 1D_2$	0.379	
	1988.0(8)	2.05 +1	Sc VII	$3s^2 3p^3$	$4S_{3/2} - 2P_{3/2}$	0.14	
	1989.(4)	4.40 -1	Cl VI	$3s 3p$	$3F_1 - 1F_1$	0.097	
	1989.38(18)	1.01 +2	Ti VII	$3s^2 3p^4$	$3P_1 - 1S_0$	0.14	
	1990.(5)	4.69 +2	Zn XVI	$3s^2 3p^3$	$4S_{3/2} - 2D_{3/2}$	0.55	
	1990.8(8)	1.31 +2	Cl XI	$2s^2 2p^3$	$2D_{5/2} - 2P_{3/2}$	0.529	
	1999.95(4)	1.22 -3	C III	$2s 2p$	$3P_0 - 1P_1$	0.048	
	2000.(8) ^a	2.13 +3	Zn XXVII	$2s 2p$	$3P_0 - 3P_1$	2.60	
	2000.7(2.8)	1.63 +3	As XXII	$3s 3p$	$3P_1 - 3P_2$	0.90	
	2000.90(4)	1.04 -3	C III	$2s 2p$	$3P_1 - 1P_1$	0.048	

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	2003.16(4)	1.52 -3	C III	2s 2p	³ P ₂ - ¹ F ₁	0.048	
	2011.8(8)	3.96 +0*	Co XIII	3s ² 3p ³	⁴ S _{3/2} - ² D _{5/2}	0.38	
	2015.(11)	7.98 +2	Mn XIX	2s ² 2p ³	² P _{1/2} - ² F _{3/2}	1.44	
	Q 2018.(3)	7.09 +0	Al VIII	2s ² 2p ²	¹ D ₂ - ¹ S ₀	0.285	
	2024.2(8)	8.93 +0	Sc VII	3s ² 3p ³	⁴ S _{3/2} - ² P _{1/2}	0.14	
2032.6(3)	2030.(14)	2.34 +3	As XVIII	3s ² 3p ⁴	³ P ₂ - ³ P ₁	0.71	RPSKR
	2031.6(9)	1.35 +3	Cl XI	2s ² 2p ³	² D _{3/2} - ² P _{1/2}	0.529	
	2035.(4)	6.93 -1	Cl VI	3s 3p	³ P ₂ - ¹ P ₁	0.097	
2042.7(8)	2042.8(8)	2.47 +3	V XVI	2s ² 2p ⁴	³ P ₂ - ³ P ₁	1.06	FBM
2042.0(3)	2043.(15)	1.85 +3	Se XXI	3s ² 3p ²	³ F ₀ - ³ F ₁	0.88	DHSC
	2046.(10)	8.33 +2	Ga XVIII	3s ² 3p ²	³ F ₂ - ¹ D ₂	0.66	
	Q 2046.5(2.1)	1.34 +1	Ni XV	3s ² 3p ²	¹ D ₂ - ¹ S ₀	0.46	
	2066.9(1.4)	1.78 -2*	Na V	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	0.138	
	2068.(9)	3.33 +2*	Cu XV	3s ² 3p ³	² D _{5/2} - ² F _{3/2}	0.48	
	2068.4(1.4)	1.73 -3*	Na V	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	0.138	
2085.1(1)	2085.1(1.0)	1.98 +3	Ge XVI	3s ² 3p ⁵	² F _{3/2} - ² F _{1/2}	0.60	DHSC
2085.51(5)	2085.51(3)	1.94 +2	Ni XV	3s ² 3p ²	³ P ₁ - ¹ D ₂	0.46	SBT
2085.3(2)	2086.(9)	2.81 +2	Cu XV	3s ² 3p ³	⁴ S _{3/2} - ² D _{3/2}	0.48	DHST
2090.9(3)	2090.9(4)	1.81 +3	Cr XIX	2s ² 2p ²	³ F ₀ - ³ F ₁	1.40	HSCS
	2104.(12)	1.05 +3	Co XXII	2s ² 2p ²	³ P ₁ - ³ P ₂	1.85	
	2110.97(13)	3.04 +1	Ca VII	3s ² 3p ²	³ P ₁ - ¹ S ₀	0.13	
	2111.(10)	3.11 +2	Zn XVI	3s ² 3p ³	² D _{3/2} - ² F _{1/2}	0.55	
2117.1(2)	2117.12(18)	1.89 +3	Ti XIV	2s ² 2p ⁵	² F _{3/2} - ² F _{1/2}	0.86	SFH
	Q 2124.9(6)	7.79 +0	Al VI	2s ² 2p ⁴	¹ D ₂ - ¹ S ₀	0.154	
2125.50(2)	2125.500(23)	2.58 +2	Ni XIII	3s ² 3p ⁴	³ F ₂ - ¹ D ₂	0.38	SBT
	Q 2137.9(1.3)	9.72 +0	Co XII	3s ² 3p ⁴	¹ D ₂ - ¹ S ₀	0.34	
2146.64(4)	2146.64(5)	1.26 +1	Si VII	2s ² 2p ⁴	³ F ₂ - ¹ D ₂	0.247	SBT
	2146.9(1.0)	9.07 +2	Ga XIX	3s ² 3p	² P _{1/2} - ² P _{3/2}	0.70	
2149.26(5)	2149.31(3)	1.83 +1	Si IX	2s ² 2p ²	³ F ₂ - ¹ D ₂	0.351	SBT
	2150.0(1.6)	7.03 +0	P VIII	2s ² 2p ⁴	³ P ₁ - ¹ D ₂	0.310	
	2156.28(24)	1.25 +2	S X	2s ² 2p ³	² D _{3/2} - ² P _{3/2}	0.447	
	Q 2166.(3)	1.27 +1	Co XIV	3s ² 3p ²	¹ D ₂ - ¹ S ₀	0.41	
2169.08(2)	2169.69(24)	1.84 +0*	Fe XII	3s ² 3p ³	⁴ S _{3/2} - ² D _{5/2}	0.33	SBT
	2178.99(7)	5.09 +1	Sc VI	3s ² 3p ⁴	³ P ₁ - ¹ S ₀	0.11	
2184.26(5)	2184.250(24)	1.63 +2	Ni XIV	3s ² 3p ³	⁴ S _{3/2} - ² D _{3/2}	0.43	SBT
2190.5(2)	2190.52(19)	8.53 +2	Sc XVII	2s ² 2p	² P _{1/2} - ² P _{3/2}	1.09	SCCFH
	2211.26(25)	6.92 +1	S X	2s ² 2p ³	² D _{5/2} - ² P _{3/2}	0.447	
	2214.5(1.0)	1.00 +1	Ca VI	3s ² 3p ³	⁴ S _{3/2} - ² P _{3/2}	0.11	
	2222.(3)	3.06 +0	Al VIII	2s ² 2p ²	³ P ₁ - ¹ D ₂	0.285	
	2228.(7)		Cu XXVI	2s 2p	³ F ₀ - ³ F ₁	2.41	
	2242.1(1.0)	4.28 +0	Ca VI	3s ² 3p ³	⁴ S _{3/2} - ² F _{1/2}	0.11	
	2242.61(4)	4.93 -1	F II	2s ² 2p ⁴	³ P ₁ - ¹ S ₀	0.035	

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength		A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	Observed	Calculated						
		2244.84(26)	7.20 +1	S X	2s ² 2p ³	2D _{3/2} - 2P _{1/2}	0.447	
		2245.5(1.4)	3.49 +2	Co XIII	3s ² 3p ³	2D _{3/2} - 2P _{3/2}	0.38	
		2246.(15)	5.48 +2	Se XX	3s ² 3p ³	2P _{1/2} - 2P _{3/2}	0.83	
		2247.(14)	6.75 +2	Co XXI	2s ² 2p ³	2D _{3/2} - 2D _{5/2}	1.74	
	Q	2261.5(6)	6.16 +0	Mg VII	2s ² 2p ²	1D ₂ - 1S ₀	0.225	
2285.4(1)		2264.(30)	5.01 +2	Mo XXVIII	3s ² 3p ³	2D _{3/2} - 2D _{5/2}	1.49	DHSC
		2265.5(8)	2.30 -1	S V	3s 3p	3P ₀ - 1P ₁	0.073	
		2284.63(18)	1.68 -1	S V	3s 3p	3P ₁ - 1P ₁	0.073	
		2290.2(1.0)	9.05 +1	Co XIII	3s ² 3p ³	4S _{3/2} - 2D _{3/2}	0.38	
2284.6(1)		2293.(10)	5.26 +2	Zn XVII	3s ² 3p ²	3P ₂ - 1D ₂	0.59	BGBR
2298.0(3)		2298.0(5)	8.46 +2	Fe XXI	2s ² 2p ²	3P ₁ - 3P ₂	1.69	HSCS
	Q	2301.3(5)	1.20 +1	Fe XIII	3s ² 3p ²	1D ₂ - 1S ₀	0.36	
		2312.(10)	2.27 +2	Cu XV	3s ² 3p ³	2D _{3/2} - 2P _{1/2}	0.48	
		2320.9510(16)	3.27 -1	O III	2s ² 2p ²	3P ₁ - 1S ₀	0.055	
	Q	2321.0(2.7)	8.31 +0	Fe XI	3s ² 3p ⁴	1D ₂ - 1S ₀	0.29	
		2321.6(2.7)	2.11 +2*	Ni XIV	3s ² 3p ³	2D _{5/2} - 2P _{3/2}	0.43	
		2325.1(8)	2.65 -1	S V	3s 3p	3P ₂ - 1P ₁	0.073	
		2331.(4)	1.09 +2	Co XIV	3s ² 3p ²	3P ₁ - 1D ₂	0.41	
		2341.09(27)	8.33 -1*	Mn XI	3s ² 3p ³	4S _{3/2} - 2D _{5/2}	0.20	
2344.6(2)		2344.5(2.3)	1.01 +3	Ti XIX	2s 2p	3P ₁ - 3P ₂	1.35	PSS
		2350.02(18)	3.37 +0	Si VII	2s ² 2p ⁴	3P ₁ - 1D ₂	0.247	
2350.2(3)		2350.2(4)	1.01 +3	Ge XXI	3s 3p	3P ₁ - 3P ₂	0.80	DHSC
		2365.(3)	8.13 +0	Al VIII	2s ² 2p ²	3P ₂ - 1D ₂	0.285	
		2367.52(8)	1.40 +1	K VI	3s ² 3p ²	3P ₁ - 1S ₀	0.10	
2350.8(3)		2371.(30)	2.23 +2	Mo XXVII	3s ² 3p ⁴	3P ₁ - 1D ₂	1.43	H
		2373.4(1.1)	1.56 +2	Co XII	3s ² 3p ⁴	3P ₂ - 1D ₂	0.34	
		2386.(30)	4.39 +2	Nb XXVII	3s ² 3p ³	2D _{3/2} - 2D _{5/2}	1.41	
2406.9(3)		2404.(14)	1.43 +3	Ge XVII	3s ² 3p ⁴	3P ₂ - 3P ₁	0.64	DHSC
2405.68(1)		2405.1(3)	4.81 +1	Fe XII	3s ² 3p ³	4S _{3/2} - 2D _{3/2}	0.33	SBT
		2412.9(1)	2.40 +1	Ca V	3s ² 3p ⁴	3P ₁ - 1S ₀	0.08	
	Q	2417.5(3)	6.59 +0	Mg V	2s ² 2p ⁴	1D ₂ - 1S ₀	0.141	
		2418.2(1.2)	2.65 -3*	Ne IV	2s ² 2p ³	4S _{3/2} - 2D _{3/2}	0.097	
		2420.9(1.2)	6.03 -4*	Ne IV	2s ² 2p ³	4S _{3/2} - 2D _{5/2}	0.097	
		2421.7(1.2)	6.11 +1	P IX	2s ² 2p ³	2D _{3/2} - 2P _{3/2}	0.372	
		2428.4(6)	5.15 +0	Al VI	2s ² 2p ⁴	3P ₂ - 1D ₂	0.154	
		2433.(30)	1.99 +2	Nb XXVI	3s ² 3p ⁴	3P ₁ - 1D ₂	1.34	
2438.0(3)		2440.(16)	1.10 +3	As XX	3s ² 3p ²	3P ₀ - 3P ₁	0.81	RPSKR
		2442.(20)	7.71 +2	Rb XXII	3s ² 3p ⁴	3P ₀ - 3P ₁	1.02	
	Q	2456.(19)	1.12 +1	Mn XII	3s ² 3p ²	1D ₂ - 1S ₀	0.31	
		2458.2(1.2)	3.54 +1*	P IX	2s ² 2p ³	2D _{5/2} - 2P _{3/2}	0.372	
2456.3(3)		2459.7(1.0)	1.21 +3	Ga XV	3s ² 3p ⁵	2P _{3/2} - 2P _{1/2}	0.54	RPSKR
		2467.(19)	1.23 +3	Ni XXV	2s 2p	3P ₀ - 3P ₁	2.30	

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength		A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	Observed	Calculated						
		2470.21(2)	2.38 -2	O II	2s ² 2p ³	4S _{3/2} - 2P _{1/2}	0.035	
		2470.33(2)	5.95 -2	O II	2s ² 2p ³	4S _{3/2} - 2P _{3/2}	0.035	
		2484.3(1.2)	3.72 +1*	P IX	2s ² 2p ³	2D _{3/2} - 2P _{1/2}	0.372	
		2494.24(12)	4.56 +0	K V	3s ² 3p ³	4S _{3/2} - 2P _{3/2}	0.08	
T 2476.		2497.(30)	1.76 +2	Zr XXV	3s ² 3p ⁴	3P ₁ - 1D ₂	1.26	DHSC
		2509.2(7)	1.17 +0	Mg VII	2s ² 2p ²	3P ₁ - 1D ₂	0.225	
		2514.45(13)	1.90 +0	K V	3s ² 3p ³	4S _{3/2} - 2P _{1/2}	0.08	
	Q	2516.5(2.7)	7.24 +0	Mn X	3s ² 3p ⁴	1D ₂ - 1S ₀	0.25	
2549.8(2)		2529.(30)	3.80 +2	Zr XXVI	3s ² 3p ³	2D _{3/2} - 2D _{5/2}	1.32	DHST
2532.0(1)		2531.5(1.0)	5.53 +2	Zn XVIII	3s ² 3p	2P _{1/2} - 2P _{3/2}	0.63	BGBR
		2534.1(5)	3.67 -1*	Cr X	3s ² 3p ³	4S _{3/2} - 2D _{5/2}	0.24	
		2538.3(3)	2.42 +1	Mn XI	3s ² 3p ³	4S _{3/2} - 2D _{3/2}	0.29	
		2539.96(5)	1.59 +2	Ni XIV	3s ² 3p ³	2D _{3/2} - 2P _{1/2}	0.43	
2544.8(1)		2544.54(19)	1.30 +3	Ti XV	2s ² 2p ⁴	3P ₂ - 3P ₁	0.94	SFH
T 2539.7(3)		2555.(12)	3.28 +2	Cu XVI	3s ² 3p ²	3P ₂ - 1D ₂	0.52	DHSC
		2559.(19)	6.43 +2	Mn XX	2s ² 2p ²	3P ₁ - 3P ₂	1.54	
		2565.(30)	3.52 +1	Y XXIV	3s ² 3p ⁴	3P ₁ - 1D ₂	1.18	
2565.93(6)		2566.7(5)	2.00 +2	Fe XII	3s ² 3p ³	2D _{3/2} - 2P _{3/2}	0.33	SBT
	Q	2568.9(1.9)	5.27 +0	Na VI	2s ² 2p ²	1D ₂ - 1S ₀	0.172	
2578.77(1)		2578.84(14)	4.57 +1	Fe XIII	3s ² 3p ²	3P ₁ - 1D ₂	0.36	SBT
		2598.0(1.9)	1.33 +2*	Co XIII	3s ² 3p ³	2D _{5/2} - 2P _{3/2}	0.38	
		2601.0(7)	1.48 +0	Al VI	2s ² 2p ⁴	3P ₁ - 1D ₂	0.154	
2606.4(3)		2606.4(3)	3.80 +2	Cr XVIII	2s ² 2p ³	2P _{1/2} - 2P _{3/2}	1.30	DH
		2629.1(8)	3.36 +0	Mg VII	2s ² 2p ²	3P ₂ - 1D ₂	0.225	
		2633.6(1.4)	9.19 +2	V XVIII	2s ² 2p ²	3P ₀ - 3P ₁	1.26	
	Q	2634.(7)	1.03 +1	Cr XI	3s ² 3p ²	1D ₂ - 1S ₀	0.27	
		2636.(25)	1.36 +2	Sr XXIII	3s ² 3p ⁴	3P ₁ - 1D ₂	1.10	
2637.2(2)		2637.18(21)	9.78 +2	Sc XIII	2s ² 2p ⁵	2P _{3/2} - 2P _{1/2}	0.76	SCCFH
		2640.(25)	8.82 +2	Mo XXXI	3s 3p	3P ₀ - 3P ₁	1.80	
2648.71(2)		2648.67(7)	9.23 +1	Fe XI	3s ² 3p ⁴	3P ₂ - 1D ₂	0.29	SBT
2665.1(3)		2665.2(3.0)	4.17 +2	Fe XX	2s ² 2p ³	2D _{3/2} - 2D _{5/2}	1.58	SH(78)
		2682.154(10)	7.33 -2	P IV	3s 3p	3P ₀ - 1P ₁	0.051	
		2691.04(19)	5.89 +0	Ar V	3s ² 3p ²	3P ₁ - 1S ₀	0.075	
		2694.4(5)	1.14 +1	Cr X	3s ² 3p ³	4S _{3/2} - 2D _{3/2}	0.24	
		2698.696(10)	5.40 -2	P IV	3s 3p	3P ₁ - 1P ₁	0.051	
2717.8(3)		2700.(30)	7.87 +0	Y XXV	3s ² 3p ³	2D _{3/2} - 2D _{5/2}	1.24	RPSKR
		2710.(25)	1.18 +2	Rb XXII	3s ² 3p ⁴	3P ₁ - 1D ₂	1.02	
		2711.07(10)	1.05 +1	K IV	3s ² 3p ⁴	3P ₁ - 1S ₀	0.06	
		2722.4(4)	2.83 +1	Si VIII	2s ² 2p ³	2D _{3/2} - 2P _{3/2}	0.304	
		2724.(20)	3.15 +2	As XIX	3s ² 3p ³	2P _{1/2} - 2P _{3/2}	0.76	
		2733.280(11)	8.66 -2	P IV	3s 3p	3P ₂ - 1P ₁	0.051	
	Q	2733.6(1.5)	6.41 +0	Cr IX	3s ² 3p ⁴	1D ₂ - 1S ₀	0.21	

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	2737.(4)	4.37 +2	Ca XVI	2s ² 2p	² P _{1/2} - ² F _{3/2}	0.97	
	2741.2(4)	1.69 +1*	Si VIII	2s ² 2p ³	² D _{5/2} - ² F _{3/2}	0.304	
	2752.6(1.6)	1.57 -1*	V IX	3s ² 3p ³	⁴ S _{3/2} - ² D _{5/2}	0.21	
	2763.1(4)	1.79 +1*	Si VIII	2s ² 2p ³	² D _{3/2} - ² F _{1/2}	0.304	
	2772.35(4)	8.52 -5	B II	2s 2p	³ P ₀ - ¹ F ₁	0.048	
	2772.78(4)	2.01 -1	B II	2s 2p	³ P ₁ - ¹ F ₁	0.048	
	2774.01(4)	1.07 -4	B II	2s 2p	³ P ₂ - ¹ F ₁	0.048	
	2780.(6)	6.13 +2	Ga XX	3s 3p	³ F ₁ - ³ F ₂	0.70	
	2782.7(3)	1.86 +0	Mg V	2s ² 2p ⁴	³ P ₂ - ¹ D ₂	0.141	
	2788.(25)	1.02 +2	Kr XXI	3s ² 3p ⁴	³ P ₁ - ¹ D ₂	0.94	
	2791.7(2.2)	1.10 +2*	Co XIII	3s ² 3p ³	² D _{3/2} - ² P _{1/2}	0.38	
	Q 2803.74(18)	5.43 +0	Na IV	2s ² 2p ⁴	¹ D ₂ - ¹ S ₀	0.099	
	2809.(22)	8.48 +2	Co XXIV	2s 2p	³ P ₀ - ³ F ₁	2.12	
2818.2(3)	2817.7(3)	5.72 +2	Ni XXI	2s ² 2p ⁴	³ P ₀ - ³ F ₁	1.76	HSCS
	2818.01(6)	2.05 +2	Ni XV	3s ² 3p ²	³ F ₂ - ¹ D ₂	0.46	
2841.1(2)	2834.(40)	2.91 +2	Mo XXIX	3s ² 3p ²	³ F ₁ - ³ F ₂	1.49	DHSC
	Q 2836.7(6)	9.45 +0	V X	3s ² 3p ²	¹ D ₂ - ¹ S ₀	0.23	
	2839.(25)	7.16 +2	Nb XXX	3s 3p	³ P ₀ - ³ F ₁	1.70	
	2853.654(24)	1.88 +0	Ar IV	3s ² 3p ³	⁴ S _{3/2} - ² F _{3/2}	0.060	
	2860.(12)	3.35 +1	Mn XII	3s ² 3p ²	³ F ₁ - ¹ D ₂	0.31	
	2868.(15)	8.54 +2	Ga XVI	3s ² 3p ⁴	³ P ₂ - ³ F ₁	0.58	
	2868.15(5)	7.60 -1	Ar IV	3s ² 3p ³	⁴ S _{3/2} - ² P _{1/2}	0.060	
	2871.(30)	8.68 +1	Br XX	3s ² 3p ⁴	³ F ₁ - ¹ D ₂	0.86	
	2872.7(1.9)	4.06 -1	Na VI	2s ² 2p ²	³ F ₁ - ¹ D ₂	0.172	
	2880.3(1.7)	4.98 +0	V IX	3s ² 3p ³	⁴ S _{3/2} - ² D _{3/2}	0.21	
2885.4(3)	2885.4(1.2)	4.69 +2	Cr XIX	2s ² 2p ²	³ F ₁ - ³ F ₂	1.40	HSCS
	2898.(30)	2.69 +2	Sr XXIV	3s ² 3p ³	² D _{3/2} - ² D _{5/2}	1.16	
	2902.8(6)	8.13 +1*	Fe XII	3s ² 3p ³	² D _{5/2} - ² F _{3/2}	0.33	
2907.9(3)	2907.82(24)	5.29 +2	Sc XVIII	2s 2p	³ F ₁ - ³ F ₂	1.21	SH(82)
2922.3(1)	2922.5(1.0)	7.20 +2	Zn XIV	3s ² 3p ⁵	² F _{3/2} - ² P _{1/2}	0.47	BGBR
	2925.9(6)	1.13 +2	Mn XI	3s ² 3p ³	² D _{3/2} - ² F _{3/2}	0.29	
	2928.0(4)	5.85 -1	Mg V	2s ² 2p ⁴	³ F ₁ - ¹ D ₂	0.141	
	2929.70(4)	3.63 -4*	F III	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	0.063	
	2932.78(4)	1.63 -4*	F III	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	0.063	
2933.7(2)	2938.(18)	6.39 +2	Ge XIX	3s ² 3p ²	³ P ₀ - ³ F ₁	0.73	DHSC
	2956.0(2.6)	5.33 +1	Mn X	3s ² 3p ⁴	³ F ₂ - ¹ D ₂	0.25	
T 2935.8(3)	2958.(20)	7.31 +1	Se XIX	3s ² 3p ⁴	³ F ₁ - ¹ D ₂	0.79	DHSC
	2958.(40)	2.63 +2	Nb XXVIII	3s ² 3p ²	³ F ₁ - ³ F ₂	1.50	
	2971.9(1.8)	1.27 +0	Na VI	2s ² 2p ²	³ F ₂ - ¹ D ₂	0.172	
2972.288(1)	2972.2864(13)	6.68 -2	O I	2s ² 2p ⁴	³ F ₁ - ¹ S ₀	0.014	E(65)
	Q 2972.8(5)	4.39 +0	Ne V	2s ² 2p ²	¹ D ₂ - ¹ S ₀	0.126	
	Q 2978.1(6)	5.61 +0	V VIII	3s ² 3p ⁴	¹ D ₂ - ¹ S ₀	0.17	

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	3006.1(1.8)	6.62 -2*	Ti VIII	3s ² 3p ³	4S _{3/2} - 2D _{5/2}	0.17	
3007.6(3)	3007.6(1.0)	3.30 +2	Cu XVII	3s ² 3p	2P _{1/2} - 2P _{3/2}	0.55	HSCS
	3051.(20)	6.07 +1	As XVIII	3s ² 3p ⁴	3P ₁ - 1D ₂	0.71	
	3062.838(13)	3.40 -2	N II	2s ² 2p ²	3P ₁ - 1S ₀	0.030	
	3067.(30)	5.73 +2	Zr XXIX	3s 3p	3P ₀ - 3P ₁	1.60	
	3070.7(3)	7.22 +0	Al VII	2s ² 2p ³	2D _{3/2} - 2P _{3/2}	0.241	
	Q 3071.8(1.3)	8.58 +0	Ti IX	3s ² 3p ²	1D ₂ - 1S ₀	0.19	
3072.0(4)	3072.0(7)	7.21 +1*	Fe XII	3s ² 3p ³	2D _{3/2} - 2P _{1/2}	0.33	J
	3076.0(4)	1.27 +1*	Al VII	2s ² 2p ³	2D _{5/2} - 2P _{3/2}	0.241	
3100.5(3)	3094.(40)	2.37 +2	Zr XXVII	3s ² 3p ²	3P ₁ - 3P ₂	1.41	DHSC
	3096.0(3)	8.12 +0*	Al VII	2s ² 2p ³	2D _{3/2} - 2P _{1/2}	0.241	
	3105.6(1.9)	2.00 +0	Ti VIII	3s ² 3p ³	4S _{3/2} - 2D _{3/2}	0.17	
3109.08(30)	3109.14(5)	4.09 +0	Ar III	3s ² 3p ⁴	3P ₁ - 1S ₀	0.041	B(60)
	3110.(7)	1.24 +2	Co XIV	3s ² 3p ²	3P ₂ - 1D ₂	0.41	
	3118.55(8)	2.19 +0	Cl IV	3s ² 3p ²	3P ₁ - 1S ₀	0.053	
	3134.(30)	3.81 +2	Kr XXI	3s ² 3p ⁴	3P ₀ - 3P ₁	0.94	
T 3131.3(3)	3150.(20)	4.97 +1	Ge XVII	3s ² 3p ⁴	3P ₁ - 1D ₂	0.64	DHSC
	3152.(30)	2.17 +2	Rb XXIII	3s ² 3p ³	2D _{3/2} - 2D _{5/2}	1.07	
3178.	3177.9(7)	1.77 +1	Cr XI	3s ² 3p ²	3P ₁ - 1D ₂	0.27	M
3206.1(3)	3206.36(21)	6.55 +2	Sc XIV	2s ² 2p ⁴	3P ₂ - 3P ₁	0.83	SCCFH
	3230.(16)	5.70 +2	Fe XXIII	2s 2p	3P ₀ - 3P ₁	1.96	
	3240.6(7)	4.73 +1*	Mn XI	3s ² 3p ³	2D _{5/2} - 2P _{3/2}	0.29	
3241.68(10)	3241.63(15)	5.75 -1	Na IV	2s ² 2p ⁴	3P ₂ - 1D ₂	0.099	B(60)
3254.8(1.0)	3250.(40)	2.44 +2	Y XXVI	3s ² 3p ²	3P ₁ - 3P ₂	1.32	RPSKR
	3258.(20)	4.00 +1	Ga XVI	3s ² 3p ⁴	3P ₁ - 1D ₂	0.58	
	3259.(30)	2.35 +2	Mn XIX	2s ² 2p ³	2D _{3/2} - 2D _{5/2}	1.44	
	Q 3259.5(6)	4.92 +0	Ti VII	3s ² 3p ⁴	1D ₂ - 1S ₀	0.14	
	3301.1(5)	2.99 +1	Cr IX	3s ² 3p ⁴	3P ₂ - 1D ₂	0.21	
3296.2(2)	3304.0(3)	3.67 +2	Zn XIX	3s 3p	3P ₁ - 3P ₂	0.70	BGBR
	3305.9(2.2)	2.78 -2*	Sc VII	3s ² 3p ³	4S _{3/2} - 2D _{5/2}	0.14	
	3307.(3)	3.24 +2	V XVIII	2s ² 2p ²	3P ₁ - 3P ₂	1.26	
	3314.727(16)	1.85 -2	Si III	3s 3p	3P ₀ - 1P ₁	0.033	
	3326.4(8)	6.22 +1	Cr X	3s ² 3p ³	2D _{3/2} - 2P _{3/2}	0.24	
3327.5(4)	3327.8(6)	4.87 +2	Ca XII	2s ² 2p ⁵	2P _{3/2} - 2P _{1/2}	0.66	J
	3328.921(16)	1.37 -2	Si III	3s 3p	3P ₁ - 1F ₁	0.033	
	3330.(30)	4.52 +2	Y XXVIII	3s 3p	3P ₀ - 3P ₁	1.50	
	3340.(20)	1.75 +2	Ge XVIII	3s ² 3p ³	2P _{1/2} - 2P _{3/2}	0.69	
3342.5(3)	Q 3342.42(17)	4.28 +0	Ne III	2s ² 2p ⁴	1D ₂ - 1S ₀	0.064	B(60)
3342.9(3)	3342.80(20)	6.91 -1	Cl III	3s ² 3p ³	4S _{3/2} - 2P _{3/2}	0.040	B(60)
3345.84(2)	3345.83(16)	1.24 -1	Ne V	2s ² 2p ²	3P ₁ - 1D ₂	0.126	B(55)
	Q 3350.5(8)	7.70 +0	Sc VIII	3s ² 3p ²	1D ₂ - 1S ₀	0.16	
3353.33(10)	3353.17(22)	1.22 -1	Cl III	3s ² 3p ³	4S _{3/2} - 2P _{1/2}	0.040	B(60)

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	3358.189(16)	2.22 -2	Si III	3s 3p	³ P ₂ - ¹ P ₁	0.033	
3362.20(10)	3362.24(16)	2.03 -1	Na IV	2s ² 2p ⁴	³ P ₁ - ¹ D ₂	0.099	B(60)
3370.8(2)	3370.80(23)	4.44 +2	Ti XVII	2s ² 2p ²	³ P ₀ - ³ P ₁	1.13	SFH
	3374.(15)	3.15 +1	Zn XV	3s ² 3p ⁴	³ P ₁ - ¹ D ₂	0.51	
	3381.7(2.3)	7.32 -1	Sc VII	3s ² 3p ³	⁴ S _{3/2} - ² D _{3/2}	0.14	
	3381.9(8)	4.89 +1*	Mn XI	3s ² 3p ³	² D _{3/2} - ² F _{1/2}	0.29	
3388.5(4)	3388.05(23)	5.75 +1	Fe XIII	3s ² 3p ²	³ P ₂ - ¹ D ₂	0.36	J
	3418.(40)	1.89 +2	Sr XXV	3s ² 3p ²	³ P ₁ - ³ P ₂	1.22	
3425.87(2)	3425.87(17)	4.36 -1	Ne V	2s ² 2p ²	³ P ₂ - ¹ D ₂	0.126	B(55)
	3438.(3)	1.71 +2	V XVII	2s ² 2p ³	² F _{1/2} - ² F _{3/2}	1.17	
	3446.(30)	1.72 +2	Kr XXII	3s ² 3p ³	² D _{3/2} - ² D _{5/2}	0.99	
	3448.(4)	2.19 +2	K XV	2s ² 2p	² F _{1/2} - ² F _{3/2}	0.86	
3450.4(2)	3449.(20)	4.98 +2	Zn XV	3s ² 3p ⁴	³ P ₂ - ³ P ₁	0.51	BGBR
3466.4970(6)	3466.497(1)	6.18 -3	N I	2s ² 2p ³	⁴ S _{3/2} - ² F _{3/2}	0.015	E(66)
3466.5434(12)	3466.543(1)	2.46 -3	N I	2s ² 2p ³	⁴ S _{3/2} - ² F _{1/2}	0.015	E(66)
	3486.7(6)	3.33 +0*	Mg VI	2s ² 2p ³	² D _{5/2} - ² F _{3/2}	0.187	
	3488.7(3)	5.06 +0*	Mg VI	2s ² 2p ³	² D _{3/2} - ² F _{3/2}	0.187	
3500.4(3)	3500.4(1.0)	4.19 +2	Cu XIII	3s ² 3p ⁵	² F _{3/2} - ² F _{1/2}	0.41	HSCS
	3502.(20)	2.43 +2	Cu XIV	3s ² 3p ⁴	³ P ₁ - ¹ D ₂	0.44	
	3502.0(3)	3.48 +0*	Mg VI	2s ² 2p ³	² D _{3/2} - ² F _{1/2}	0.187	
	3528.9(9)	9.10 +0	V X	3s ² 3p ²	³ F ₁ - ¹ D ₂	0.23	
	Q 3532.17(25)	3.52 +0	F IV	2s ² 2p ²	¹ D ₂ - ¹ S ₀	0.087	
	3566.(20)	3.62 +2	Ga XVIII	3s ² 3p ²	³ P ₀ - ³ P ₁	0.66	
	Q 3592.01(18)	4.31 +0	Sc VI	3s ² 3p ⁴	¹ D ₂ - ¹ S ₀	0.11	
3601.1(4)	3600.0(2.6)	1.93 +2	Ni XVI	3s ² 3p	² F _{1/2} - ² F _{3/2}	0.50	J
	3608.2(9)	2.86 +1*	Cr X	3s ² 3p ³	² D _{5/2} - ² F _{3/2}	0.24	
	3611.(40)	1.67 +2	Rb XXIV	3s ² 3p ²	³ F ₁ - ³ F ₂	1.13	
	3630.(30)	3.52 +2	Sr XXVII	3s 3p	³ P ₀ - ³ P ₁	1.40	
	3636.50(9)	1.84 +1	Ni XIII	3s ² 3p ⁴	³ F ₁ - ¹ D ₂	0.38	
	3637.(4)	2.70 +2	Ca XVII	2s 2p	³ P ₁ - ³ P ₂	1.16	
	3669.1(2.7)	1.17 -2*	Ca VI	3s ² 3p ³	⁴ S _{3/2} - ² D _{5/2}	0.11	
	3677.855(8)	1.37 +0	Cl II	3s ² 3p ⁴	³ F ₁ - ¹ S ₀	0.024	
3685.5(4)	3682.(19)	4.48 +1	Mn XII	3s ² 3p ²	³ F ₂ - ¹ D ₂	0.31	J
3688.2(2.5)	Q 3686.6(4)	6.81 +0	Ca VII	3s ² 3p ²	¹ D ₂ - ¹ S ₀	0.13	
	3692.8(7)	1.62 +1	V VIII	3s ² 3p ⁴	³ F ₂ - ¹ D ₂	0.17	
3721.69(10)	3721.68(10)	6.83 -1	S III	3s ² 3p ²	³ F ₁ - ¹ S ₀	0.035	B(60)
	3725.4(2.8)	2.43 -1*	Ca VI	3s ² 3p ³	⁴ S _{3/2} - ² D _{3/2}	0.11	
	3725.8(1.0)	2.82 +1*	Cr X	3s ² 3p ³	² D _{3/2} - ² F _{1/2}	0.24	
3726.04(2)	3726.03(2)	1.69 -4*	O II	2s ² 2p ³	⁴ S _{3/2} - ² D _{3/2}	0.035	B(55)
3728.80(2)	3728.82(3)	5.01 -5*	O II	2s ² 2p ³	⁴ S _{3/2} - ² D _{5/2}	0.035	B(55)
	3756.(36)	3.73 +2	Mn XXII	2s 2p	³ F ₀ - ³ F ₁	1.79	
	3770.2(1.0)	3.34 +1	V IX	3s ² 3p ³	² D _{3/2} - ² F _{3/2}	0.21	

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength		A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	Observed	Calculated						
3801.2	3801.(4)		1.34 +1	Co XII	3s ² 3p ⁴	3P ₁ - 1D ₂	0.34	P
	3825.(40)		1.30 +2	Br XXI	3s ² 3p ³	2D _{3/2} - 2D _{5/2}	0.91	
3840.9(3)	3832.(40)		1.46 +2	Kr XXIII	3s ² 3p ²	3P ₁ - 3P ₂	1.05	RPSKR
3834.4(2)	3834.4(4)		2.15 +2	Ti XVII	2s ² 2p ²	3P ₁ - 3P ₂	1.13	SFH
3868.76(2)	3868.752(15)		1.39 -1	Ne III	2s ² 2p ⁴	3P ₂ - 1D ₂	0.064	B(55)
	3930.3(2.2)		4.52 -1	Ti IX	3s ² 3p ²	3P ₁ - 1D ₂	0.19	
3941.6(3)	3941.6(2.2)		2.16 +2	Cu XVIII	3s 3p	3P ₁ - 3P ₂	0.60	DHSC
3967.47(2)	3967.46(4)		5.95 -2	Ne III	2s ² 2p ⁴	3P ₁ - 1D ₂	0.064	B(55)
	3975.(40)		2.70 +2	Rb XXVI	3s 3p	3P ₀ - 3P ₁	1.30	
3986.8(4)	3986.80(22)		9.44 +0	Fe XI	3s ² 3p ⁴	3P ₁ - 1D ₂	0.29	J
3996.8(4)	3996.6(1.1)		2.60 +1	Cr XI	3s ² 3p ²	3P ₂ - 1D ₂	0.27	J
3997.37(10)	3997.37(9)		3.17 -2	F IV	2s ² 2p ²	3P ₁ - 1D ₂	0.087	B(60)
	Q 3997.88(23)		3.73 +0	Ca V	3s ² 3p ⁴	1D ₂ - 1S ₀	0.08	
	4010.9(2.3)		1.40 +0*	Na V	2s ² 2p ³	2D _{5/2} - 2P _{3/2}	0.138	
	4014.1(1.1)		1.64 +1*	V IX	3s ² 3p ³	2D _{5/2} - 2P _{3/2}	0.21	
	4016.7(2.3)		1.91 +0*	Na V	2s ² 2p ³	2D _{3/2} - 2P _{3/2}	0.138	
	4022.7(2.3)		1.43 +0*	Na V	2s ² 2p ³	2D _{3/2} - 2P _{1/2}	0.138	
4038.6(3)	4039.(7)		1.27 +2	Cr XVIII	2s ² 2p ³	2D _{3/2} - 2D _{5/2}	1.30	DH
4060.22(10)	4060.21(9)		1.39 -1	F IV	2s ² 2p ²	3P ₂ - 1D ₂	0.087	B(60)
4068.60(2)	4068.60(3)		2.20 -1	S II	3s ² 3p ³	4S _{3/2} - 2P _{3/2}	0.023	B(55)
4076.35(2)	4076.35(3)		7.44 -2	S II	3s ² 3p ³	4S _{3/2} - 2P _{1/2}	0.023	B(55)
	4087.(40)		1.26 +2	Br XXII	3s ² 3p ²	3P ₁ - 3P ₂	0.96	
4087.1(4)	4087.2(5)		3.19 +2	Ca XIII	2s ² 2p ⁴	3P ₂ - 3P ₁	0.73	J
	Q 4100.40(24)		5.92 +0	K VI	3s ² 3p ²	1D ₂ - 1S ₀	0.10	
	4110.7(1.2)		1.66 +1*	V IX	3s ² 3p ³	2D _{3/2} - 2P _{1/2}	0.21	
4122.63(10)	4122.6(3)		4.96 -3*	K V	3s ² 3p ³	4S _{3/2} - 2D _{5/2}	0.08	B(55)
	4130.(50)		1.74 +2	Br XX	3s ² 3p ⁴	3P ₀ - 3P ₁	0.86	
	4143.1(7)		8.46 +0	Ti VII	3s ² 3p ⁴	3P ₂ - 1D ₂	0.14	
	4150.(30)		9.37 +1	Ga XVII	3s ² 3p ³	2P _{1/2} - 2P _{3/2}	0.62	
	Q 4157.75(12)		2.10 +0	F II	2s ² 2p ⁴	1D ₂ - 1S ₀	0.035	
4163.30(10)	4163.3(3)		8.06 -2*	K V	3s ² 3p ³	4S _{3/2} - 2D _{3/2}	0.08	B(55)
4183.4(3)	4181.(20)		2.83 +2	Cu XIV	3s ² 3p ⁴	3P ₂ - 3P ₁	0.44	RPSKR
	4200.(5)		6.42 +0	Mn X	3s ² 3p ⁴	3P ₁ - 1D ₂	0.25	
4231.2(4)	4230.9(1.8)		2.37 +2	Ni XII	3s ² 3p ⁵	2P _{3/2} - 2P _{1/2}	0.35	J
T 4256.4	4249.(4)		2.34 +2	K XI	2s ² 2p ⁵	2F _{3/2} - 2F _{1/2}	0.56	F
	4249.(50)		1.75 +2	Co XX	2s ² 2p ⁴	3P ₀ - 3P ₁	1.60	
	4264.4(5)		1.77 +1*	Ti VIII	3s ² 3p ³	2D _{3/2} - 2P _{3/2}	0.17	
4276.0(3)	4305.(40)		9.47 +1	Se XX	3s ² 3p ³	2D _{3/2} - 2D _{5/2}	0.83	DHSC
	4330.(40)		2.38 +2	Cr XXI	2s 2p	3P ₀ - 3P ₁	1.63	
	4330.0(1.3)		1.47 +1	V X	3s ² 3p ²	3P ₂ - 1D ₂	0.23	
4350.6	4352.(10)		1.09 +2	Co XV	3s ² 3p	2P _{1/2} - 2P _{3/2}	0.44	P
4354.3(4)	4354.4(4)		2.08 +2	Sc XVI	2s ² 2p ²	3P ₀ - 3P ₁	1.01	SCCFH

Table 57. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength		A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	Observed	Calculated						
4363.19(2)	Q 4363.209(8)		2.65 +0	O III	2s ² 2p ²	¹ D ₂ - ¹ S ₀	0.055	B(55)
4355.0(3)	4365.(25)		2.00 +2	Zn XVII	3s ² 3p ²	³ P ₀ - ³ P ₁	0.59	RPSKR
	4376.(50)		2.04 +2	Kr XXV	3s 3p	³ P ₀ - ³ P ₁	1.22	
4396.5(3) ^b	4383.(50)		1.07 +2	Se XXI	3s ² 3p ²	³ P ₁ - ³ P ₂	0.88	DHSC
	4393.4(1.4)		2.15 +0	Sc VIII	3s ² 3p ²	³ P ₁ - ¹ D ₂	0.16	
4412.4(2)	4416.(4)		1.04 +2	Ar XIV	2s ² 2p	² P _{1/2} - ² P _{3/2}	0.756	D
	4450.5(1.4)		4.19 +0	Cr IX	3s ² 3p ⁴	³ F ₁ - ¹ D ₂	0.21	
	4451.311(14)		3.07 -3	Al II	3s 3p	³ F ₀ - ¹ P ₁	0.019	
	4463.409(14)		2.31 -3	Al II	3s 3p	³ F ₁ - ¹ P ₁	0.019	
	4467.6(6)		9.10 +0*	Ti VIII	3s ² 3p ³	² D _{5/2} - ² P _{3/2}	0.17	
	4488.233(14)		3.74 -3	Al II	3s 3p	³ F ₂ - ¹ P ₁	0.019	
4510.93(10)	Q 4510.92(29)		3.18 +0	K IV	3s ² 3p ⁴	¹ D ₂ - ¹ S ₀	0.06	B(60)
4530.3(4)	4530.4(5)		1.34 +2	Sc XVI	2s ² 2p ²	³ P ₁ - ³ P ₂	1.01	SCCFH
	4544.4(6)		9.44 +0*	Ti VIII	3s ² 3p ³	² D _{3/2} - ² P _{1/2}	0.17	
4589.2606(5)	4589.2606(14)		3.5 -1	S I	3s ² 3p ⁴	³ F ₁ - ¹ S ₀	0.010	E(78)
4621.57(10)	4621.570(5)		2.60 -3	C I	2s ² 2p ²	³ F ₁ - ¹ S ₀	0.011	P
4625.54(10)	Q 4625.34(14)		5.18 +0	Ar V	3s ² 3p ²	¹ D ₂ - ¹ S ₀	0.075	B(55)
	4635.(15)		1.31 +2	K XVI	2s 2p	³ F ₁ - ³ P ₂	0.97	
4635.6(3)	4639.(5)		7.19 +1	Ti XVI	2s ² 2p ³	² F _{1/2} - ² P _{3/2}	1.04	H
	4669.25(6)		1.62 -1	P II	3s ² 3p ²	³ F ₁ - ¹ S ₀	0.019	
	4673.12(22)		4.19 +0	Sc VI	3s ² 3p ⁴	³ F ₂ - ¹ D ₂	0.11	
	4700.(3)		8.05 +0	Ti IX	3s ² 3p ²	³ F ₂ - ¹ D ₂	0.19	
4711.33(2)	4711.339(11)		2.07 -3*	Ar IV	3s ² 3p ³	⁴ S _{3/2} - ² D _{5/2}	0.060	B(55)
4714.25(4)	4714.22(6)		6.19 -1*	Ne IV	2s ² 2p ³	² D _{5/2} - ² P _{3/2}	0.097	B(55)
4724.15(4)	4724.17(6)		6.41 -1*	Ne IV	2s ² 2p ³	² D _{3/2} - ² P _{3/2}	0.097	B(55)
4725.62(4)	4725.60(6)		5.92 -1*	Ne IV	2s ² 2p ³	² D _{3/2} - ² P _{1/2}	0.097	B(55)
	4730.(50)		8.91 +1	As XX	3s ² 3p ²	³ F ₁ - ³ P ₂	0.81	
4740.20(2)	4740.199(11)		1.72 -2*	Ar IV	3s ² 3p ³	⁴ S _{3/2} - ² D _{3/2}	0.060	B(55)
	4746.1(1.6)		2.60 +0	V VIII	3s ² 3p ⁴	³ F ₁ - ¹ D ₂	0.17	
T 4744.	4756.(10)		1.23 +2	Ni XVII	3s 3p	³ F ₁ - ³ P ₂	0.57	P
	4789.45(12)		3.83 -2	F II	2s ² 2p ⁴	³ F ₂ - ¹ D ₂	0.035	
	4820.6(7)		8.96 +0*	Sc VII	3s ² 3p ³	² D _{3/2} - ² P _{3/2}	0.14	
	4844.(60)		1.51 +2	Br XXIV	3s 3p	³ F ₀ - ³ P ₁	1.10	
	4856.061(13)		9.58 -7	Be I	2s 2p	³ F ₀ - ¹ P ₁	0.009	
	4856.212(10)		9.19 -3	Be I	2s 2p	³ F ₁ - ¹ P ₁	0.009	
	4856.766(13)		1.19 -6	Be I	2s 2p	³ F ₂ - ¹ P ₁	0.009	
	4868.99(17)		1.21 -2	F II	2s ² 2p ⁴	³ F ₁ - ¹ D ₂	0.035	
	4920.(60)		6.56 +1	As XIX	3s ² 3p ³	² D _{3/2} - ² D _{5/2}	0.76	
4939.48(20)	4939.6(7)		9.74 -1	Ca VII	3s ² 3p ²	³ F ₁ - ¹ D ₂	0.13	T
4958.93(2)	4958.910(7)		6.37 -3	O III	2s ² 2p ²	³ F ₁ - ¹ D ₂	0.055	B(55)
	4983.4(7)		4.91 +0*	Sc VII	3s ² 3p ³	² D _{5/2} - ² P _{3/2}	0.14	
5006.86(2)	5006.843(8)		4.67 -2	O III	2s ² 2p ²	³ F ₂ - ¹ D ₂	0.055	B(55)

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength		A (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	Observed	Calculated						
		5042.8(7)	5.15 +0*	Sc VII	$3s^2 3p^3$	$2D_{3/2} - 2P_{1/2}$	0.14	
		5101.7(1.2)	1.54 +0	Ti VII	$3s^2 3p^4$	$3P_1 - 1D_2$	0.14	
5115.8(4)		5115.81(10)	1.57 +2	Ni XIII	$3s^2 3p^4$	$3P_2 - 3P_1$	0.38	J
		5121.7(1.9)	4.25 +0	Sc VIII	$3s^2 3p^2$	$3P_2 - 1D_2$	0.16	
		5127.(40)	1.46 +2	V XX	$2s 2p$	$3P_0 - 3P_1$	1.49	
5170.3(3)		5150.(50)	7.24 +1	Ge XIX	$3s^2 3p^2$	$3P_1 - 3P_2$	0.73	DHSC
T 5188.5		5168.(13)	1.30 +2	Co XI	$3s^2 3p^5$	$2P_{3/2} - 2P_{1/2}$	0.31	P
		5172.(8)	6.21 +1	V XVII	$2s^2 2p^3$	$2D_{3/2} - 2D_{5/2}$	1.17	
5191.82(10)	Q	5191.79(14)	2.59 +0	Ar III	$3s^2 3p^4$	$1D_2 - 1S_0$	0.041	B(55)
5197.94(10)		5197.901(14)	1.62 -5*	N I	$2s^2 2p^3$	$4S_{3/2} - 2D_{3/2}$	0.015	B(55)
5200.41(10)		5200.257(14)	6.92 -6*	N I	$2s^2 2p^3$	$4S_{3/2} - 2D_{5/2}$	0.015	B(55)
		5224.(30)	4.83 +1	Zn XVI	$3s^2 3p^3$	$2P_{1/2} - 2P_{3/2}$	0.55	
		5274.(4)	1.50 +2	K XII	$2s^2 2p^4$	$3P_2 - 3P_1$	0.63	
5302.86(6)		5302.9(6)	6.02 +1	Fe XIV	$3s^2 3p$	$2P_{1/2} - 2P_{3/2}$	0.39	E
5309.18(10)		5309.11(28)	1.95 +0	Ca V	$3s^2 3p^4$	$3P_2 - 1D_2$	0.08	B(55)
5323.29(10)	Q	5323.3(3)	4.14 +0	Cl IV	$3s^2 3p^2$	$1D_2 - 1S_0$	0.053	B(55)
		5332.416(11)	1.08 -1	P I	$3s^2 3p^3$	$4S_{3/2} - 2P_{3/2}$	0.010	
		5339.621(11)	4.26 -2	P I	$3s^2 3p^3$	$4S_{3/2} - 2P_{1/2}$	0.010	
5375.8(3)		5393.(30)	1.07 +2	Cu XVI	$3s^2 3p^2$	$3P_0 - 3P_1$	0.52	DHSC
		5397.(60)	1.10 +2	Se XXIII	$3s 3p$	$3P_0 - 3P_1$	1.00	
5446.0		5443.9(8)	7.90 +1	Ca XV	$2s^2 2p^2$	$3P_1 - 3P_2$	0.89	P
5460.7		5460.7(8)	4.31 +0*	Ca VI	$3s^2 3p^3$	$2D_{3/2} - 2P_{3/2}$	0.11	T
5517.66(10)		5517.71(6)	8.07 -4*	Cl III	$3s^2 3p^3$	$4S_{3/2} - 2D_{5/2}$	0.040	B(55)
5533.4(4)		5533.39(21)	1.06 +2	Ar X	$2s^2 2p^5$	$2P_{3/2} - 2P_{1/2}$	0.479	J
5537.6(3)		5537.88(6)	3.44 -3*	Cl III	$3s^2 3p^3$	$4S_{3/2} - 2D_{3/2}$	0.040	B(55)
		5539.6(4)	8.49 -1	Sc VI	$3s^2 3p^4$	$3P_1 - 1D_2$	0.11	
5577.34(10)	Q	5577.338(4)	1.34 +0	O I	$2s^2 2p^4$	$1D_2 - 1S_0$	0.014	P
5586.3		5586.3(9)	2.58 +0*	Ca VI	$3s^2 3p^3$	$2D_{5/2} - 2P_{3/2}$	0.11	T
		5602.4(4)	4.13 -1	K VI	$3s^2 3p^2$	$3P_1 - 1D_2$	0.10	
5618.58(20)		5618.8(9)	2.15 +0	Ca VII	$3s^2 3p^2$	$3P_2 - 1D_2$	0.13	T
T 5645.0(3) ^b		5620.(80)	7.22 +1	Se XIX	$3s^2 3p^4$	$3P_0 - 3P_1$	0.79	DHSC
		5631.7(9)	2.70 +0*	Ca VI	$3s^2 3p^3$	$2D_{3/2} - 2P_{1/2}$	0.11	
		5650.(60)	5.74 +1	Ga XVIII	$3s^2 3p^2$	$3P_1 - 3P_2$	0.66	
5693.6(4)		5693.5(6)	9.40 +1	Ca XV	$2s^2 2p^2$	$3P_0 - 3P_1$	0.89	J
		5721.20(19)	3.05 -1*	F III	$2s^2 2p^3$	$2D_{5/2} - 2P_{3/2}$	0.063	
T 5702.4(2)		5730.(60)	4.28 +1	Ge XVIII	$3s^2 3p^3$	$2D_{3/2} - 2D_{5/2}$	0.69	DHST
		5732.95(19)	2.08 -1*	F III	$2s^2 2p^3$	$2D_{3/2} - 2P_{3/2}$	0.063	
		5733.21(19)	2.74 -1*	F III	$2s^2 2p^3$	$2D_{3/2} - 2P_{1/2}$	0.063	
5744.		5746.(19)	7.01 +1	Co XVI	$3s 3p$	$3P_1 - 3P_2$	0.51	P
		5746.(20)	4.73 +1	Cl XIII	$2s^2 2p$	$2P_{1/2} - 2P_{3/2}$	0.657	
5754.57(4)	Q	5754.64(5)	1.08 +0	N II	$2s^2 2p^2$	$1D_2 - 1S_0$	0.030	B(55)
T 5926.		5944.(25)	6.20 +1	Ar XV	$2s 2p$	$3P_1 - 3P_2$	0.855	P

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	6055.(70)	7.84 +1	As XXII	3s 3p	³ P ₀ - ³ P ₁	0.90	
6086.92(10)	6086.4(5)	4.35 -1	Ca V	3s ² 3p ⁴	³ P ₁ - ¹ D ₂	0.08	B(55)
	6092.(16)	8.71 +1	Ti XIX	2s 2p	³ P ₀ - ³ P ₁	1.35	
6101.83(10)	6101.8(4)	8.38 -1	K IV	3s ² 3p ⁴	³ P ₂ - ¹ D ₂	0.06	B(55)
	Q 6161.835(21)	2.06 +0	Cl II	3s ² 3p ⁴	¹ D ₂ - ¹ S ₀	0.024	
	6221.9(1.1)	1.97 +0*	K V	3s ² 3p ³	² D _{3/2} - ² F _{3/2}	0.08	
	6228.6(5)	1.03 +0	K VI	3s ² 3p ²	³ P ₂ - ¹ D ₂	0.10	
	6266.(50)	4.40 +1	Zn XVII	3s ² 3p ²	³ P ₁ - ³ P ₂	0.59	
6300.304(2)	6300.304(6)	5.11 -3	O I	2s ² 2p ⁴	³ F ₂ - ¹ D ₂	0.014	E(65)
6312.06(4)	Q 6312.1(4)	3.22 +0	S III	3s ² 3p ²	¹ D ₂ - ¹ S ₀	0.035	B(55)
	6315.1(1.1)	1.34 +0*	K V	3s ² 3p ³	² D _{5/2} - ² F _{3/2}	0.08	
	6319.(8)	8.42 +1	Co XII	3s ² 3p ⁴	³ F ₂ - ³ F ₁	0.34	
	6349.2(1.1)	1.37 +0*	K V	3s ² 3p ³	² D _{3/2} - ² F _{1/2}	0.08	
6363.776(2)	6363.776(6)	1.65 -3	O I	2s ² 2p ⁴	³ P ₁ - ¹ D ₂	0.014	E(65)
6374.6(4)	6374.53(4)	6.94 +1	Fe X	3s ² 3p ⁵	² F _{3/2} - ² F _{1/2}	0.26	J
	6404.(9)	2.82 +1	Sc XV	2s ² 2p ³	² F _{1/2} - ² F _{3/2}	0.93	
6435.10(10)	6435.1(1.0)	1.61 -1	Ar V	3s ² 3p ²	³ P ₁ - ¹ D ₂	0.075	B(55)
	6526.781(3)	3.55 -2	Si I	3s ² 3p ²	³ P ₁ - ¹ S ₀	0.008	
6536.3(4)	6536.3(4)	3.22 +1	Mn XIII	3s ² 3p	² F _{1/2} - ² F _{3/2}	0.34	J
6548.06(4)	6548.03(5)	1.04 -3	N II	2s ² 2p ²	³ P ₁ - ¹ D ₂	0.030	B(55)
6583.39(7)	6583.41(5)	3.02 -3	N II	2s ² 2p ²	³ P ₂ - ¹ D ₂	0.030	B(55)
	6669.(11)	4.37 +1	K XIV	2s ² 2p ²	³ P ₁ - ³ P ₂	0.79	
	6683.(40)	2.37 +1	Cu XV	3s ² 3p ³	² F _{1/2} - ² F _{3/2}	0.48	
6701.7(4)	6701.68(22)	5.65 +1	Ni XV	3s ² 3p ²	³ F ₀ - ³ F ₁	0.46	J
6716.47(2)	6716.467(23)	2.65 -4*	S II	3s ² 3p ³	⁴ S _{3/2} - ² D _{5/2}	0.023	TMR
6730.85(2)	6730.847(23)	5.37 -4*	S II	3s ² 3p ³	⁴ S _{3/2} - ² D _{3/2}	0.023	TMR
	6790.(80)	2.65 +1	Ga XVII	3s ² 3p ³	² D _{3/2} - ² D _{5/2}	0.62	
	6795.0(7)	2.03 -1	K IV	3s ² 3p ⁴	³ P ₁ - ¹ D ₂	0.06	
	6806.(10)	2.80 +1	Ti XVI	2s ² 2p ³	² D _{3/2} - ² D _{5/2}	1.04	
	6840.(60)	5.46 +1	Ge XXI	3s 3p	³ F ₀ - ³ F ₁	0.80	
T 6917.	6931.(24)	6.63 +1	Ar XI	2s ² 2p ⁴	³ F ₂ - ³ F ₁	0.539	P
7005.67(10)	7005.7(1.2)	4.70 -1	Ar V	3s ² 3p ²	³ P ₂ - ¹ D ₂	0.075	B(55)
	7030.(50)	3.25 +1	Cu XVI	3s ² 3p ²	³ F ₁ - ³ F ₂	0.52	
	7045.(20)	4.03 +1	Fe XIX	2s ² 2p ⁴	³ F ₀ - ³ F ₁	1.47	
7058.6(4)	7060.(10)	3.74 +1	Fe XV	3s 3p	³ F ₁ - ³ F ₂	0.46	J
7135.80(4)	7135.78(10)	3.24 -1	Ar III	3s ² 3p ⁴	³ P ₂ - ¹ D ₂	0.041	B(55)
7170.62(10)	7170.47(16)	8.40 -1*	Ar IV	3s ² 3p ³	² D _{3/2} - ² F _{3/2}	0.060	B(55)
7237.26(30)	7237.54(16)	7.08 -1*	Ar IV	3s ² 3p ³	² D _{5/2} - ² F _{3/2}	0.060	B(55)
7262.76(30)	7262.7(3)	6.96 -1*	Ar IV	3s ² 3p ³	² D _{3/2} - ² F _{1/2}	0.060	B(55)
	7319.(11)	5.01 +1	Sc XVIII	2s 2p	³ F ₀ - ³ F ₁	1.21	
7319.92(10)	7319.92(20)	1.15 -1*	O II	2s ² 2p ³	² D _{5/2} - ² F _{3/2}	0.035	B(55)
7330.19(10)	7329.63(20)	1.01 -1*	O II	2s ² 2p ³	² D _{3/2} - ² F _{1/2}	0.035	B(55)

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength		A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	Observed	Calculated						
		7330.70(20)	6.14 -2*	O II	2s ² 2p ³	² D _{3/2} - ² F _{3/2}	0.035	
		7334.(11)	4.55 +1	Cl IX	2s ² 2p ⁵	² P _{3/2} - ² P _{1/2}	0.400	
7530.54(10)		7529.9(4)	5.57 -2	Cl IV	3s ² 3p ²	³ P ₁ - ¹ D ₂	0.053	B(55)
		7554.(11)	4.06 +1	K XIV	2s ² 2p ²	³ F ₀ - ³ F ₁	0.79	
		7573.179(8)	1.95 -4	Mg I	3s 3p	³ P ₀ - ¹ P ₁	0.008	
		7584.704(8)	1.46 -4	Mg I	3s 3p	³ F ₁ - ¹ P ₁	0.008	
		7608.206(8)	2.40 -4	Mg I	3s 3p	³ F ₂ - ¹ P ₁	0.008	
7611.0(4)		7611.2(6)	2.04 +1	S XII	2s ² 2p	² P _{1/2} - ² P _{3/2}	0.565	J
7725.0461(7)	Q	7725.046(4)	1.53 +0	S I	3s ² 3p ⁴	¹ D ₂ - ¹ S ₀	0.010	E(78)
7751.06(10)		7751.12(11)	8.44 -2	Ar III	3s ² 3p ⁴	³ P ₁ - ¹ D ₂	0.041	B(55)
		7756.(40)	2.80 +1	Cl XIV	2s 2p	³ P ₁ - ³ F ₂	0.750	
		7800.(100)	3.70 +1	Ga XX	3s 3p	³ P ₀ - ³ P ₁	0.70	
	Q	7875.99(17)	2.24 +0	P II	3s ² 3p ²	¹ D ₂ - ¹ S ₀	0.019	
7891.8(4)		7891.8(6)	4.37 +1	Fe XI	3s ² 3p ⁴	³ F ₂ - ³ P ₁	0.29	J
		7968.5(1.3)	3.55 +1	Mn IX	3s ² 3p ⁵	² F _{3/2} - ² P _{1/2}	0.22	
		7990.(100)	2.63 +1	As XVIII	3s ² 3p ⁴	³ F ₀ - ³ F ₁	0.71	
8024.1(4)		8024.1(5)	2.27 +1	Ni XV	3s ² 3p ²	³ P ₁ - ³ F ₂	0.46	J
8045.63(10)		8046.1(5)	2.08 -1	Cl IV	3s ² 3p ²	³ F ₂ - ¹ D ₂	0.053	B(55)
8153.8(4)		8153.7(7)	1.66 +1	Cr XII	3s ² 3p	² P _{1/2} - ² F _{3/2}	0.30	J
		8206.(100)	1.54 +1	Zn XVI	3s ² 3p ³	² D _{3/2} - ² D _{5/2}	0.55	
		8303.(40)	2.29 +1	Ar XIII	2s ² 2p ²	³ F ₁ - ³ F ₂	0.686	
		8310.(34)	2.99 +1	Co XIV	3s ² 3p ²	³ F ₀ - ³ F ₁	0.41	
		8433.65(12)	3.39 -1*	Cl III	3s ² 3p ³	² D _{3/2} - ² F _{3/2}	0.040	
		8480.85(12)	3.87 -1*	Cl III	3s ² 3p ³	² D _{5/2} - ² F _{3/2}	0.040	
		8500.00(13)	3.60 -1*	Cl III	3s ² 3p ³	² D _{3/2} - ² F _{1/2}	0.040	
		8578.697(29)	1.07 -1	Cl II	3s ² 3p ⁴	³ F ₂ - ¹ D ₂	0.024	
		8690.(40)	1.11 +1	Ni XIV	3s ² 3p ³	² P _{1/2} - ² F _{3/2}	0.43	
8727.18(10)	Q	8727.141(22)	5.01 -1	C I	2s ² 2p ²	¹ D ₂ - ¹ S ₀	0.011	Sw
		8770.(110)	1.97 +1	Mn XIV	3s 3p	³ F ₁ - ³ F ₂	0.40	
		8787.54(3)	1.96 -4*	P I	3s ² 3p ³	⁴ S _{3/2} - ² D _{5/2}	0.010	
		8799.61(3)	2.97 -4*	P I	3s ² 3p ³	⁴ S _{3/2} - ² D _{3/2}	0.010	
		8950.(22)	2.77 +1	Ca XVII	2s 2p	³ F ₀ - ³ F ₁	1.16	
		8952.(150)	2.46 +1	Zn XIX	3s 3p	³ F ₀ - ³ F ₁	0.70	
		9068.9(7)	1.62 -2	S III	3s ² 3p ²	³ P ₁ - ¹ D ₂	0.035	
		9122.(18)	1.01 +1	Ca XIV	2s ² 2p ³	² P _{1/2} - ² F _{3/2}	0.82	
		9123.60(5)	2.98 -2	Cl II	3s ² 3p ⁴	³ F ₁ - ¹ D ₂	0.024	
		9223.(18)	2.83 +1	Cl X	2s ² 2p ⁴	³ F ₂ - ³ F ₁	0.456	
		9291.(18)	1.13 +1	Sc XV	2s ² 2p ³	² D _{3/2} - ² D _{5/2}	0.93	
		9300.(60)	1.50 +1	Co XIV	3s ² 3p ²	³ F ₁ - ³ F ₂	0.41	
		9531.0(7)	9.40 -2	S III	3s ² 3p ²	³ F ₂ - ¹ D ₂	0.035	
		9824.109(22)	7.79 -5	C I	2s ² 2p ²	³ F ₁ - ¹ D ₂	0.011	
9850.28(10)		9850.243(22)	2.30 -4	C I	2s ² 2p ²	³ F ₂ - ¹ D ₂	0.011	Sw

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength		A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	Observed	Calculated						
T 9911.(1)	9911.8(1.0)		1.84 +1	S VIII	2s ² 2p ⁵	2P _{3/2} - 2P _{1/2}	0.329	J
	9978.(4)		2.18 +1	Mn X	3s ² 3p ⁴	3P ₂ - 3P ₁	0.25	
	10106.4(2.0)		1.74 +1	Cr VIII	3s ² 3p ⁵	2P _{3/2} - 2P _{1/2}	0.18	
	10130.(100)		8.43 +0	Cu XV	3s ² 3p ³	2D _{3/2} - 2D _{5/2}	0.48	
	10159.(40)		1.68 +1	Ar XIII	2s ² 2p ²	3P ₀ - 3P ₁	0.686	
	10264.(30)		1.20 +1	S XIII	2s 2p	3P ₁ - 3P ₂	0.652	
	10286.66(22)		1.32 -1*	S II	3s ² 3p ³	2D _{3/2} - 2P _{3/2}	0.023	
	10308.(3)		8.20 +0	P XI	2s ² 2p	2P _{1/2} - 2P _{3/2}	0.479	
	10311.(5)		8.19 +0	V XI	3s ² 3p	2P _{1/2} - 2P _{3/2}	0.26	
	10320.42(22)		2.22 -1*	S II	3s ² 3p ³	2D _{5/2} - 2P _{3/2}	0.023	
	10336.33(22)		1.95 -1*	S II	3s ² 3p ³	2D _{3/2} - 2P _{1/2}	0.023	
10397.74(10)	10397.74(5)		5.48 -2*	N I	2s ² 2p ³	2D _{5/2} - 2P _{3/2}	0.015	P
	10407.17(5)		2.47 -2*	N I	2s ² 2p ³	2D _{3/2} - 2P _{3/2}	0.015	
	10407.59(6)		4.71 -2*	N I	2s ² 2p ³	2D _{3/2} - 2P _{1/2}	0.015	
	10436.(120)		1.59 +1	Cu XVIII	3s 3p	3P ₀ - 3P ₁	0.60	
	10672.(24)		1.09 +1	Cl XII	2s ² 2p ²	3P ₁ - 3P ₂	0.592	
10746.8(4)	10746.9(5)		1.40 +1	Fe XIII	3s ² 3p ²	3P ₀ - 3P ₁	0.36	J
10797.9(4)	10797.9(7)		9.87 +0	Fe XIII	3s ² 3p ²	3P ₁ - 3P ₂	0.36	J
10821.177(5)	10821.176(6)		2.75 -2	S I	3s ² 3p ⁴	3P ₂ - 1D ₂	0.010	E(78)
	10878.(120)		1.03 +1	Cr XIII	3s 3p	3P ₁ - 3P ₂	0.35	
10991.42(10)	Q 10991.413(9)		7.96 -1	Si I	3s ² 3p ²	1D ₂ - 1S ₀	0.008	P
	11110.(90)		1.45 +1	K XVI	2s 2p	3P ₀ - 3P ₁	0.97	
	11305.854(9)		8.0 -3	S I	3s ² 3p ⁴	3P ₁ - 1D ₂	0.010	
	11468.2(4)		3.62 -3	P II	3s ² 3p ²	3P ₁ - 1D ₂	0.019	
	11478.(40)		4.98 +0	Co XIII	3s ² 3p ³	2P _{1/2} - 2P _{3/2}	0.38	
	11882.8(4)		5.13 -2	P II	3s ² 3p ²	3P ₂ - 1D ₂	0.019	
	12060.(200)		7.99 +0	Ge XVII	3s ² 3p ⁴	3P ₀ - 3P ₁	0.64	
	12150.(60)		1.00 +1	Ni XVII	3s 3p	3P ₀ - 3P ₁	0.57	
	12520.(20)		1.14 +1	S IX	2s ² 2p ⁴	3P ₂ - 3P ₁	0.379	
	12783.(8)		1.04 +1	Cr IX	3s ² 3p ⁴	3P ₂ - 3P ₁	0.21	
	12815.0(1.2)		4.27 +0	Ni XIV	3s ² 3p ³	2D _{3/2} - 2D _{5/2}	0.43	
	12817.(230)		6.03 +0	Mn XII	3s ² 3p ²	3P ₁ - 3P ₂	0.31	
	13038.(3)		8.11 +0	V VII	3s ² 3p ⁵	2P _{3/2} - 2P _{1/2}	0.15	
	13070.(40)		4.19 +0	Ca XIV	2s ² 2p ³	2D _{3/2} - 2D _{5/2}	0.82	
	13254.(7)		3.06 +0	Ti X	3s ² 3p	2P _{1/2} - 2P _{3/2}	0.22	
	13450.(40)		3.25 +0	K XIII	2s ² 2p ³	2P _{1/2} - 2P _{3/2}	0.71	
	13533.61(10)		7.45 -2*	P I	3s ² 3p ³	2D _{3/2} - 2P _{3/2}	0.010	
	13562.27(10)		1.13 -1*	P I	3s ² 3p ³	2D _{5/2} - 2P _{3/2}	0.010	
	13580.12(10)		1.01 -1*	P I	3s ² 3p ³	2D _{3/2} - 2P _{1/2}	0.010	
	13745.(6)		6.92 +0	P VII	2s ² 2p ⁵	2P _{3/2} - 2P _{1/2}	0.264	
	13774.(40)		6.78 +0	Cl XII	2s ² 2p ²	3P ₀ - 3P ₁	0.592	
	13885.(190)		6.52 +0	Mn XII	3s ² 3p ²	3P ₀ - 3P ₁	0.31	

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength Calculated	A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	13904.(140)	7.34 +0	Ar XV	2s 2p	³ P ₀ - ³ P ₁	0.855	
	13924.(50)	4.94 +0	S XI	2s ² 2p ²	³ P ₁ - ³ P ₂	0.505	
	13951.(40)	4.75 +0	P XII	2s 2p	³ P ₁ - ³ P ₂	0.561	
	13963.(280)	4.82 +0	V XII	3s 3p	³ P ₁ - ³ P ₂	0.31	
	14200.(600)	5.15 +0	Mn XVIII	2s ² 2p ⁴	³ P ₀ - ³ P ₁	1.32	
	14300.(120)	6.17 +0	Co XVI	3s 3p	³ P ₀ - ³ P ₁	0.51	
14305.(4)	14301.(4)	3.07 +0	Si X	2s ² 2p	² P _{1/2} - ² P _{3/2}	0.401	MNM
	15514.(17)	3.46 +0	Cr XI	3s ² 3p ²	³ P ₁ - ³ P ₂	0.27	
	15606.(17)	2.04 +0	Fe XII	3s ² 3p ³	² P _{1/2} - ² P _{3/2}	0.33	
	16068.297(18)	9.75 -4	Si I	3s ² 3p ²	³ P ₁ - ¹ D ₂	0.008	
	16454.531(19)	2.71 -3	Si I	3s ² 3p ²	³ P ₂ - ¹ D ₂	0.008	
	16550.(70)	2.04 +0	Co XIII	3s ² 3p ³	² D _{3/2} - ² D _{5/2}	0.38	
	16640.(14)	4.76 +0	V VIII	3s ² 3p ⁴	³ F ₂ - ³ F ₁	0.17	
	17150.(30)	3.56 +0	Ti VI	3s ² 3p ⁵	² P _{3/2} - ² P _{1/2}	0.12	
	17350.(80)	4.28 +0	P VIII	2s ² 2p ⁴	³ P ₂ - ³ P ₁	0.310	
	17353.(12)	1.72 +0	Sc IX	3s ² 3p	² P _{1/2} - ² P _{3/2}	0.18	
	17390.(60)	3.58 +0	Fe XV	3s 3p	³ P ₀ - ³ P ₁	0.46	
	17700.(220)	3.52 +0	Cl XIV	2s 2p	³ P ₀ - ³ P ₁	0.750	
	17710.(40)	2.43 +0	Ti XI	3s 3p	³ P ₁ - ³ P ₂	0.27	
	18059.(16)	2.98 +0	Cr XI	3s ² 3p ²	³ F ₀ - ³ F ₁	0.27	
	18680.(100)	2.05 +0	P X	2s ² 2p ²	³ P ₁ - ³ P ₂	0.424	
	19080.(30)	1.88 +0	V X	3s ² 3p ²	³ P ₁ - ³ P ₂	0.23	
	19200.(70)	2.51 +0	S XI	2s ² 2p ²	³ P ₀ - ³ P ₁	0.505	
	19320.(50)	1.80 +0	Si XI	2s 2p	³ P ₁ - ³ P ₂	0.476	
	19380.(80)	1.32 +0	K XIII	2s ² 2p ³	² D _{3/2} - ² D _{5/2}	0.71	
19590.(70)	19641.(11)	2.37 +0	Si VI	2s ² 2p ⁵	² P _{3/2} - ² P _{1/2}	0.205	GJ
	2.00(7) μm	1.82 +0	Ga XVI	3s ² 3p ⁴	³ F ₀ - ³ F ₁	0.58	
2.040(7)	2.044(4) μm	1.05 +0	Al IX	2s ² 2p	² P _{1/2} - ² P _{3/2}	0.330	GJ
	2.066(24) μm	9.24 -1	Ar XII	2s ² 2p ³	² P _{1/2} - ² P _{3/2}	0.618	
	2.09(6) μm	2.03 +0	Mn XIV	3s 3p	³ F ₀ - ³ F ₁	0.40	
	2.170(3) μm	7.80 -1	Mn XI	3s ² 3p ³	² P _{1/2} - ² P _{3/2}	0.29	
	2.2050(10) μm	2.06 +0	Ti VII	3s ² 3p ⁴	³ F ₂ - ³ F ₁	0.14	
	2.217(3) μm	8.68 -1	Fe XII	3s ² 3p ³	² D _{3/2} - ² D _{5/2}	0.33	
	2.258(15) μm	4.46 +0	Ca XIII	2s ² 2p ⁴	³ P ₁ - ³ P ₀	0.73	
	2.3112(4) μm	1.46 +0	Sc V	3s ² 3p ⁵	² P _{3/2} - ² P _{1/2}	0.09	
2.32(2)	2.3205(11) μm	7.20 -1	Ca VIII	3s ² 3p	² P _{1/2} - ² P _{3/2}	0.15	GJ
	2.321(4) μm	1.09 +0	Sc X	3s 3p	³ P ₁ - ³ P ₂	0.23	
	2.336(15) μm	1.58 +0	S XIII	2s 2p	³ F ₀ - ³ F ₁	0.652	
	2.351(12) μm	4.01 +0	K XII	2s ² 2p ⁴	³ P ₁ - ³ P ₀	0.63	
	2.392(3) μm	1.29 +0	V X	3s ² 3p ²	³ F ₀ - ³ F ₁	0.23	
	2.396(12) μm	3.66 +0	Sc XIV	2s ² 2p ⁴	³ P ₁ - ³ P ₀	0.83	
	2.401(8) μm	9.55 -1	Ti IX	3s ² 3p ²	³ P ₁ - ³ P ₂	0.19	

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength		A (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)	
	Observed	Calculated							
2.474(7)	2.4807(18)	μm	1.47 +0	Si VII	$2s^2 2p^4$	$^3P_2 - ^3P_1$	0.247	GJ	
	2.54(6)	μm	1.13 +0	Cr XIII	$3s 3p$	$^3P_0 - ^3P_1$	0.35		
	2.5839(5)	μm	7.79 -1	Si IX	$2s^2 2p^2$	$^3P_1 - ^3P_2$	0.351		
	2.60(5)	μm	3.00 +0	Ar XI	$2s^2 2p^4$	$^3P_1 - ^3P_0$	0.539		
	2.708(21)	μm	8.99 -1	P X	$2s^2 2p^2$	$^3P_0 - ^3P_1$	0.424		
2.879(14)	2.753(20)	μm	6.16 -1	Al X	$2s 2p$	$^3P_1 - ^3P_2$	0.399		
	2.9045(17)	μm	7.34 -1	Al V	$2s^2 2p^5$	$^2P_{3/2} - ^2P_{1/2}$	0.154	GJ	
	2.97(6)	μm	3.77 -1	Ar XII	$2s^2 2p^3$	$^2D_{3/2} - ^2D_{5/2}$	0.618		
	2.9877(9)	μm	8.29 -1	Sc VI	$3s^2 3p^4$	$^3P_2 - ^3P_1$	0.11		
	3.013(6)	μm	3.54 -1	Mn XI	$3s^2 3p^3$	$^2D_{3/2} - ^2D_{5/2}$	0.29		
3.0275(20)	3.0275(20)	μm	3.24 -1	Mg VIII	$2s^2 2p$	$^2P_{1/2} - ^2P_{3/2}$	0.266	MNM	
	3.051(20)	μm	1.87 +0	Cl X	$2s^2 2p^4$	$^3P_1 - ^3P_0$	0.456		
	3.088(13)	μm	4.54 -1	Ca IX	$3s 3p$	$^3P_1 - ^3P_2$	0.19		
	3.090(7)	μm	4.51 -1	Sc VIII	$3s^2 3p^2$	$^3P_1 - ^3P_2$	0.16		
	3.103(7)	μm	2.74 -1	Cr X	$3s^2 3p^3$	$^2P_{1/2} - ^2P_{3/2}$	0.24		
	3.112(22)	μm	6.80 -1	P XII	$2s 2p$	$^3P_0 - ^3P_1$	0.561		
	3.1899(10)	μm	2.77 -1	K VII	$3s^2 3p$	$^2P_{1/2} - ^2P_{3/2}$	0.12		
	3.205(10)	μm	5.39 -1	Ti IX	$3s^2 3p^2$	$^3P_0 - ^3P_1$	0.19		
	3.18(3)	3.2061(10)	μm	5.46 -1	Ca IV	$3s^2 3p^5$	$^2P_{3/2} - ^2P_{1/2}$	0.07	GJ
		3.24(15)	μm	5.67 -1	V XII	$3s 3p$	$^3P_0 - ^3P_1$	0.31	
3.263(23)		μm	2.40 -1	Cl XI	$2s^2 2p^3$	$^2P_{1/2} - ^2P_{3/2}$	0.529		
3.270(22)		μm	1.41 +0	Ti XV	$2s^2 2p^4$	$^3P_1 - ^3P_0$	0.94		
3.661(14)	3.6593(19)	μm	4.58 -1	Al VI	$2s^2 2p^4$	$^3P_2 - ^3P_1$	0.154	GJ	
3.72(2)	3.689(3)	μm	2.68 -1	Al VIII	$2s^2 2p^2$	$^3P_1 - ^3P_2$	0.285	GJ	
	3.75(3)	μm	1.01 +0	S IX	$2s^2 2p^4$	$^3P_1 - ^3P_0$	0.379		
	3.896(21)	μm	3.00 -1	Ti XI	$3s 3p$	$^3P_0 - ^3P_1$	0.27		
3.92(2)	3.928(11)	μm	2.95 -1	Si IX	$2s^2 2p^2$	$^3P_0 - ^3P_1$	0.351	GJ	
	4.0(2)	μm	2.39 -1	Zn XV	$3s^2 3p^4$	$^3P_0 - ^3P_1$	0.51		
	4.06(4)	μm	1.91 -1	Mg IX	$2s 2p$	$^3P_1 - ^3P_2$	0.328		
	4.086(5)	μm	1.96 -1	Ca VII	$3s^2 3p^2$	$^3P_1 - ^3P_2$	0.13		
	4.1574(17)	μm	3.09 -1	Ca V	$3s^2 3p^4$	$^3P_2 - ^3P_1$	0.08		
	4.213(13)	μm	1.79 -1	K VIII	$3s 3p$	$^3P_1 - ^3P_2$	0.15		
	4.260(13)	μm	1.28 -1	Cr X	$3s^2 3p^3$	$^2D_{3/2} - ^2D_{5/2}$	0.24		
	4.27(3)	μm	2.59 -1	Si XI	$2s 2p$	$^3P_0 - ^3P_1$	0.476		
	4.3(4)	μm	1.93 -1	Cr XVII	$2s^2 2p^4$	$^3P_0 - ^3P_1$	1.19		
	4.400(10)	μm	2.09 -1	Sc VIII	$3s^2 3p^2$	$^3P_0 - ^3P_1$	0.16		
	4.487(4)	μm	1.99 -1	Mg IV	$2s^2 2p^5$	$^2P_{3/2} - ^2P_{1/2}$	0.109		
	4.527(5)	μm	9.69 -2	Ar VI	$3s^2 3p$	$^2P_{1/2} - ^2P_{3/2}$	0.091		
	4.552(15)	μm	8.87 -2	V IX	$3s^2 3p^3$	$^2P_{1/2} - ^2P_{3/2}$	0.21		
	4.6153(21)	μm	1.83 -1	K III	$3s^2 3p^5$	$^2P_{3/2} - ^2P_{1/2}$	0.05		
	4.675(22)	μm	8.80 -2	Na VII	$2s^2 2p$	$^2P_{1/2} - ^2P_{3/2}$	0.209		
	4.85(8)	μm	4.70 -1	P VIII	$2s^2 2p^4$	$^3P_1 - ^3P_0$	0.310		

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength Calculated		A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	4.91(5)	μm	8.53 -2	Cl XI	2s ² 2p ³	2D _{3/2} - 2D _{5/2}	0.529	
	4.984(18)	μm	1.40 -1	Sc X	3s 3p	³ P ₀ - ³ P ₁	0.23	
	5.467(21)	μm	5.22 -2	S X	2s ² 2p ³	2P _{1/2} - 2P _{3/2}	0.447	
	5.50(3)	μm	8.09 -2	Mg VII	2s ² 2p ²	³ P ₁ - ³ P ₂	0.225	
	5.575(4)	μm	7.74 -2	K VI	3s ² 3p ²	³ P ₁ - ³ P ₂	0.10	
5.60(2)	5.608(9)	μm	1.27 -1	Mg V	2s ² 2p ⁴	³ P ₂ - ³ P ₁	0.141	RSW
	5.624(18)	μm	2.90 -1	Mn X	3s ² 3p ⁴	³ P ₁ - ³ P ₀	0.25	
	5.787(24)	μm	2.73 -1	Cr IX	3s ² 3p ⁴	³ P ₁ - ³ P ₀	0.21	
	5.85(10)	μm	8.96 -2	Al VIII	2s ² 2p ²	³ P ₀ - ³ P ₁	0.285	
	5.95(5)	μm	6.41 -2	Ar VII	3s 3p	³ P ₁ - ³ P ₂	0.124	
	5.983(4)	μm	1.04 -1	K IV	3s ² 3p ⁴	³ P ₂ - ³ P ₁	0.06	
	6.06(12)	μm	9.19 -2	Al X	2s 2p	³ P ₀ - ³ P ₁	0.399	
	6.082(19)	μm	2.23 -1	Fe XI	3s ² 3p ⁴	³ P ₁ - ³ P ₀	0.29	
	6.154(8)	μm	7.67 -2	Ca VII	3s ² 3p ²	³ P ₀ - ³ P ₁	0.13	
	6.207(27)	μm	4.23 -2	V IX	3s ² 3p ³	2D _{3/2} - 2D _{5/2}	0.21	
	6.23(3)	μm	5.27 -2	Na VIII	2s 2p	³ P ₁ - ³ P ₂	0.264	
	6.362(29)	μm	2.08 -1	V VIII	3s ² 3p ⁴	³ P ₁ - ³ P ₀	0.17	
	6.515(18)	μm	1.94 -1	Si VII	2s ² 2p ⁴	³ P ₁ - ³ P ₀	0.247	
	6.67(6)	μm	6.16 -2	Ca IX	3s 3p	³ P ₀ - ³ P ₁	0.19	
	6.704(9)	μm	2.98 -2	Cl V	3s ² 3p	2P _{1/2} - 2P _{3/2}	0.068	
	6.923(14)	μm	2.57 -2	Ti VIII	3s ² 3p ³	2P _{1/2} - 2P _{3/2}	0.17	
6.985274(3)	6.985274(3)	μm	5.28 -2	Ar II	3s ² 3p ⁵	2P _{3/2} - 2P _{1/2}	0.028	YKH
	7.319(5)	μm	4.59 -2	Na III	2s ² 2p ⁵	2P _{3/2} - 2P _{1/2}	0.072	
	7.386(15)	μm	1.34 -1	Ti VII	3s ² 3p ⁴	³ P ₁ - ³ P ₀	0.14	
	7.642(6)	μm	2.01 -2	Ne VI	2s ² 2p	2P _{1/2} - 2P _{3/2}	0.158	
	7.904(22)	μm	2.72 -2	Ar V	3s ² 3p ²	³ P ₁ - ³ P ₂	0.075	
	8.00(18)	μm	9.59 -2	Co XII	3s ² 3p ⁴	³ P ₁ - ³ P ₀	0.34	
	8.58(5)	μm	2.10 -2	Cl VI	3s 3p	³ P ₁ - ³ P ₂	0.097	
	8.61(9)	μm	2.11 -2	Na VI	2s ² 2p ²	³ P ₁ - ³ P ₂	0.172	
	8.676(11)	μm	1.58 -2	S X	2s ² 2p ³	2D _{3/2} - 2D _{5/2}	0.447	
	8.823(8)	μm	2.61 -2	K VI	3s ² 3p ²	³ P ₀ - ³ P ₁	0.10	
	8.87(17)	μm	2.94 -2	Mg IX	2s 2p	³ P ₀ - ³ P ₁	0.328	
	8.99(6)	μm	2.52 -2	K VIII	3s 3p	³ P ₀ - ³ P ₁	0.15	
8.9910(1)	8.9907(12)	μm	3.06 -2	Ar III	3s ² 3p ⁴	³ P ₂ - ³ P ₁	0.041	L
	9.001(11)	μm	7.49 -2	Sc VI	3s ² 3p ⁴	³ P ₁ - ³ P ₀	0.11	
	9.03(9)	μm	2.44 -2	Mg VII	2s ² 2p ²	³ P ₀ - ³ P ₁	0.225	
	9.039(12)	μm	3.04 -2	Na IV	2s ² 2p ⁴	³ P ₂ - ³ P ₁	0.099	
	9.116(6)	μm	7.10 -2	Al VI	2s ² 2p ⁴	³ P ₁ - ³ P ₀	0.154	
	9.382(25)	μm	1.24 -2	Ti VIII	3s ² 3p ³	2D _{3/2} - 2D _{5/2}	0.17	
	9.62(26)	μm	9.74 -3	P IX	2s ² 2p ³	2P _{1/2} - 2P _{3/2}	0.372	
	9.78(26)	μm	5.10 -2	V XVI	2s ² 2p ⁴	³ P ₁ - ³ P ₀	1.06	
	10.06(7)	μm	1.25 -2	Ne VII	2s 2p	³ P ₁ - ³ P ₂	0.207	

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength		A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	Observed	Calculated						
10.5105(1)	10.5141(22) μm	7.73 -3	S IV	3s ² 3p	2P _{1/2} - 2P _{3/2}	0.047	L	
	10.94(3) μm	6.61 -3	Sc VII	3s ² 3p ³	2P _{1/2} - 2P _{3/2}	0.14		
11.333347(15)	11.333347(15) μm	1.24 -2	Cl I	3s ² 3p ⁵	2P _{3/2} - 2P _{1/2}	0.013	DJM	
	11.482(19) μm	3.62 -2	Ca V	3s ² 3p ⁴	3P ₁ - 3P ₀	0.08		
	11.741(7) μm	8.32 -3	Cl IV	3s ² 3p ²	3P ₁ - 3P ₂	0.053		
	12.42(22) μm	9.36 -3	Ar VII	3s 3p	3P ₀ - 3P ₁	0.124		
12.81355(2)	12.8134(4) μm	8.55 -3	Ne II	2s ² 2p ⁵	2P _{3/2} - 2P _{1/2}	0.041	YKH	
	13.07(7) μm	8.03 -3	Ar V	3s ² 3p ²	3P ₀ - 3P ₁	0.075		
	13.12(26) μm	5.49 -3	S V	3s 3p	3P ₁ - 3P ₂	0.073		
	13.432(9) μm	3.71 -3	F V	2s ² 2p	2P _{1/2} - 2P _{3/2}	0.114		
	13.54(5) μm	2.17 -2	Mg V	2s ² 2p ⁴	3P ₁ - 3P ₀	0.141		
	13.66(13) μm	8.27 -3	Na VIII	2s 2p	3P ₀ - 3P ₁	0.264		
	13.9(4) μm	5.80 -3	Cu XIV	3s ² 3p ⁴	3P ₀ - 3P ₁	0.44		
	14.3(3) μm	6.14 -3	Na VI	2s ² 2p ²	3P ₀ - 3P ₁	0.172		
	14.32(3) μm	4.59 -3	Ne V	2s ² 2p ²	3P ₁ - 3P ₂	0.126		
	14.3678(8) μm	7.50 -3	Cl II	3s ² 3p ⁴	3P ₂ - 3P ₁	0.024		
	14.76(6) μm	2.99 -3	Sc VII	3s ² 3p ³	2D _{3/2} - 2D _{5/2}	0.14		
	15.39(3) μm	1.51 -2	K IV	3s ² 3p ⁴	3P ₁ - 3P ₀	0.06		
	15.555(5) μm	5.97 -3	Ne III	2s ² 2p ⁴	3P ₂ - 3P ₁	0.064		
	16.34(11) μm	2.39 -3	P IX	2s ² 2p ³	2D _{3/2} - 2D _{5/2}	0.372		
	17.36(21) μm	2.39 -3	F VI	2s 2p	3P ₁ - 3P ₂	0.157		
	17.885(5) μm	1.57 -3	P III	3s ² 3p	2P _{1/2} - 2P _{3/2}	0.030		
	17.99(9) μm	1.50 -3	Ca VI	3s ² 3p ³	2P _{1/2} - 2P _{3/2}	0.11		
	18.08(23) μm	3.16 -3	Cl VI	3s 3p	3P ₀ - 3P ₁	0.097		
	18.45(24) μm	1.40 -3	Si VIII	2s ² 2p ³	2P _{1/2} - 2P _{3/2}	0.304		
18.7129(4)	18.7129(5) μm	2.06 -3	S III	3s ² 3p ²	3P ₁ - 3P ₂	0.035	BBAMC	
	19.3(4) μm	5.90 -3	Ni XIII	3s ² 3p ⁴	3P ₁ - 3P ₀	0.38		
	20.354(21) μm	2.13 -3	Cl IV	3s ² 3p ²	3P ₀ - 3P ₁	0.053		
	21.29(6) μm	5.58 -3	Na IV	2s ² 2p ⁴	3P ₁ - 3P ₀	0.099		
	21.336(6) μm	1.38 -3	P IV	3s 3p	3P ₁ - 3P ₂	0.051		
	21.842(6) μm	5.31 -3	Ar III	3s ² 3p ⁴	3P ₁ - 3P ₀	0.041		
	22.0(3) μm	1.99 -3	Ne VII	2s 2p	3P ₀ - 3P ₁	0.207	FMH	
24.28(2)	24.21(19) μm	1.27 -3	Ne V	2s ² 2p ²	3P ₀ - 3P ₁	0.126		
	24.30(17) μm	7.34 -4	Ca VI	3s ² 3p ³	2D _{3/2} - 2D _{5/2}	0.11		
24.7475(15)	24.740(12) μm	1.19 -3	F I	2s ² 2p ⁵	2P _{3/2} - 2P _{1/2}	0.017	SK	
	25.2490(3) μm	1.40 -3	S I	3s ² 3p ⁴	3P ₂ - 3P ₁	0.010		
	25.83(4) μm	7.82 -4	F IV	2s ² 2p ²	3P ₁ - 3P ₂	0.087		
25.87(2)	25.913(13) μm	5.17 -4	O IV	2s ² 2p	2P _{1/2} - 2P _{3/2}	0.077	FMH	
	27.1(1.1) μm	9.16 -4	S V	3s 3p	3P ₀ - 3P ₁	0.073		
	29.33(4) μm	8.91 -4	F II	2s ² 2p ⁴	3P ₂ - 3P ₁	0.035		
	31.1(3) μm	2.94 -4	K V	3s ² 3p ³	2P _{1/2} - 2P _{3/2}	0.08		
	32.61(8) μm	3.55 -4	O V	2s 2p	3P ₁ - 3P ₂	0.114		

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength Calculated		A (s^{-1})	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	32.87(3)	μm	3.80 -4	P II	$3s^2 3p^2$	$^3P_1 - ^3P_2$	0.019	
	33.281(8)	μm	1.50 -3	Cl II	$3s^2 3p^4$	$^3P_1 - ^3P_0$	0.024	
33.47(2)	33.47(2)	μm	4.78 -4	S III	$3s^2 3p^2$	$^3P_0 - ^3P_1$	0.035	HBGSH
	34.8141(18)	μm	2.13 -4	Si II	$3s^2 3p$	$^2P_{1/2} - ^2P_{3/2}$	0.016	
36.02(1)	36.02(4)	μm	1.15 -3	Ne III	$2s^2 2p^4$	$^3P_1 - ^3P_0$	0.064	SHG
	37.6(6)	μm	1.67 -4	Al VII	$2s^2 2p^3$	$^2P_{1/2} - ^2P_{3/2}$	0.241	
	38.207(21)	μm	2.41 -4	Si III	$3s 3p$	$^3P_1 - ^3P_2$	0.033	
	38.5(1.0)	μm	3.87 -4	F VI	$2s 2p$	$^3P_0 - ^3P_1$	0.157	
	39.62(11)	μm	1.70 -4	Si VIII	$2s^2 2p^3$	$^2D_{3/2} - ^2D_{5/2}$	0.304	
	42.2(5)	μm	1.41 -4	K V	$3s^2 3p^3$	$^2D_{3/2} - ^2D_{5/2}$	0.08	
	43.77(3)	μm	2.18 -4	P IV	$3s 3p$	$^3P_0 - ^3P_1$	0.051	
	44.07(21)	μm	2.10 -4	F IV	$2s^2 2p^2$	$^3P_0 - ^3P_1$	0.087	
51.8145(5)	51.815(1)	μm	9.69 -5	O III	$2s^2 2p^2$	$^3P_1 - ^3P_2$	0.055	MSFJK
	56.311(5)	μm	3.02 -4	S I	$3s^2 3p^4$	$^3P_1 - ^3P_0$	0.010	
	56.47(21)	μm	4.94 -5	Ar IV	$3s^2 3p^3$	$^2P_{1/2} - ^2P_{3/2}$	0.060	
57.330(3)	57.343(3)	μm	4.77 -5	N III	$2s^2 2p$	$^2P_{1/2} - ^2P_{3/2}$	0.047	MSFJK
	60.64(7)	μm	8.05 -5	P II	$3s^2 3p^2$	$^3P_0 - ^3P_1$	0.019	
63.18371(3)	63.185(6)	μm	8.91 -5	O I	$2s^2 2p^4$	$^3P_2 - ^3P_1$	0.014	E-pr
	67.2(3)	μm	1.78 -4	F II	$2s^2 2p^4$	$^3P_1 - ^3P_0$	0.035	
	68.473(3)	μm	4.20 -5	Si I	$3s^2 3p^2$	$^3P_1 - ^3P_2$	0.008	
	69.44(7)	μm	3.63 -5	N IV	$2s 2p$	$^3P_1 - ^3P_2$	0.077	
	73.5(4)	μm	5.81 -5	O V	$2s 2p$	$^3P_0 - ^3P_1$	0.114	
	77.41(4)	μm	2.30 -5	Ar IV	$3s^2 3p^3$	$^2D_{3/2} - ^2D_{5/2}$	0.060	
	77.77(9)	μm	3.86 -5	Si III	$3s 3p$	$^3P_0 - ^3P_1$	0.033	
	80.72(5)	μm	2.54 -5	Al II	$3s 3p$	$^3P_1 - ^3P_2$	0.019	
88.356(2)	88.3564(22)	μm	2.61 -5	O III	$2s^2 2p^2$	$^3P_0 - ^3P_1$	0.055	MSFJK
	89.237(8)	μm	1.25 -5	Al I	$3s^2 3p$	$^2P_{1/2} - ^2P_{3/2}$	0.006	
	92.3(1.2)	μm	1.13 -5	Mg VI	$2s^2 2p^3$	$^2P_{1/2} - ^2P_{3/2}$	0.187	
	108.07(21)	μm	7.08 -6	Cl III	$3s^2 3p^3$	$^2P_{1/2} - ^2P_{3/2}$	0.040	
121.88887(12)	121.88887(21)	μm	7.47 -6	N II	$2s^2 2p^2$	$^3P_1 - ^3P_2$	0.030	CS
129.68173(4)	129.676(16)	μm	8.25 -6	Si I	$3s^2 3p^2$	$^3P_0 - ^3P_1$	0.008	IEBL
145.52548(8)	145.53(13)	μm	1.75 -5	O I	$2s^2 2p^4$	$^3P_1 - ^3P_0$	0.014	DHLS
	151.6(4)	μm	3.08 -6	Cl III	$3s^2 3p^3$	$^2D_{3/2} - ^2D_{5/2}$	0.040	
157.74084(21)	157.74084(21)	μm	2.29 -6	C II	$2s^2 2p$	$^2P_{1/2} - ^2P_{3/2}$	0.024	CBS
	158.5(4)	μm	6.00 -6	N IV	$2s 2p$	$^3P_0 - ^3P_1$	0.077	
	164.26(20)	μm	4.10 -6	Al II	$3s 3p$	$^3P_0 - ^3P_1$	0.019	
	177.4(9)	μm	2.10 -6	C III	$2s 2p$	$^3P_1 - ^3P_2$	0.048	
	179.(11)	μm	1.86 -6	Al VII	$2s^2 2p^3$	$^2D_{3/2} - ^2D_{5/2}$	0.241	
	205.5(4)	μm	2.07 -6	N II	$2s^2 2p^2$	$^3P_0 - ^3P_1$	0.030	
	214.1(1.3)	μm	9.13 -7	S II	$3s^2 3p^3$	$^2P_{1/2} - ^2P_{3/2}$	0.023	
	223.7(1.4)	μm	1.44 -6	Ne IV	$2s^2 2p^3$	$^2D_{5/2} - ^2D_{3/2}$	0.097	
245.6157(7)	245.62(9)	μm	9.00 -7	Mg I	$3s 3p$	$^3P_1 - ^3P_2$	0.008	ILME

Table 40. Wavelengths and transition probabilities ordered by wavelength - Continued

Observed	Wavelength Calculated		A (s ⁻¹)	Spectrum	Config.	Classification	I.E. (keV)	Ref. (Obs. λ)
	270.(100)	μm	4.55 -7	Na V	2s ² 2p ³	2P _{1/2} - 2P _{3/2}	0.138	
	278.(110)	μm	7.50 -7	Na V	2s ² 2p ³	2D _{5/2} - 2D _{3/2}	0.138	
	279.(6)	μm	7.45 -7	F III	2s ² 2p ³	2D _{5/2} - 2D _{3/2}	0.063	
	314.5(7)	μm	3.46 -7	S II	3s ² 3p ³	2D _{3/2} - 2D _{5/2}	0.023	
370.4140(15)	370.37(19)	μm	2.65 -7	C I	2s ² 2p ²	3P ₁ - 3P ₂	0.011	SE(80)
	395.3(9)	μm	1.45 -7	P I	3s ² 3p ³	2P _{1/2} - 2P _{3/2}	0.010	
	422.(4)	μm	3.00 -7	C III	2s 2p	3P ₀ - 3P ₁	0.048	
	497.3(1.7)	μm	1.25 -7	O II	2s ² 2p ³	2D _{5/2} - 2D _{3/2}	0.035	
498.592792(3)	498.5(4)	μm	1.00 -7	Mg I	3s 3p	3P ₀ - 3P ₁	0.008	BDGRG
	595.(190)	μm	7.63 -8	Mg VI	2s ² 2p ³	2D _{5/2} - 2D _{3/2}	0.187	
609.1333(8)	609.4(4)	μm	7.95 -8	C I	2s ² 2p ²	3P ₀ - 3P ₁	0.011	SE(80)
	625.(17)	μm	5.52 -8	B II	2s 2p	3P ₁ - 3P ₂	0.048	
	640.6(2.3)	μm	4.10 -8	P I	3s ² 3p ³	2D _{3/2} - 2D _{5/2}	0.010	
	655.6(7)	μm	3.19 -8	B I	2s ² 2p	2P _{1/2} - 2P _{3/2}	0.008	
	1.148(9)	mm	1.07 -8	N I	2s ² 2p ³	2D _{5/2} - 2D _{3/2}	0.015	
	1.56(7)	mm	2.36 -9	Ne IV	2s ² 2p ³	2P _{1/2} - 2P _{3/2}	0.097	
	1.79(14)	mm	3.14 -9	B II	2s 2p	3P ₀ - 3P ₁	0.048	
	4.25(8)	mm	1.76 -10	Be I	2s 2p	3P ₁ - 3P ₂	0.009	
	5.00(6)	mm	4.39 -12	O II	2s ² 2p ³	2P _{3/2} - 2P _{1/2}	0.035	
	12.(7)	mm	5.20 -12	F III	2s ² 2p ³	2P _{1/2} - 2P _{3/2}	0.063	
	15.6(1.0)	mm	4.74 -12	Be I	2s 2p	3P ₀ - 3P ₁	0.009	
	25.9(8)	mm	5.17 -13	N I	2s ² 2p ³	2P _{1/2} - 2P _{3/2}	0.015	

^aThis is a wavelength in vacuum.

^bAlternate wavelengths for these transitions were given by reference BGR. They are 4424.1(2) and 5593.9(6) Å for Se XXI and Se XIX, respectively.